

ENVIRONMENTAL CONSULTING . GEOTECHNICAL ENGINEERING . CONSTRUCTION MATERIALS TESTING

PN: 16799

March 25, 2009

Ms. Jean Firth
Maine Department of Environmental Protection
17 State House Station
Augusta, Maine 04333

RE: Update to Phase I Environmental Site Assessment

American Tissue Mill Augusta, Maine

Dear Ms. Firth:

The purpose of this letter is to provide an update, to the Phase I Environmental Site Assessment (ESA) previously completed by MACTEC Engineering and Consulting, Inc. (MACTEC) for the American Tissue Mill in Augusta, Maine (the Site) dated June 2008. As established by ASTM Standard E 1527-05, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, the MACTEC Phase I ESA only remained valid for 180 days following the report date (through December 2008); therefore, an update was requested by the Maine Department of Environmental Protection (MEDEP). This Phase I ESA update was completed by Mr. John Cressey, an Environmental Professional as defined in §312.10 of 40 CFR 312.

To complete this update, Summit conducted:

- A new database search (First Search) to determine if new recognized environmental conditions (RECs) are present at the Site including additional releases of oil and/or hazardous materials (OHM) at the Site or in the vicinity of the Site;
- A Site visit to determine if conditions had changed since June 2008;
- An interview with City of Augusta and MEDEP officials familiar with the Site to determine
 if they were aware of changes in Site conditions; and
- A records review of MEDEP and City of Augusta files to determine if additional information had been discovered since June 2008.

Changes to the original ESA report that were identified during the supplemental records review, the Site visit, and/or provided by interviews are summarized below. These changes are referenced by the affected report section:

4.1 Standard Environmental Records Sources

Summit obtained radius searches of the federal and state environmental regulatory databases in accordance with ASTM E 1527-05 standards. The database search did not indicate any releases of OHM as having occurred on, or in the immediate vicinity of, the Site since June 2008. See Attachment A for a copy of the current database search.

American Tissue Mill Phase I ESA Update Page 2 of 3

4.4 Additional Environmental Record Sources

The following additional reports and memoranda were prepared subsequent to the original MACTEC ESA (June 2008):

Final Report - Asbestos Demolition Impact Survey for the Former American Tissue Mill Complex Located in Augusta, Maine — Summit Environmental Consultants, Inc., October 11, 2008

At the request of the MEDEP, Summit completed an asbestos demolition impact survey for the Site. The demolition survey included the on-site buildings for both friable and non-friable asbestos containing materials (ACM) In addition, Summit quantified observed Universal Waste materials.

Wastewater Memorandum - Summit Environmental Consultants, Inc., December 1, 2008

Summit sampled water within the on-site wastewater treatment plant on October 10, 2008 at the request of the MEDEP. Sampling was conducted to determine if the water met disposal guidelines for either the Greater Augusta Sanitary District or direct discharge to the Kennebec River. According to Mr. Jim Crowley of the MEDEP, the water is currently not acceptable for direct release to the Kennebec River due to slightly elevated levels of Total Suspended Solids (TSS) and Biological Oxygen Demand (BOD). Mr. Crowley recommended resampling in Spring 2009 prior to formation of the anticipated algae bloom. Based on the results of this follow-up sampling, the water will either be directly discharged to the river orrequired to be filtering prior to release to the river. A copy of this memorandum is attached to this letter as Attachment B.

Memorandum - Weston Solutions, December 15, 2008

Weston Solutions (Weston), on behalf of USEPA, oversaw completion of an emergency removal action during the period October 12, 2008 to December 3, 2008. During this emergency removal action, the USEPA response contractor removed chemicals from within piping and tanks at the Site. Chemicals removed included ammonia hydroxide, alum, lime slurry, wet resin, bleach liquor, sodium hypochlorite, and IGE PAL 660 (a biodegradable nonionic surfactant used for pulping paper). Although the majority of chemicals were removed, some residual amounts of these chemicals may still be present within piping and vessels. At the conclusion of the on-site removal action, the response contractor used spray paint to color-code pipes those pipes suspected to contain residual chemicals. Weston subsequently prepared a memorandum summarizing the removal action and the color-coding procedure. A copy of this memorandum is attached to this letter as Attachment C.

Project Manual for Demolition of the Former American Tissue Mill, Augusta, Maine – Summit Environmental Consultants, Inc., January 9, 2009

Summit, at the request of the City of Augusta, prepared a Project Manual for the demolition of mill buildings. The manual contained requirements for the proper handling and disposal of hazardous materials, asbestos, wastewater and sludge, as well as general construction requirements such as erosion and sediment control and site restoration. The manual provided the basis for the City to obtain bids from demolition contractors to demolish the mill to ground level.

American Tissue Mill Phase I ESA Update Page 3 of 3

Pollution Report #4, American Tissue Mills of Maine, 54 Maple Street, Augusta, Maine – USEPA, February 18, 2009

This memorandum, produced by the USEPA, detailed the activities conducted during the October 12 to December 3, 2008 removal action such as removal of PCB containing oil, evaluation of piping, and removal of alum from within a tank. See Attachment D for this memorandum.

5.0 Site Reconnaissance

Summit conducted a site reconnaissance on March 24, 2009 to determine if conditions had changed since June 2008. Due to snow and ice cover, visual observations of ground surfaces and within the wastewater treatment plant were limited. Site conditions appeared similar to conditions documented in photographs included in the original ESA; however, evidence of significant vandalism (i.e., copper theft) was observed. In the Boiler House, the cutting out of copper resulted in spills of small quantities of No. 6 fuel oil. In addition, accumulation of snow and ice was present in several buildings due to leaking roofs.

6.4 Interview with Local Government Officials

Summit interviewed Mr. Mike Duguay, City of Augusta Economic Development Director, on March 25, 2008, regarding changes to the property since June 2008. He was not aware of any changes to the property with respect to environmental issues.

6.5 Interview with State Officials

Summit interviewed Ms. Kara Walker of the MEDEP to determine if any spills either at or in the vicinity of the Site were reported to the MEDEP since June 2008. Based upon MEDEP records and her research, Ms. Walker was unaware of any reported releases within 0.5 miles of the Site since June 2008.

The remaining sections of the Phase I ESA Report completed by MACTEC for the Site and dated June 2008 are unchanged. Please contact us if you have any questions regarding this letter.

Sincerely,

SUMMIT ENVIRONMENTAL CONSULTANTS, INC.

John K. Cressey Project Scientist

James W. Bouquet, P.E. Principal Engineer

Attachments

Cc: Michael Duguay, City of Augusta Hank Andolsek, C.G., MEDEP

ATTACHMENT A FIRSTSEARCH DATABASE RESULTS

FirstSearch Technology Corporation

Environmental FirstSearchTM **Report**

Target Property: AMERICAN TISSUE

54 MAPLE ST

AUGUSTA ME 04330

Job Number: 16799

PREPARED FOR:

Summit Environmental Consultants, Inc.
434 Cony Road
Augusta, ME 04330

03-10-09



Tel: (781) 551-0470 Fax: (781) 551-0471

Target Site: 54 MAPLE ST

AUGUSTA ME 04330

FirstSearch Summary

Database	Sel	Updated	Radius	Site	1/8	1/4	1/2	1/2>	ZIP	TOTALS
		0.1 .1. 0.0								
NPL	Y	01-12-09	1.00	0	0	0	0	0	0	0
NPL Delisted	Y	01-12-09	0.50	0	0	0	0	-	0	0
CERCLIS	Y	01-09-09	0.50	1	0	1	1	-	0	3
NFRAP	Y	01-09-09	0.50	0	0	0	0	-	2	2
RCRA COR ACT	Y	11-13-08	1.00	0	0	0	0	0	0	0
RCRA TSD	Y	11-13-08	0.50	0	0	0	0	-	0	0
RCRA GEN	Y	11-13-08	0.25	1	0	2	-	-	0	3
Federal IC / EC	Y	02-02-09	0.25	0	0	0	-	-	0	0
ERNS	Y	03-03-09	0.25	5	0	1	-	-	4	10
Tribal Lands	Y	12-01-05	1.00	0	0	0	0	0	1	1
State/Tribal Sites	Y	12-01-08	1.00	0	0	1	4	2	2	9
State Spills 90	Y	02-07-09	0.50	10	15	30	77	-	216	348
State Spills 80	Y	06-07-01	0.50	9	11	12	30	-	94	156
State/Tribal SWL	Y	03-14-08	0.50	0	0	0	0	-	31	31
State/Tribal UST/AST	Y	12-04-08	0.25	2	14	21	-	-	15	52
State/Tribal EC	Y	NA	0.25	0	0	0	-	-	0	0
State/Tribal IC	Y	12-01-08	0.25	0	2	0	-	-	3	5
State/Tribal VCP	Y	12-01-08	0.50	0	5	1	2	-	1	9
State/Tribal Brownfields	Y	09-04-08	0.50	0	0	0	1	-	0	1
State Other	Y	01-01-07	0.25	0	0	0	-	-	0	0
- TOTALS -				28	47	69	115	2	369	630

Notice of Disclaimer

Due to the limitations, constraints, inaccuracies and incompleteness of government information and computer mapping data currently available to FirstSearch Technology Corp., certain conventions have been utilized in preparing the locations of all federal, state and local agency sites residing in FirstSearch Technology Corp.'s databases. All EPA NPL and state landfill sites are depicted by a rectangle approximating their location and size. The boundaries of the rectangles represent the eastern and western most longitudes; the northern and southern most latitudes. As such, the mapped areas may exceed the actual areas and do not represent the actual boundaries of these properties. All other sites are depicted by a point representing their approximate address location and make no attempt to represent the actual areas of the associated property. Actual boundaries and locations of individual properties can be found in the files residing at the agency responsible for such information.

Waiver of Liability

Although FirstSearch Technology Corp. uses its best efforts to research the actual location of each site, FirstSearch Technology Corp. does not and can not warrant the accuracy of these sites with regard to exact location and size. All authorized users of FirstSearch Technology Corp.'s services proceeding are signifying an understanding of FirstSearch Technology Corp.'s searching and mapping conventions, and agree to waive any and all liability claims associated with search and map results showing incomplete and or inaccurate site locations.

Environmental FirstSearch Site Information Report

Request Date: 03-10-09 **Search Type:** AREA

Requestor Name: John Cressey 0.05 sq mile(s)

Standard: ASTM-05 Job Number: 16799

Target Site: 54 MAPLE ST

AUGUSTA ME 04330

Demographics

Sites: 630 Non-Geocoded: 369 Population: NA

Radon: 0.4 - 11.6 PCI/L

Site Location

	<u>Degrees (Decimal)</u>	Degrees (Min/Sec)		<u>UTMs</u>
Longitude:	-69.765658	-69:45:56	Easting:	438952.747
Latitude:	44.329281	44:19:45	Northing:	4908514.907
Elevation:	64		Zone:	19

Comment

Comment: PHASE I UPDATE AM. TISSUE AUGUSTA

Additional Requests/Services

Adjac	ent ZIP Codes:	0 Mile(s)			Services:		
ZIP Code	City Name	ST	Dist/Dir	Sel		Requested?	Date
					Fire Insurance Maps	No	
					Aerial Photographs	No	
					Historical Topos	No	
					City Directories	No	
					Title Search/Env Liens	No	
					Municipal Reports	No	
					Online Topos	No	

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
1	SPILLS80	A38989	AUGUSTA ME 04330	0.00	- 34	1
1	SPILLS	STATLER TISSUE COMPANY A8894	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	2
1	SPILLS	STATLER TISSUE COMPANY A45599	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	3
1	SPILLS80	A12684	AUGUSTA ME 04330	0.00	- 34	4
1	SPILLS80	A18085	AUGUSTA ME 04330	0.00	- 34	5
1	SPILLS	A44492	AUGUSTA ME 04330	0.00	- 34	6
1	SPILLS	A52492	AUGUSTA ME 04330	0.00	- 34	7
1	SPILLS	STATLER TISSUE COMPANY A35194	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	8
1	SPILLS80	A4488	AUGUSTA ME 04330	0.00	- 34	9
1	SPILLS80	A19586	AUGUSTA ME 04330	0.00	- 34	10
1	SPILLS	A45691	AUGUSTA ME 04330	0.00	- 34	11
1	SPILLS	A40392	AUGUSTA ME 04330	0.00	- 34	12
1	SPILLS80	A8985	AUGUSTA ME 04330	0.00	- 34	13
1	SPILLS80	A37889	AUGUSTA ME 04330	0.00	- 34	14
1	SPILLS	A52291	AUGUSTA ME 04330	0.00	- 34	15
1	SPILLS80	A47589	AUGUSTA ME 04330	0.00	- 34	16
1	SPILLS80	A4888	AUGUSTA ME 04330	0.00	- 34	17
1	ERNS	H40698/FIX FAC	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	18
1	ERNS	STATLER TISSUE CO 309971/FIXED FACILITY	54 MAPLE ST AUGUSTA ME 04332	0.00	- 34	19
1	ERNS	STATLER TISSUE CO 363300/FIXED FAC./AST	54 MAPLE ST AUGUSTA ME 04332	0.00	N/A	20
1	RCRAGN	AMERICAN TISSUE MILLS OF MAINE LLC MED985731272/VGN	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	20

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

TOTAL: 630 GEOCODED: 261 NON GEOCODED: 369 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
1	CERCLIS	AMERICAN TISSUE MILLS OF MAINE MEN000105103/NOT PROPOSED	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	21
1	SPILLS	STATLER TISSUE A44993	MAPLE ST AUGUSTA ME 04330	0.00	- 34	22
1	ERNS	STATLER TISSUE CO. 231224/FIXED FACILITY	AUGUSTA ME	0.00	N/A	23
1	ERNS	H30695/FIX FAC	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	23
1	UST	AMERICAN TISSUE MILLS OF ME LL 00744/ACTIVE	54 MAPLE ST AUGUSTA ME 04330	0.00	- 34	24
1	UST	STATLER TISSUE CO 01061/REMOVED	MAPLE ST AUGUSTA ME 04330	0.00	- 34	26
1	SPILLS	STATLER TISSUE A61494	AUGUSTA ME 04330	0.00	- 34	28
2	SPILLS	TRANSCO A66898	60 MAPLE ST AUGUSTA ME 04330	0.06 SW	+ 5	29
3	SPILLS80	A46088	AUGUSTA ME 04330	0.06 SE	+ 48	30
4	UST	TRANSCO 06759/REMOVED	50 MAPLE ST AUGUSTA ME 04330	0.07 SW	+ 4	32
5	SPILLS80	A13286	AUGUSTA ME 04330	0.07 NE	+ 44	34
5	SPILLS80	A47186	AUGUSTA ME 04330	0.07 NE	+ 44	35
5	UST	BANGOR STREET SUNOCO 10948/REMOVED	102 BANGOR ST AUGUSTA ME 04330	0.07 NE	+ 44	36
6	SPILLS	ABBOTT, WALTER A17895	6 BANGOR PL AUGUSTA ME 04330	0.07 SE	+ 41	39
7	UST	BANGOR ST FIRE STATION 10558/REMOVED	104 BANGOR ST AUGUSTA ME 04330	0.07 SE	+ 47	40
8	VCP	LIPMAN POULTRY PROCESSING MEVRAP-0404-17/VRAP	RIVERSIDE DR AUGUSTA ME 04330	0.08 SE	+ 49	41
8	SPILLS	A38792	AUGUSTA ME 04330	0.08 SE	+ 49	41
8	SPILLS80	A2589	AUGUSTA ME 04330	0.08 SE	+ 49	42
8	SPILLS80	A14188	AUGUSTA ME 04330	0.08 SE	+ 49	43
8	INSTCONTROL	L LIPMAN POULTRY PROCESSING REM00947/INST CONTROL	RIVERSIDE DR AUGUSTA ME 04330	0.08 SE	+ 49	44

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
8	VCP	LIPMAN POULTRY PROCESSING REM00947/VRAP	RIVERSIDE DR AUGUSTA ME 04330	0.08 SE	+ 49	44
8	SPILLS	FORMER LIPMAN POULTRY BUILDING A16297	BANGOR ST AUGUSTA ME 04330	0.08 SE	+ 49	45
8	UST	184 RIVERSIDE INDUSTRIAL COMPL 10959/REMOVED	184 RIVERSIDE DR AUGUSTA ME 04330	0.08 SE	+ 49	46
8	SPILLS	FORMER LIPMAN POULTRY BOILER ROOM A35796	RIVERSIDE DR AUGUSTA ME 04330	0.08 SE	+ 49	48
9	UST	FORMER STRATHAM TIRE 20859	266 RIVERSIDE DR AUGUSTA ME 04330	0.08 SE	+ 36	49
10	SPILLS80	A33888	AUGUSTA ME 04330	0.09 SE	+ 47	52
10	SPILLS80	A35288	AUGUSTA ME 04330	0.09 SE	+ 47	53
10	UST	MCDONALDS CORP 15173/REMOVED	BANGOR ST AUGUSTA ME 04330	0.09 SE	+ 47	54
10	SPILLS	CONTAMINATION FOUND UNDER BANGOR A53298	S BANGOR FRONT OF MCDONALDS S AUGUSTA ME 04330	S0.09 SE	+ 47	56
11	SPILLS	TIM RODRIGUE A-639-2003	20 MAPLE ST AUGUSTA ME 04330	0.10 SE	+ 12	57
12	SPILLS80	A31487	AUGUSTA ME 04330	0.10 SE	+ 43	58
12	UST	DICKS AUTO BODY FORMER 14790/REMOVED	BANGOR ST AUGUSTA ME 04330	0.10 SE	+ 43	59
12	SPILLS	A39591	AUGUSTA ME 04330	0.10 SE	+ 43	60
12	SPILLS80	A19185	AUGUSTA ME 04330	0.10 SE	+ 43	61
12	SPILLS80	A25087	AUGUSTA ME 04330	0.10 SE	+ 43	62
13	VCP	BANGOR/BELFAST PROPERTIES REM00943/VRAP	CORNER OF BANGOR ST AUGUSTA ME 04330	0.10 SE	+ 38	63
14	SPILLS	COTTLE, ORAL A8896	8 CLARK ST AUGUSTA ME 04330	0.10 SE	+ 27	64
15	SPILLS	CONTAMINATION FOUND IN BANGOR ST A48398	ACROSS FROM MOBILE AUGUSTA ME 04330	0.10 SE	+ 41	65
16	UST	WEBB, EARL E 15911/REMOVED	91 BANGOR ST AUGUSTA ME 04330	0.10 SE	+ 45	66
17	SPILLS	PUFFIN STOP A31799	BANGOR ST AUGUSTA ME 04330	0.11 SE	+ 38	67

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 NON GEOCODED: 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
17	SPILLS	DOWNEAST ENERGY PUFFIN STOP A2198	101 BANGOR ST AUGUSTA ME 04330	0.11 SE	+ 38	68
18	VCP	AUGUSTA PUFFIN STOP REM01544/VRAP	105 BANGOR ST AUGUSTA ME 04330	0.11 SE	+ 38	69
18	UST	AUGUSTA PUFFIN 10288/REMOVED	105 BANGOR ST AUGUSTA ME 04330	0.11 SE	+ 38	70
19	SPILLS	A62792	AUGUSTA ME 04330	0.11 SE	+ 38	73
19	UST	TIRE SERVICE 13635/REMOVED	RIVERSIDE DR AUGUSTA ME 04330	0.11 SE	+ 38	74
19	UST	C E NOYES CO 15385/REMOVED	RIVERSIDE DR AUGUSTA ME 04330	0.11 SE	+ 38	76
20	UST	STATLER TISSUE WAREHOUSE 08469/REMOVED	BANGOR ST AUGUSTA ME 04330	0.11 SE	+ 49	77
21	SPILLS	WILSON, CAROL / SMITH, LINDA A12598	10 MAPLE ST AUGUSTA ME 04330	0.11 SE	+ 15	79
22	SPILLS	A37791	AUGUSTA ME 04330	0.12 NE	+ 38	80
22	SPILLS80	A24488	AUGUSTA ME 04330	0.12 NE	+ 38	81
23	UST	RIVERSIDE EXPRESS INC 20892/ACTIVE	240 RIVERSIDE DR AUGUSTA ME 04330	0.12 SE	+ 44	82
23	VCP	CAPITOL CITY TIRE and SERVICE REM01712/VRAP	238 RIVERSIDE DR AUGUSTA ME 04330	0.12 SE	+ 44	84
23	INSTCONTROL	CAPITOL CITY TIRE and SERVICE REM01712/INST CONTROL	238 RIVERSIDE DR AUGUSTA ME 04330	0.12 SE	+ 44	84
24	UST	THE BOTTLE PLACE 15170/REMOVED	213 RIVERSIDE DR AUGUSTA ME 04330	0.12 SE	+ 65	85
25	SPILLS80	A2486	AUGUSTA ME 04330	0.13 SE	+ 52	87
25	UST	BANGOR ST TEXACO 10191/REMOVED	80 BANGOR ST AUGUSTA ME 04330	0.13 SE	+ 52	89
26	SPILLS	QUIGGS GARAGE A-530-2001	79 BANGOR ST AUGUSTA ME 04330	0.13 SE	+ 53	92
26	SPILLS80	A50088	AUGUSTA ME 04330	0.13 SE	+ 53	93
26	SPILLS	QUIGGS GARAGE A5301	79 BANGOR ST AUGUSTA ME 04330	0.13 SE	+ 53	95
26	SPILLS80	A60189	AUGUSTA ME 04330	0.13 SE	+ 53	96

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
26	UST	QUIGGS GARAGE 20495/REMOVED	R 79 BANGOR ST AUGUSTA ME	0.13 SE	+ 53	97
26	UST	BANGOR ST EXXON 15196/REMOVED	79 BANGOR ST AUGUSTA ME 04330	0.13 SE	+ 53	98
27	UST	PULLEN BROS INC 18140/REMOVED	10 HOWE ST AUGUSTA ME 04330	0.13 SE	+ 46	101
28	SPILLS	MOBILE HOME PARK A19696	142 BANGOR 1 ST AUGUSTA ME 04330	0.14 SE	+ 28	102
29	SPILLS	KENNEBEC SAVINGS BANK A21697	117 BANGOR ST AUGUSTA ME 04330	0.14 NE	+ 27	103
30	SPILLS	MDOT CONST PROJ A-135-2004	RTE 201 AUGUSTA ME 04330	0.14 SE	+ 41	104
31	UST	WFAU 14726/REMOVED	160 BANGOR ST AUGUSTA ME 04330	0.14 SE	+ 46	105
32	UST	BANGOR ST MINI MART 02035/ACTIVE	127 BANGOR ST AUGUSTA ME 04330	0.15 NE	+ 26	106
32	SPILLS80	A13187	AUGUSTA ME 04330	0.15 NE	+ 26	109
32	SPILLS80	A32387	AUGUSTA ME 04330	0.15 NE	+ 26	111
32	SPILLS80	A15189	AUGUSTA ME 04330	0.15 NE	+ 26	112
32	SPILLS	WADLEIGH S/BANGOR ST MINI MART A16395	RT 201 AUGUSTA ME 04330	0.15 NE	+ 26	113
32	SPILLS80	A45989	AUGUSTA ME 04330	0.15 NE	+ 26	114
32	SPILLS	BANGOR ST MINI MART A-533-2002	127 BANGOR ST AUGUSTA ME	0.15 NE	+ 26	115
32	SPILLS	BANGOR ST MINI MART A-419-2002	127 BANGOR ST AUGUSTA ME	0.15 NE	+ 26	116
32	SPILLS	BANGOR STREET MINI MART A20694	127 BANGOR ST AUGUSTA ME 04330	0.15 NE	+ 26	117
32	SPILLS	A10191	AUGUSTA ME 04330	0.15 NE	+ 26	119
32	SPILLS	A12891	AUGUSTA ME 04330	0.15 NE	+ 26	120
32	SPILLS	BANGOR ST MINI MART A-418-2002	127 BANGOR ST AUGUSTA ME	0.15 NE	+ 26	121
33	UST	FORMER CORUM/MDOT 08269/REMOVED	259 RIVERSIDE DR AUGUSTA ME 04330	0.15 SE	+ 41	122

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
33	SPILLS	ME DOT A-45-2003	259 RIVERSIDE DR AUGUSTA ME 04330	0.15 SE	+ 41	124
34	ERNS	GENERAL MOTORS CORP 565998/FIXED FACILITY	165 BANGOR ST AUGUSTA ME 04330	0.16 SE	+ 46	125
35	SPILLS80	A13386	AUGUSTA ME 04330	0.16 SE	+ 34	126
36	UST	DURAND APARTMENTS 19057/REMOVED	5 STANLEY ST AUGUSTA ME 04330	0.16 SE	+ 50	127
37	SPILLS	TRAILER PARK A-331-2004	140 BANGOR ST AUGUSTA ME 04330	0.16 SE	+ 30	128
38	SPILLS80	A11786	AUGUSTA ME 04330	0.17 SE	+ 39	129
39	UST	ST BARNABAS CHURCH 17856/REMOVED	60 BANGOR ST AUGUSTA ME 04330	0.17 SE	+ 66	130
40	SPILLS	WILLIAMS SCHOOL PLAYGROUND A5610	BANGOR ST AUGUSTA ME	0.18 SE	+ 64	132
41	UST	BARDENS SHOPRITE 04135/REMOVED	145 BANGOR ST AUGUSTA ME 04330	0.18 SE	+ 30	133
41	SPILLS	A47290	AUGUSTA ME 04330	0.18 SE	+ 30	134
41	UST	BARDENS LAUNDRY MAT 04081/REMOVED	145 BANGOR ST AUGUSTA ME 04330	0.18 SE	+ 30	135
42	SPILLS	TRI-STATE STAFFING INC A-57-2004	56 BANGOR ST AUGUSTA ME 04330	0.18 SE	+ 61	136
43	UST	THE SALVATION ARMY 06504/REMOVED	11 NORTH PEARL ST AUGUSTA ME 04330	0.19 SE	+ 55	137
43	SPILLS80	A24588	AUGUSTA ME 04330	0.19 SE	+ 55	138
44	UST	LORD, ROGER and JANET 05780/REMOVED	6 MAPLE ST AUGUSTA ME 04330	0.19 SW	+ 30	139
45	SPILLS	A17492	AUGUSTA ME 04330	0.20 SE	+ 82	140
45	SPILLS	JOSEPH KIRSCHNER CO A11397	193 RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 82	141
45	SPILLS	JOSEPH KIRSCHNER COMPANY A45197	193 RIVERSIDE AUGUSTA ME 04330	0.20 SE	+ 82	142
45	VCP	KIRSCHNER PLANT REM01810/VRAP	193 RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 82	143
45	UST	GLH REALTY 02037/ACTIVE	193 RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 82	144

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
45	SPILLS80	A22185	AUGUSTA ME 04330	0.20 SE	+ 82	147
45	SPILLS80	P583	AUGUSTA ME 04330	0.20 SE	+ 82	148
46	UST	O CONNOR GMC INC 14262/REMOVED	187 RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 56	149
46	SPILLS	A11291	AUGUSTA ME 04330	0.20 SE	+ 56	151
46	SPILLS	O CONNOR MOTOR CO., INC. A63094	ROUTE 201 AUGUSTA ME 04330	0.20 SE	+ 56	152
46	UST	OCONNOR MOTOR CO 00641/REMOVED	RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 56	153
46	RCRAGN	OCONNOR G M C MED018980235/SGN	RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 56	156
46	SPILLS	O CONNOR GMC A33896	187 RIVERSIDE DR AUGUSTA ME 04330	0.20 SE	+ 56	157
47	SPILLS	HUBER, FRED A41795	42 HIGHLAND ST AUGUSTA ME 04330	0.20 SE	+ 53	158
48	UST	FOLSOM, FARNHAM 03597/REMOVED	4 MAPLE ST AUGUSTA ME 04330	0.21 SW	+ 30	159
49	SPILLS	LAPOINTE RESIDENCE A37997	49 BANGOR ST AUGUSTA ME 04330	0.22 SE	+ 54	160
50	UST	MISTER MARKET INC 13932/REMOVED	46 BANGOR ST AUGUSTA ME 04330	0.22 SE	+ 49	161
51	SPILLS	CMP TRANSFORMER POLE 1.1 A23399	WASHINGTON PL AUGUSTA ME 04330	0.22 NW	- 0	162
52	UST	RYAN COURT FACILITY 15455/REMOVED	2 RYAN CT AUGUSTA ME 04330	0.23 SW	- 33	163
53	SPILLS	ELLIS, BOYD A28293	330 RIVERSIDE DR AUGUSTA ME 04330	0.24 NE	+ 11	164
54	UST	RIVERVIEW APARTMENTS 10797/REMOVED	16 PENOBSCOT ST AUGUSTA ME 04330	0.25 NW	+ 39	165
55	SPILLS	A47390	AUGUSTA ME 04330	0.25 SE	+ 35	166
55	UST	BRAKE SERVICE and PARTS INC 06178/REMOVED	26 BANGOR ST AUGUSTA ME 04330	0.25 SE	+ 35	167
56	CERCLIS	O CONNOR COMPANY MAIN OFFICE MED018980227/NOT PROPOSED	WILLOW ST AUGUSTA ME 04330	0.25 SW	- 33	169
56	STATE	WILLOW STREET JUNKYARD (AKA O CONN ME043/ACTIVE	0 WILLOW ST AUGUSTA ME 04330	0.25 SW	- 33	170

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
56	RCRAGN	OCONNOR F SUPERFUND SITE MED018980227/SGN	NORTH EASTERN RTE 17 AVE AUGUSTA ME 04330	0.25 SW	- 33	171
57	SPILLS	EATON, CHARLES A47599	15 WASHINGTON AVE AUGUSTA ME 04330	0.25 NW	+ 42	172
58	SPILLS	VACANT STORE A-125-2004	56 NORTHERN AVE AUGUSTA ME 04330	0.25 NW	+ 49	173
59	SPILLS	LAURENT and JEANETTE PARE A-358-2002	44 WASHINGTON ST AUGUSTA ME 04330	0.26 NW	+ 10	174
60	SPILLS	INDUSTRIAL METALS RECYCLING (FORME A52199 $$	32 WILLOW ST AUGUSTA ME 04330	0.26 SE	+ 31	175
60	SPILLS	INDUSTRIAL METAL RECYCLING A-278-2005	32 WILLOW ST AUGUSTA ME 04330	0.26 SE	+ 31	176
60	SPILLS	INDUSTRIAL METAL RECYCLING INC A-674-2002	32 WILLOW ST EXT AUGUSTA ME 04330	0.26 SE	+ 31	177
61	BROWNFIELD	EDWARDS MILL REM01681/BROWNFIELDS	AUGUSTA ME 04330	0.27 SW	- 63	178
61	SPILLS	EDWARD S MANUFACTURING A46094	1 WATER ST AUGUSTA ME 04330	0.27 SW	- 63	179
61	SPILLS80	EDWARD S MANUFACTURING A10384	CANAL ST AUGUSTA ME 04330	0.27 SW	- 63	180
61	SPILLS	ABANDONED EDWARDS MILL A60193	NORTHERN AVE AUGUSTA ME 04330	0.27 SW	- 63	181
61	SPILLS80	A43889	AUGUSTA ME 04330	0.27 SW	- 63	182
61	SPILLS	EDWARD S MANUFACTURING A51599	1 WATER ST AUGUSTA ME 04330	0.27 SW	- 63	183
61	SPILLS	A42390	AUGUSTA ME 04330	0.27 SW	- 63	184
61	SPILLS	EDWARDS MANUFACTURING / DAM A33498	1 WATER ST AUGUSTA ME 04330	0.27 SW	- 63	185
61	SPILLS	FORMER EDWARDS MANUFACTURING PRO A12098	PE 1 WATER ST AUGUSTA ME 04330	0.27 SW	- 63	186
62	SPILLS80	A26187	AUGUSTA ME 04330	0.27 SE	+ 59	187
63	SPILLS	APARTMENT BUILDING OWNED BY FORTIN A23996		0.27 NW	+ 61	188
64	SPILLS	AUGUSTA FUEL COMP. A6694	4 NORTHERN AVE AUGUSTA ME 04330	0.28 SW	- 57	189
65	SPILLS80	P2883	AUGUSTA ME 04330	0.28 NE	+ 37	190

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
65	SPILLS80	A185	AUGUSTA ME 04330	0.28 NE	+ 37	191
65	SPILLS	DEAD RIVER - BULK PLANT A27293	N BELFAST AVE AUGUSTA ME 04330	0.28 NE	+ 37	192
65	SPILLS	A6492	AUGUSTA ME 04330	0.28 NE	+ 37	193
65	SPILLS	A30092	AUGUSTA ME 04330	0.28 NE	+ 37	194
65	SPILLS	DEAD RIVER CO. BULK TERMINAL A53893	RTE 3 AUGUSTA ME 04330	0.28 NE	+ 37	195
65	SPILLS	DEAD RIVER BULK PLANT A21896	N BELFAST AVE AUGUSTA ME 04330	0.28 NE	+ 37	196
65	SPILLS	DEAD RIVER - BULK PLANT A35095	N BELFAST AVE AUGUSTA ME 04330	0.28 NE	+ 37	197
65	SPILLS80	A11384	AUGUSTA ME 04330	0.28 NE	+ 37	198
65	SPILLS	DEAD RIVER A13694	RTE 3 AUGUSTA ME 04330	0.28 NE	+ 37	199
65	SPILLS80	HASKELL ENERGIES CO. A13884	28 N BELFAST AVE AUGUSTA ME 04330	0.28 NE	+ 37	200
65	SPILLS80	A12987	AUGUSTA ME 04330	0.28 NE	+ 37	201
65	SPILLS80	A43286	AUGUSTA ME 04330	0.28 NE	+ 37	202
65	SPILLS	DEAD RIVER - BULK PLANT A40696	N BELFAST AVE AUGUSTA ME 04330	0.28 NE	+ 37	203
66	SPILLS80	A8687	AUGUSTA ME 04330	0.28 SW	- 55	204
67	SPILLS80	A29187	AUGUSTA ME 04330	0.28 NW	+ 35	205
68	SPILLS	EDWARDS DAM A40899	KENNEBEC RIVER AUGUSTA ME 04330	0.28 SW	- 64	206
68	SPILLS	EDWARDS DAM A51899	KENNEBEC RIVER AUGUSTA ME 04330	0.28 SW	- 64	207
69	SPILLS80	KAREY, DAVID P20983	AUGUSTA ME 04330	0.28 NE	+ 39	208
70	SPILLS80	RICHARD BOUCHER S PROPERTY A16184	AUGUSTA ME 04330	0.30 NE	+ 41	209
71	SPILLS	SPENCER, ROBIN A34496	21 SCHOOL ST AUGUSTA ME 04330	0.31 SE	+ 80	210

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
72	SPILLS80	A9487	AUGUSTA ME 04330	0.31 SW	- 44	211
73	SPILLS80	TRASK, JOANNE A11188	82 NORTHERN AVE AUGUSTA ME 04330	0.32 NW	+ 69	212
74	SPILLS	A56991	AUGUSTA ME 04330	0.32 SW	- 53	213
75	VCP	ROCKINGHAM ELECTRIC REM01656/VRAP	7 MOUNT VERNON AVE AUGUSTA ME 04330	0.32 SW	- 46	214
75	SPILLS	ROCKINGHAM ELECTRIC - COAL GAS PLA A31199	7 MOUNT VERNON AVE AUGUSTA ME 04330	0.32 SW	- 46	215
76	SPILLS	CUMBERLAND FARMS STORE 1829 A38496	5 MOUNT VERNON AVE AUGUSTA ME 04330	0.32 SW	- 52	216
76	SPILLS80	CUMBERLAND FARMS A3583	MT VERNON AVE AUGUSTA ME 04330	0.32 SW	- 52	217
77	SPILLS	RALPH and TAMMY COLFER A-498-2005	18 SCHOOL ST AUGUSTA ME 04330	0.32 SE	+ 76	218
78	SPILLS	LOCSIN, SUSAN A33197	342 RIVERSIDE DR AUGUSTA ME 04330	0.32 NE	+ 32	219
79	SPILLS	KEVIN GALIARD A-761-2002	16 PATTERSON ST AUGUSTA ME 04330	0.34 SE	+ 65	220
80	SPILLS	REPOSSESED HOUSE A9396	40 NOYES ST AUGUSTA ME 04330	0.34 SW	+ 19	221
81	SPILLS	A8391	AUGUSTA ME 04330	0.35 SE	+ 116	222
82	SPILLS	OWEN, PETER A2681	29 MURRAY ST AUGUSTA ME 04330	0.36 SE	+ 123	223
83	SPILLS	STREET A5097	24 PATTERSON ST AUGUSTA ME 04330	0.36 SE	+ 70	224
84	SPILLS	PJS A-56-2004	80 WATER ST AUGUSTA ME 04330	0.36 SW	- 26	225
85	SPILLS	A34192	AUGUSTA ME 04330	0.37 SW	- 2	226
86	SPILLS	AUBUCHON HDW BLDG A-218-2005	10 BANGOR ST AUGUSTA ME 04330	0.37 SW	+ 31	227
87	SPILLS	GUZMAN RESIDENCE A10797	23 GREENLEAF ST AUGUSTA ME 04330	0.38 SE	+ 70	228
87	SPILLS	JUAN GUZMAN A-693-2002	23 GREENLEAF ST AUGUSTA ME 04330	0.38 SE	+ 70	229
88	SPILLS	DAVID SOUTHMAYD A-86-2004	33 GREENLEAF ST AUGUSTA ME 04330	0.38 SE	+ 73	230

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
89	SPILLS	TRUCK ACCIDENT A53499	WATER NEAR RR TRESTLE ST AUGUSTA ME 04330	0.38 SW	- 33	231
90	SPILLS80	A33387	AUGUSTA ME 04330	0.39 SW	- 18	232
91	SPILLS	A45191	AUGUSTA ME 04330	0.40 SE	+ 93	233
92	SPILLS	C N BROWN BULK PLANT A-275-2004	360 RIVERSIDE DR AUGUSTA ME 04330	0.40 NE	+ 40	234
93	SPILLS80	A35786	AUGUSTA ME 04330	0.40 SW	+ 30	235
94	SPILLS	BEAULIEU, CECILE A38995	116 NORTHERN AVE AUGUSTA ME 04330	0.40 NW	+ 103	236
95	SPILLS80	A21885	AUGUSTA ME 04330	0.40 SW	- 21	237
96	SPILLS	MYSTERY CONTAMINATION UNDER BANC A29398	GOR BANGOR AT CONY CIR AUGUSTA ME 04330	0.40 SW	+ 35	238
97	STATE	INTERSTATE FIRE PROTECTION BLDG ME123/INACTIVE	53 CONY ST AUGUSTA ME 04330	0.41 SW	+ 27	239
98	SPILLS80	P8283	AUGUSTA ME 04330	0.41 NE	+ 40	240
98	SPILLS80	A28988	AUGUSTA ME 04330	0.41 NE	+ 40	241
98	SPILLS80	A36986	AUGUSTA ME 04330	0.41 NE	+ 40	242
98	SPILLS	CN BROWN BULK PLANT A1700	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	243
98	SPILLS	CN BROWN BULK PLANT A34596	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	244
98	SPILLS80	A16286	AUGUSTA ME 04330	0.41 NE	+ 40	245
98	SPILLS	CN BROWN BULK PLANT A1950	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	246
98	SPILLS	CN BROWN BULK PLANT A191	362 RIVERSIDE DR AUGUSTA ME 04357	0.41 NE	+ 40	247
98	SPILLS80	A23289	AUGUSTA ME 04330	0.41 NE	+ 40	248
98	SPILLS	C N BROWN BULK PLANT A-33-2005	RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	249
98	SPILLS	CN BROWN BULK PLANT A4670	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	250

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 NON GEOCODED: 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
98	STATE	C N BROWN ME120/RESOLVED	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	251
98	SPILLS80	A47188	AUGUSTA ME 04330	0.41 NE	+ 40	252
98	SPILLS	C N BROWN A-162-2003	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	253
98	SPILLS80	A28088	AUGUSTA ME 04330	0.41 NE	+ 40	254
98	SPILLS	C N BROWN BULK PLANT A-318-2004	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	255
98	SPILLS	CN BROWN BULK PLANT A50496	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	256
98	SPILLS	A50191	AUGUSTA ME 04330	0.41 NE	+ 40	257
98	SPILLS	C N BROWN BULK PLANT A-319-2004	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	258
98	SPILLS	A38890	AUGUSTA ME 04330	0.41 NE	+ 40	259
98	SPILLS	A64791	AUGUSTA ME 04330	0.41 NE	+ 40	260
98	SPILLS	RED SHIELD BULK PLANT A-609-2005	362 RIVERSIDE DR AUGUSTA ME 04330	0.41 NE	+ 40	261
99	STATE	WATER STREET ME127/LBL	0 WATER ST AUGUSTA ME 04330	0.41 SW	- 48	262
100	SPILLS	AUGUSTA PUBLIC LANDING A40398	BOWMAN ST AUGUSTA ME 04330	0.42 SW	+ 32	262
101	SPILLS80	FORT WESTERN P26983	AUGUSTA ME 04330	0.42 SW	+ 31	263
102	CERCLIS	OLD FORT WESTERN MEN000103360/NOT PROPOSED	CONY ST AUGUSTA ME 04330	0.43 SW	- 20	264
102	STATE	OLD FORT WESTERN REM01680/INVESTIGATION IN PRO	CONY ST AUGUSTA ME 04330	0.43 SW	- 20	265
103	SPILLS80	A27688	AUGUSTA ME 04330	0.43 SW	+ 28	266
104	SPILLS	MARY MCCARTHY A-617-2002	5 BOOTHBAY ST AUGUSTA ME 04330	0.43 SW	- 3	267
105	SPILLS	BRIAN SNOW A-345-2002	64 NEWLAND AVE AUGUSTA ME 04330	0.45 NE	+ 69	268
106	SPILLS	A58091	AUGUSTA ME 04330	0.45 SW	- 19	269

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
107	SPILLS	CONY HIGH SCHOOL A54696	AUGUSTA ME 04330	0.45 SE	+ 46	270
107	SPILLS	A37491	AUGUSTA ME 04330	0.45 SE	+ 46	271
107	SPILLS	CONY HIGH SCHOOL A-90-2004	CONY ST AUGUSTA ME 04330	0.45 SE	+ 46	272
108	SPILLS	HALPERIN, BARBARA A14694	LOT 83, RIVERSIDE MHP AUGUSTA ME 04330	0.46 NE	+ 18	273
108	SPILLS	CURTIS, SANDRA A6295	LOT 89 RIVERSIDE MHP AUGUSTA ME 04330	0.46 NE	+ 18	274
108	SPILLS	RIVERSIDE TRAILER PARK UNIT 201 A36393	RIVERSIDE DR AUGUSTA ME 04330	0.46 NE	+ 18	275
108	SPILLS	SHERYL SWIFT A-638-2004	8 RAVEN RD AUGUSTA ME 04330	0.46 NE	+ 18	276
108	SPILLS80	HOLLY MAFFEI RESIDENCE A6084	AUGUSTA ME 04330	0.46 NE	+ 18	277
109	SPILLS	LEW MANTER A-9-2006	2 STONE ST AUGUSTA ME 04330	0.46 SW	+ 36	278
109	SPILLS	MANTER REALTY A-53-2004	2 STONE ST AUGUSTA ME 04330	0.46 SW	+ 36	279
109	VCP	MANTER PROPERTIES REM01805/VRAP	2 STONE ST AUGUSTA ME 04330	0.46 SW	+ 36	280
110	SPILLS	BROWN, CATHRYN A73198	65 BOOTHBAY ST AUGUSTA ME 04330	0.46 SW	+ 12	281
111	SPILLS80	A37389	AUGUSTA ME 04330	0.46 NW	+ 161	282
112	SPILLS	MYSTERY SHEEN A27391	BOOTHBY ST AUGUSTA ME 04330	0.47 SW	+ 13	283
113	SPILLS	WILLIAM SKIDGELL A91	182 WATER ST AUGUSTA ME 04330	0.47 SW	- 56	284
114	SPILLS	SYLVIA RAGON A16393	60 PATTERSON ST AUGUSTA ME 04330	0.49 SE	+ 159	285
115	SPILLS	LILLIMAN, INGE A4821	217 WATER ST AUGUSTA ME 04330	0.50 SW	- 61	286
115	SPILLS	INGE LILLIMAN A-482-2001	217 WATER ST AUGUSTA ME 04330	0.50 SW	- 61	287
116	STATE	RYAN COURT LOT ME125/LBL	230 NORTHERN AVE AUGUSTA ME 04330	0.61 NW	+ 185	288
117	STATE	HARTFORD STATION ME042/IN REVIEW	0 WATER ST AUGUSTA ME 04330	0.83 SW	+ 30	288

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	IRVING OIL CORP A-354-2004	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	HOUSE TRAILER OWNED BY SUE BARROW	VS			
		A5061	LEAVITT RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	INLAND FISHERIES and WILDLIFE, ME A7299	STATION 41 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	JC PENNEY BUILDING A72999	WATER ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	KATHLEEN TAYLOR A-23-2002	RR7 BOX 1480 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	KALERS STORE A290	536 OLD COUNTY RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MOBIL PIPELINE A41998	ROUTE 3 CROSSING AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	I-95 SO TRAVEL LANE A-218-2003	AUGUSTA - WINTHROP EXIT AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	KCEMA OFFICE A-649-2002	COURT ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	KCV TRAILER - PARKING SPOT A-314-2002	BOND BROOK RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MIDLAND TRANSPORT VEHICLE A-301-2003	I-95 S AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MOODY, LINWOOD A12199	RR 9 BOX 5105 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MORTON, MARY A6840	8 ROD RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MOTOR VEHICLE MISHAP A-250-2005	I-95 S AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MYSTERY A26797	KENNEBEC RIVER AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MYSTERY A44499	ROUTE 17 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MYSTERY A38096	WORCESTER ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MYSTERY A-59-2005	LYONS RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	HODGKINS SCHOOL A-515-2007	MALTA ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MYSTERY A-13-2005	I-95 S MILE 128 AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 NON GEOCODED: 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	STATE	BARGAIN OUTLET ME165/INACTIVE	ROUTE 27 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	KENNEBEC RIVER A40594	BEHIND EDWARDS MILL AUGUSTA ME	NON GC	N/A	N/A
	STATE	MOUNT PLEASANT(?) SOLDIERS LOT D01ME0140/DERP-FUDS	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	1/2 MILE FROM ROUTE 3 A38399	CROSS HILL RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CAMERA READY PRINTING A68999	RR 7 BOX 1550 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	C N BROWN A-66-2004	362 RIVER RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	BIG APPLE STORE A-529-2004	WESTERN AVE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	BICKFORDS TRANSPORTATION - VEHICLE A-119-2005	RTE 3 and NEW BRIDGE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	BEST PRICE FUEL A11496	RT 17 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	BELL ATLANTIC A45998	WATER ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CFM GARAGE A-671-2004	BIRCHWOOD RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	AA SELF STORAGE A76799	RT 17 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CHRISTOPHER BILYNSKY A-603-2004	BEVERLY LN AUGUSTA ME	NON GC	N/A	N/A
	ERNS	NRC-842985/MOBILE	422 RIVER RD AUGUSTA ME	NON GC	N/A	N/A
	ERNS	UNKNOWN SHEEN INCIDENT BUILDING 20 NRC-864845/MOBILE	UNKNOWN SHEEN INCIDENT BUIL AUGUSTA ME	NON GC	N/A	N/A
	ERNS	POLE 6 NRC-804616/FIXED	SPRUCE ST AUGUSTA ME	NON GC	N/A	N/A
	ERNS	286 WATER STREET NRC-898620/STORAGE TANK	286 WATER ST AUGUSTA ME	NON GC	N/A	N/A
	NFRAP	KENNEBEC RIVER (FLOOD) MED982198715/NFRAP-N	C/O DEP AUGUSTA ME 04330	NON GC	N/A	N/A
	NFRAP	ANDROSCOGGIN RIVER (FLOOD) MED982198723/NFRAP-N	C/O DEP AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	POLE 8 ALLEN LINE A-397-2006	ALLENWOOD PARK ROAD AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	OFFICE BUILDING A-584-2001	STATE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ABANDONED WASTE A-630-2004	ARSENAULT ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 530.1 A4600	CONY RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	HALL, BOB A31098	WINDSOR RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CROSS OFFICE BLDG A-105-2004	STATE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CONDONS GRAVEL PIT A24996	ROUTE 104 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 8 A34598	PIGGERY RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 5.1 A17498	ALBEE RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 5 A34498	PIGGERY RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 4 A17598	SHERBROOK (SHERWOOD AVE) DR AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CENTRAL MAINE POWER A-507-2002	OLD WINTHROP RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 1 A34698	BEAULIEU (WINDY STREET) AVE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	HAYES PROPERTY A47498	BIRMINGHAM RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER POLE 2 A-55-2006	MAUREEN DR AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER A5280	RT 226 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER A1898	NEAR BOX 995 PULLEN RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER A-210-2003	SEWALL ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP A2431	EDISON DR AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP A-311-2003	CONY STATION ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CLAUDETTE GRENIER A-696-2003	90 DAM POND RD AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	CITY OF AUGUSTA - POLICE CRUISER A-573-2005	WASHINGTON ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP TRANSFORMER, POLE 13 A34398	PIGGERY RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A24186	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A387	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A27188	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A55189	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A9585	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	P4883	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A1087	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A12289	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A31288	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A22385	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A6187	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A27186	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A19685	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A1885	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A19187	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A23185	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A34587	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	POLE 6 A-388-2006	SPRUCE ST AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 NON GEOCODED: 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff I	Page No.
	SPILLS80	A16088	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A11289	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A52888	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A6686	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A9587	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A15086	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A3085	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A3385	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A35087	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A27788	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A10988	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A388	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A34789	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A15286	UNKNOWN WELD ME 04330	NON GC	N/A	N/A
	SPILLS80	A42286	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	B7786	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A20785	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A44987	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A37287	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A52688	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS80	ARTHUR FREEMAN S PROPERTY A13484	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A34986	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	CONDON FIELD A483	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	CMP-NKL HYDROSTATION P40889	UNKNOWN SACO ME 04330	NON GC	N/A	N/A
	SPILLS80	CMP TRANSFORMER ON POLE 0141 P21983	POND RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	CMP POLE 55 P12483	BANGOR RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	CHELSEA MARKET A4083	RT 226 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	CHELSEA MARKET 83-10231/SERVICE STATION	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	GRAVEL PIT BEHIND FIRE BARN A10687	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	BELGRADE TRUCK STOP P22383	MOUNT VERNON AVE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	INTERSECTION OF ROUTES 220 and 105 A18384	UNKNOWN WASHINGTON ME 04330	NON GC	N/A	N/A
	SPILLS	A-2-1991	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A-71-1990	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A-3-1991	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A-2-1990	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A57190	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A65190	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A60890	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	BIG APPLE P21583	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	POLE 47.1 B27085	UNKNOWN HAMPDEN ME 04330	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS80	A39886	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A51089	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	WATERBED S EAST P35083	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	WASTE TREATMENT PLANT A3383	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	TRIBUTARY TO BOND BROOK A18484	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	TRANSFORMER VAULTS P31883	WATER ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	TAYLOR, HERBERT P22883	WESTERN PL AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	EMERSON S RESIDENCE A384	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	RT 3 B24183	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A61489	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	MYSTERY SHEEN ON KENNEBEC P23183	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	MYSTERY SHEEN P21783	STONE BROOK AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	MITTON RESIDENCE, ROUTE 23 P21383	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	MAPLE RIDGE ROAD, POLE 27 P12583	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	LOG CABIN FUEL CO 84-3	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	KENNEBEC RIVER A783	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	KENNEBEC RIVER A5984	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	STATE OFFICE BUILDING A19484	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	4138/CLOSED	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A4688	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SWL	4980/INACTIVE	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	4264-11050/CLOSED	UNKNOWN CHELSEA ME 04330	NON GC	N/A	N/A
	SWL	007914/CLOSED	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	7914/P	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	5063/CLOSED	UNKNOWN CHELSEA ME 04330	NON GC	N/A	N/A
	SWL	004080/CLOSED	UNKNOWN CHELSEA ME 04330	NON GC	N/A	N/A
	UST	AYER, STANTON W 16089/REMOVED	RTE 9 AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	4892/AC	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	UST	BEST PRICE FUEL 19603/REMOVED	THOMASTON RT 17 RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	TREE-FREE FIBER CO LLC - CHURCHILL S-004892/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	SIDNEY 5435/CLOSED	UNKNOWN SIDNEY ME 04330	NON GC	N/A	N/A
	SWL	SHAW S SUPERMARKETS INC S-021935/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	SANFORD, DANA - BURNS ROAD S-009044/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	PIKE INDUSTRIES - SANFORD ROAD S-021373/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	PAT JACKSON INC - BURNS ROAD S-020254/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	PAT JACKSON INC S-020407/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	004892/CLOSED-96	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	UST	MACDONALD, HERBERT B 01718/REMOVED	ROUTE 201 AUGUSTA ME 04330	NON GC	N/A	N/A
	INSTCONTROL	O CONNOR JUNKYARD SUPERFUND SITE MEBR-0606-002/INST CONTROL	RTE 17 AUGUSTA ME	NON GC	N/A	N/A
	INSTCONTROL	AUGUSTA SANITARY DISTRICT LANDF REM00023/INST CONTROL	HATCH HILL RD AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

VCP	Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
BIA-04330 ME 04330 NON GC N/A N/A		VCP			NON GC	N/A	N/A
UST		TRIBALLAND			NON GC	N/A	N/A
UST		UST			NON GC	N/A	N/A
SWL		UST			NON GC	N/A	N/A
UST		UST			NON GC	N/A	N/A
SWL		SWL	4080/CLOSED		NON GC	N/A	N/A
S-020697/LICENSED		UST			NON GC	N/A	N/A
UST		SWL			NON GC	N/A	N/A
UST		UST			NON GC	N/A	N/A
UST		UST			NON GC	N/A	N/A
UST		UST			NON GC	N/A	N/A
UST		UST			NON GC	N/A	N/A
UST BONENFANT GRAVEL PIT WEST RIVER RD NON GC N/A N/A		UST			NON GC	N/A	N/A
12903/REMOVED		UST	,		NON GC	N/A	N/A
19122/REMOVED AUGUSTA ME 04330 NON GC N/A N/A		UST			NON GC	N/A	N/A
A45888 AUGUSTA ME 04330 SPILLS80 UNKNOWN NON GC N/A N/A A43486 UNKNOWN NON GC N/A N/A SPILLS80 A44086 AUGUSTA ME 04330 SPILLS80 UNKNOWN NON GC N/A N/A SPILLS80 UNKNOWN NON GC N/A N/A		UST			NON GC	N/A	N/A
A43486 AUGUSTA ME 04330 SPILLS80 UNKNOWN NON GC N/A N/A A44086 AUGUSTA ME 04330 SPILLS80 UNKNOWN NON GC N/A N/A		SPILLS80	A45888		NON GC	N/A	N/A
A44086 AUGUSTA ME 04330 SPILLS80 UNKNOWN NON GC N/A N/A		SPILLS80	A43486		NON GC	N/A	N/A
		SPILLS80	A44086		NON GC	N/A	N/A
		SPILLS80	A44188		NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 NON GEOCODED: 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS80	A4586	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A4986	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A50089	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A5387	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	MAINE DEPT OF TRANSPORTATION S-022148/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A38688	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A54489	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A7789	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A18387	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A2788	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A34886	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A46586	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A47889	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A48291	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A32989	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	AUGUSTA SANITARY DIST S-004138/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A18385	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	FORT WESTERN TIRE CO INC - RT 3 NO S-022001/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	CITY OF AUGUSTA MESW-1/ACTIVE	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	CHELSEA 007438/CLOSED	UNKNOWN CHELSEA ME 04330	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SWL	CHELSEA 5482/CLOSED	UNKNOWN CHELSEA ME 04330	NON GC	N/A	N/A
	SWL	AUGUSTA, CITY OF S-020405/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	AUGUSTA, CITY OF S-021447/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A43086	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	AUGUSTA SANITARY DIST MESW-0306/TRANSFER	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A31586	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	AUGUSTA SANITARY DIST MESW-0306-01/TRANSFER	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	AMERICAN TISSUE COMPANY MESW-10/ACTIVE	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A8988	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A7388	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS80	A50989	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A11885	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS80	A17489	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SWL	MAINE DEPT OF TRANSPORTATION S-022142/LICENSED	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SWL	AUGUSTA, CITY OF S-007914/ACTIVE	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	EAST SIDE SUBSTATION A-821-2001	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	PLANTE, ALFRED/AL S AUTO BODY SHOP A21194	HALLOWELL RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	KENNEDY BROOK A5601	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	H. E. SARGENT GRAVEL PIT OPERATION A50297	UNNAMED GRAVEL RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	GRIFFIN, CHRIS A4960	RR 1 BOX 6049 AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	GRANT, PETER/GRANT S REPAIR A29694	RT 3 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	GORDON RENTAL PROP A-636-2003	739 EIGHT ROD RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	GAGNE CONCRETE A45897	ROUTE 27 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	LECROUX PROPERTY A10	RR 6 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	EDWARD TRASK HOME CMP POLE 20, ON A23599	CHURCH HILL RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	M.S.U. 51 A41893	RR 6, BOX 2860 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	DRIVEWAY OF DON RANDALL A3010	ROUTE 3 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	DOWNEAST ENERGY BULK PLANT A-35-2004	MOUNT VERNON AVE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	DOWN HOME COUNTRY STORE A1710	ROUTE 3 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	DEPARTMENT OF CONSERVATION BOLTON	N ROUTE 3	NON GC	N/A	N/A
		A41696	AUGUSTA ME 04330	NON GC	IV/A	IV/A
	SPILLS	DAVID MINTO A-489-2006	131 DR MANN RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP TRANSFOMER A35199	STATE ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP SUBSTATION A6660	RT. 27 IN AUGUSTA AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	FIRE STATION A-395-2002	GROVE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MDOT YARD A-281-2003	CAPITOL ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	A8891	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	PIE TRANSPORT A11093	ROUTE 27 FORM GAGNE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	PESTICIDE OWNERS OF MAINE - MEDEP A37797	17 STATION AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	PESTICIDE OWNERS OF MAINE A39696	C/O 17 STATION AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	PESTICIDE OWNERS OF MAINE A44395	C/O ME DEP 17 STATION AUGUSTA ME 04330	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	PAYSON,DEANNE A60593	FERRY RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	PAVED ROAD SURFACE A31099	I-95 NORTHBOUND AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	LACROIX, MARGURITE A6781	BOX 4170 SUMMERHAVEN RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MERCKENS, LAWRENCE A26597	RR 6 BOX 4073 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP POLE 64 A10997	WEEKS MILLS RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MDOT VEHICLE A-684-2004	I-95 - NO - MILE 109 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MDOT MOTOR TRANSPORT A-482-2002	CAPITOL ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MDOT MAINTENANCE GARAGE A-148-2004	NO AUGUSTA AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MDEP RESPONSE WAREHOUSE A-476-2004	4 BLOSSOM LN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MCGOVERN, NANCY A7190	4 PARK ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	MCDONALDS RETAURANT PARKING LOT A-11-2006	BANGOR ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MAINE DEP A-638-2005	4 BLOSSOM LN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	MICHAUD, DENA A1896	RT 226 AUGUSTA ME 04330	NON GC	N/A	N/A
	INSTCONTROL	O CONNOR JUNKYARD SUPERFUND SITE MEIC-001/IC	ROUTE 17 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	APARTMENT BLDG A1310	STEWART LN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	AMHI SUBSTATION A-316-2002	HOSPITAL ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ALLENS MOVING and STORAGE A3121	66 INDUSTRIAL PARK RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ROAD PAVEMENT A-578-2002	NORTHERN AVE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	RESIDENTIAL DRIVEWAY A-47-2006	290 CHURCH HILL ROAD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	RESIDENT A61098	342 TOWNSEND AVE AUGUSTA ME 04330	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	RENTAL PROPERTY A-5-2005	1126 WEEKS MILLS RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP POLE 8 A-180-2003	STONE ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	RAYMOND and DEBORAH WALTERS A960	RR 9, BOX 1495 (ROUTE 226) AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	AUGUSTA NATURE TRAIL A4940	SOUTH OFF BELFAST (RT 105) AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 79.1 A-231-2002	OAKLAND - AKA BOND BROOK RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 5 A-396-2002	COURT ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 3 A-389-2006	SEWALL ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 27 TRANSFORMER P1621	KING - RT ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 25.1 A-404-2006	GEORGE TRASK LINE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ORRIN LEE CONSTRUCTION A47898	ROUTE 3 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	OLD BELGRADE ROAD TRAILER PARK A25598	RR 10 BOX 1245B AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	RDWY FROM AUGUSTA TO HALLOWELL A-634-2003	STATE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP - POLE 148 A-337-2004	N BELFAST AVE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	POLE 105 A4050	SOUTH BELFAST AVE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP POLE A1498	SPRING RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP POLE A1398	ROUTE 105 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP CAPITOL ST SUB STATION A-429-2002	CAPITOL ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP BUCKET TRUCK A57499	MELVILLE ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP - POLE 9 A-290-2005	STATE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP - POLE 3 A-290-2004	PARKVIEW DR AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	APPLICATOR S SUPPLY A41894	NORTH INDUSTRIAL PARK AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP - POLE 2 A-216-2003	GREEN ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ARMAND DOSTIE A-49-2002	W RIVER RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	BEAUMAN, BILL A31597	RT 105 25 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	BANGOR ST A39792	BANGOR ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	BAKER COMMODITIES A50395	ROUTE 201 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	AUTO ACCIDENT A5331	MOUNT VERNON RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	AUGUSTA TISSUE, LLC A-250-2006	54 MAPLE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	AUGUSTA SANITARY DIST - PIPING A-115-2005	N BELFAST AVE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	AUGUSTA POLICE DEPARTMENT A-717-2001	33 UNION ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	CMP POLE 15 A19597	STATE RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	CMP - POLE 24.1 A-390-2004	MIDDLE RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	WEBBER ENERGY FUELS A-633-2004	DARRIN DR AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	PIKE INDUSTRIES A-663-2004	SUMMERHAVEN RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	A28291	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A63391	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A13990	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A36990	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A9891	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	A7392	UNKNOWN AUGUSTA ME	NON GC	N/A	N/A

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	A14592	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	WILLIAM GUERRETTE A-43-2005	17 PHEASANT RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	A50591	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	WATERVILLE POLE 6 A43899	HAYWOOD RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	WASTE WATER TREATMENT PLANT A-513-2002	OFF STATE ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	WALKER RESIDENCE A1521	WILSON EXT AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	VEHICLE ACCIDENT A400	OLD BELGRADE RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	VEHICLE ACCIDENT A-386-2001	I-95 SOUTHBOUND AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	VARIOUS STATE PARKS A39995	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	VARIOUS A27096	RESPONSE WAREHOUSE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	WYMAN and SIMPSON PROPERTY A11099	ROUTE 201 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A31492	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	OIL ON ROADWAY A5560	ROUTE 27 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	A11092	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A60090	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A1091	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A32792	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A35291	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A27492	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A19892	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A

Environmental FirstSearch Sites Summary Report

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

NON GEOCODED: SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	A37192	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	VACANT LOT A-759-2001	SEARLES MILL RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A45192	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A54892	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A17593	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A35093	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A61391	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A12193	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A14192	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A27292	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	ROADWAY EXPRESS - VEHICLE A-382-2005	I-95 - NO - MILE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	SIMPSON, LYLA A66298	MANN RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	SHEPARD, TOM A25593	RT 226 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	SHEPARD, DAVE A12093	ROUTE 226 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	SECRETARY OF STATE - MOTOR VEHICLE A-191-2004	PIGGERY RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	S E MACMILLAN CO INC A-569-2001	RAILROAD TRACKS UNION AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	S E COLE TRUCKING A3030	ROUTE 105 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ROUTE 202 A520	EAST ROTARY AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	VARIOUS A23098	C/O ME DEP 17 STATION AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	ROBERT VALLIERE A-54-2004	6 SHOVEL HEAD LN AUGUSTA ME	NON GC	N/A	N/A

Environmental FirstSearch Sites Summary Report

54 MAPLE ST AUGUSTA ME 04330 **Target Property:**

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

NON GEOCODED: SELECTED: 0 **TOTAL:** 630 GEOCODED: 261 369

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	STANDISH MARTHA A25793	BRIDGE ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	ROADSIDE SPILL A-13-2006	FOWLER ST AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ROAD SURFACE A5000	LEIGHTON RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	ROAD SHOULDER A-18-2006	I-95 MILE 119 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 21 A24399	ARSENAL ST AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	POLE 13 A51	PIGGERY RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 1 A6650	POLE 1 SMITH RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	POLE 149 A44599	ROUTE 17 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	ROBINSON, PAM A64898	BOX 1173 OLD HALLOWELL RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	TRACTOR TRAILER A7997	RT 3 AND HINKS AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	A30491	UNKNOWN AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	UNKNOWN RESIDENCE A-327-2003	BLAINE AVE AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	UNKNOWN HOMEOWNER A5110	ROUTE 226 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	UNKNOWN HOMEOWNER A-530-2003	MIDDLE RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	UNKNOWN HOMEOWNER A-164-2005	BLAIR RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	UNKNOWN A-379-2004	POND RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	UNKNOWN A-624-2004	RTE 104 AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	SONNY S JUNK YARD A10296	OFF RT 17 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	TRANSFORMER A-573-2001	4 BLOSSOM LN AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	SPILL SITE A27797	WESTERN AVE AUGUSTA ME 04330	NON GC	N/A	N/A

Environmental FirstSearch Sites Summary Report

Target Property: 54 MAPLE ST AUGUSTA ME 04330

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA

GEOCODED: 261 NON GEOCODED: 369 **TOTAL:** 630 SELECTED: 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	TOM MCMASTER A-161-2004	WINDSOR RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	TISDALE AUTO PARTS A22497	ROUTE 17 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	TILCON MAINE INC. A22693	OLD BELGRADE RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	TAYLOR, DAVE A44199	RT. 2 BOX 114 AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	SUE BARROWS A-506-2001	LEAVITT RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	STONE and COOPER AT LENFEST RESIDE A60094	MANN RD AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	STEVE MCGEE GRAVEL PIT A-177-2004	W RIVER RD AUGUSTA ME	NON GC	N/A	N/A
	SPILLS	VARIOUS A35995	RESPONSE WAREHOUSE AUGUSTA ME 04330	NON GC	N/A	N/A
	SPILLS	UMA - PROPOSED STUDENT CT A-252-2002	UNIVERSITY DR AUGUSTA ME	NON GC	N/A	N/A

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 167 **ELEVATION:** 30 **DIST/DIR:** 0.00 --MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A38989 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: AUGUSTA POLICE

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 13-AUG-1989

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL) METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: DIESEL ACTUAL PRODUCT SPILLED: DIESEL AMOUNT SPILLED: 5 G**UNITS:**

SPILL SOURCE: **BUSINESS- INDUSTRIAL**

MEDIUM AFFECTED: LAND AND INLAND SURFACE WATER

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SORBENTS** AMOUNT OF PRODUCT RECOVERED: .05 G

SPILL INVESTIGATED BY: SAIT, DAVID

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 111 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 STATLER TISSUE COMPANY
 REV:
 2/7/09

 ADDRESS:
 54 MAPLE ST
 ID1:
 A8894

AUGUSTA ME ID2: A-88-1994

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 03/10/1994 **REPORT DATE:** 03/10/1994

SPILL TYPE: HAZARDOUS MATERIAL INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HAZARDOUS CHEMICAL - UNSPECIFIED

PRODUCT AMOUNT: 6100 GALS. **AMOUNT QUALIFIER:** ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: HYPOCHLORITE WAS NEUTRALIZED WITH BISULFATE

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: CORROSION - PIPING

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 112 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 STATLER TISSUE COMPANY
 REV:
 2/7/09

 ADDRESS:
 54 MAPLE ST
 ID1:
 A45599

AUGUSTA ME ID2: A-455-1999

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 07/26/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: TRANSFORMER OIL

PRODUCT AMOUNT: 0 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - LOOSE FITTING

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 207 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A12684 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: MARINETI

NOTIFIER S ADDRESS: C/O STATLER TISSUE

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 24-AUG-1984 CAUSE OF SPILL: UNKNOWN METHOD OF SPILL DETECTION: SPILLER - OTHER PRODUCT REPORTED SPILLED: 1 FUEL OIL - KEROSENE ACTUAL PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

AMOUNT SPILLED: 25

UNITS:

BUSINESS- INDUSTRIAL SPILL SOURCE:

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 206 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A18085

AUGUSTA ME ID1: A18085

CONTACT: STATUS: PHONE:

NOTIFIER: KRVEGAR, JACK **NOTIFIER S ADDRESS:** c/o D.H.S.

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 18-OCT-1985 **CAUSE OF SPILL:** ACCIDENT OTHER

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - ODOR/VAPOR/MIST

PRODUCT REPORTED SPILLED:CHLORINEACTUAL PRODUCT SPILLED:CHLORINE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: BUSINESS- INDUSTRIAL

MEDIUM AFFECTED: ATMOSPHERE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 128 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A44492

AUGUSTA ME ID2: A-444-1992

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 09/15/1992
REPORT DATE: 09/15/1992
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:6 FUEL OILPRODUCT AMOUNT:20 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 129 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A52492

AUGUSTA ME ID2: A-524-1992
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 10/25/1992 **REPORT DATE:** 10/25/1992

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: NON-HAZARDOUS CHEMICAL - UNSPECIFIED

PRODUCT AMOUNT: 2 GALS.
AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE: FALSE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: ACCIDENT - OTHER

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 110 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 STATLER TISSUE COMPANY
 REV:
 2/7/09

 ADDRESS:
 54 MAPLE ST
 ID1:
 A35194

AUGUSTA ME ID2: A-351-1994

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/03/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:6 FUEL OILPRODUCT AMOUNT:100 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: 373 TONS OF SOIL RECYCLED AT DRAGON PRODUCTS/CEMENT KILN

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: TANK AND/OR PIPING REMOVAL

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:744TANK NUMBER:1AST INSIDE:FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: ELEVATION: 30 168 **DIST/DIR:** 0.00 --MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A4488 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: PHILLIPS, D.

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 11-FEB-1988

PIPING OR HOSING FAILURE **CAUSE OF SPILL:**

METHOD OF SPILL DETECTION: SPILLER - OTHER

PRODUCT REPORTED SPILLED: DIESEL **ACTUAL PRODUCT SPILLED:** DIESEL AMOUNT SPILLED: 50.99 **UNITS:**

SPILL SOURCE: TRANSPORTATION- TRUCK

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SKIMMERS** METHOD OF SPILL RECOVERY: **SORBENTS** AMOUNT OF PRODUCT RECOVERED: 50.99 G

PHILLIPS, DENNIS SPILL INVESTIGATED BY: SPILL INVESTIGATED BY: KEENE, WILLIAM

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 170 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A19586

AUGUSTA ME ID1: A19586
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: STONE and COOPER

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: CORROSION (TANK)

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: ACTUAL PRODUCT SPILLED:DIESEL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: BUSINESS- INDUSTRIAL

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: EXCAVATION

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL:STEEL - BARE OR ASPHALT COATEDPIPE MATERIAL:STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 130 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A45691

AUGUSTA ME ID2: A-456-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 09/10/1991 **REPORT DATE:** 09/11/1991

SPILL TYPE: HAZARDOUS MATERIAL INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HAZARDOUS CHEMICAL - UNSPECIFIED

PRODUCT AMOUNT: 400 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: DISCHARGE TO KENNEBEC RIVER

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 131 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A40392

AUGUSTA ME ID2: A-403-1992
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 08/18/1992
REPORT DATE: 08/18/1992
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 166 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A8985 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: AUGUSTA POLICE

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 27-MAY-1985 CAUSE OF SPILL: ACCIDENT OTHER

METHOD OF SPILL DETECTION: PUBLIC OFFICIAL - OTHER

PRODUCT REPORTED SPILLED: HYDRAULIC OIL **ACTUAL PRODUCT SPILLED:** HYDRAULIC OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: **BUSINESS- COMMERCIAL MEDIUM AFFECTED:** INLAND SURFACE WATER

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SORBENTS**

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 165 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A37889 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: ARBOR, MIKE NOTIFIER S ADDRESS: STONE and COOPER

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 14-AUG-1989 **CAUSE OF SPILL:** CORROSION (TANK)

METHOD OF SPILL DETECTION: CONTRACTOR - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: **BUSINESS- COMMERCIAL**

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 50 Y

SPILL INVESTIGATED BY: MCNEILLY, ALVIN

TANK INFORMATION:

TANK NUMBER: 1 SIZE OF TANK IN GALLONS: 10000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

GALVANIZED STEEL PIPE MATERIAL:

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 132 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A52291

AUGUSTA ME ID2: A-522-1991
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 10/04/1991 **REPORT DATE:** 10/04/1991

SPILL TYPE: HAZARDOUS MATERIAL INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: NON-HAZARDOUS CHEMICAL - UNSPECIFIED

PRODUCT AMOUNT: 10 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SEE ATTACHED STATLER REPORT

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 164 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A47589 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: RICHARDSON, BRIAN

NOTIFIER S ADDRESS: CMP

AUGUSTA ME 04330

NOTIFIER PHONE: 2076225500

DATE OF RELEASE: 08-OCT-1989 **CAUSE OF SPILL:** ACCIDENT OTHER METHOD OF SPILL DETECTION: SPILLER - OTHER PRODUCT REPORTED SPILLED: PCB OIL (OVER 50 PPM) **ACTUAL PRODUCT SPILLED:** PCB OIL (OVER 50 PPM)

AMOUNT SPILLED: .15

UNITS:

BUSINESS- INDUSTRIAL SPILL SOURCE:

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SORBENTS** METHOD OF SPILL RECOVERY: EXCAVATION

AMOUNT OF PRODUCT RECOVERED: .15 G

COGBURN, PERRY SPILL INVESTIGATED BY:

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 169 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1

NAME: REV: 6/07/01 ADDRESS:

A4888 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: SWANSON, DAVID NOTIFIER S ADDRESS: STATLER TISSUE

AUGUSTA ME 04330

NOTIFIER PHONE: 2076234731

DATE OF RELEASE: 16-FEB-1988

CAUSE OF SPILL: PIPING OR HOSING FAILURE METHOD OF SPILL DETECTION: SPILLER - ODOR/VAPOR/MIST

PRODUCT REPORTED SPILLED: CHLORINE **ACTUAL PRODUCT SPILLED:** CHLORINE AMOUNT SPILLED: **UNITS:**

SPILL SOURCE: **BUSINESS- INDUSTRIAL**

MEDIUM AFFECTED: ATMOSPHERE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: BRANN, FRED

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

ERNS

SEARCH ID: 12 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 01-20-98

 ADDRESS:
 54 MAPLE ST
 ID1:
 H40698

54 MAPLE S1 ID1: H40698 AUGUSTA ME 04330 ID2:

CONTACT: GALLANT, KENNETH STATUS: FIX FAC PHONE: 207-623-4731

CERCLIS (Y/N):

MAT: SODIUM HYPOCHLORITE (15% OR LESS QUANT: 0.00 UNKNOWN

LOCATION: 54 MAPLE ST

CITY: AUGUSTA ME 04332 **REPORTED:** 19940310

SOURCE: FIX FAC MEDIUM: WATER

CAUSE:

STORAGE TANK/NIPPLE ON TANK IS LEAKING DUE TO CORROSION

ACT: SECURED AND REPAIRED NIPPLE/NEUTRALIZED SPILL

BY:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

ERNS

SEARCH ID: 8 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 STATLER TISSUE CO
 REV:
 3/28/93

 ADDRESS:
 54 MAPLE ST
 ID1:
 309971

AUGUSTA ME 04332 ID2:

KENNEBEC STATUS: FIXED FACILITY

CONTACT: PHONE:

SPILL INFORMATION

DATE OF SPILL: 3/28/93 **TIME OF SPILL:** 1400

PRODUCT RELEASED (1): SODIUM HYPOCHLORIDE

QUANTITY (1): 0 **UNITS (1):** UNK

PRODUCT RELEASED (2):

QUANTITY (2): UNITS (2):

PRODUCT RELEASED (3):

QUANTITY (3): UNITS (3):

MEDIUM/MEDIA AFFECTED

AIR: NO GROUNDWATER: NO LAND: NO FIXED FACILITY: NO WATER: NO OTHER: YES WATERBODY AFFECTED BY RELEASE: SECONDARY CONTAINMENT

CAUSE OF RELEASE

DUMPING:NOEQUIPMENT FAILURE:NONATURAL PHENOMENON:NOOPERATOR ERROR:NOOTHER CAUSE:NOTRANSP. ACCIDENT:NOUNKNOWN:NO

ACTIONS TAKEN: THE PRODUCT SPILLED INTO A SECOND CONTAINMENT TANK/DID NOT LEAVE THE IMMEDIATE

BOUNDARY

RELEASE DETECTION: OUTLET FROM A FIXED TANK/SNOW FALLING FROM A ROOF ABOVE THE TANK BROKE LINE TO TANK

MISC. NOTES:

DISCHARGER INFORMATION

DISCHARGER ID: 309971 DUN and BRADSTREET:

TYPE OF DISCHARGER: PRIVATE ENTERPRISE
NAME OF DISCHARGER: STATLER TISSUE CO
ADDRESS: 54 MAPLE ST

AUGUSTA ME 04332-1050

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

ERNS

SEARCH ID: 9 DIST/DIR: 0.00 -- ELEVATION: MAP ID: 1

 NAME:
 STATLER TISSUE CO
 REV:
 3/9/1994

 ADDRESS:
 54 MAPLE ST
 ID1:
 363300

54 MAPLE S1 IDI: 36330 AUGUSTA ME 04332 ID2:

KENNEBEC STATUS: FIXED FAC./AST

CONTACT: PHONE:

SPILL INFORMATION

DATE OF SPILL: 3/9/1994 **TIME OF SPILL:** 1600

PRODUCT RELEASED (1): SODIUM HYPOCHLORITE (15% OR LESS

QUANTITY (1):

CAUSE OF RELEASE

DUMPING:NOEQUIPMENT FAILURE:YESNATURAL PHENOMENON:NOOPERATOR ERROR:NO

OTHER CAUSE: NO TRANS

RCRAGN

SEARCH ID: 4 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 AMERICAN TISSUE MILLS OF MAINE LLC
 REV:
 11/13/08

 ADDRESS:
 54 MAPLE ST
 ID1:
 MED985731272

 AUGUSTA ME 04332
 ID2:

KENNEBEC STATUS: VGN
CONTACT: RICHARD MCELHANEY PHONE: 2076228733

CT MANIFEST INFORMATION

MANIFEST ID SHIPPED TSD ID TRANS ID OTY MATERIAL

CTF0272332 03/21/1994 CTD000604488 MAD039322250 0016 Y HAZARDOUS WASTE SOLID

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

\mathbf{C}			

SEARCH ID: 1 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

NAME: AMERICAN TISSUE MILLS OF MAINE REV: 1/9/09

 ADDRESS:
 54 MAPLE ST
 ID1:
 MEN000105103

 AUGUSTA ME 04330
 ID2:
 0105103

 KENNEBEC
 STATUS:
 NOT PROPOSED

 CONTACT:
 TOM CONDON
 PHONE:
 6179181206

ACTION/QUALITY START/RAA AGENCY/RPS **END** notice letters issued Federal Enforcement 09-25-2006 information repository established EPA Fund-Financed 12-14-2006 public notice published EPA Fund-Financed 12-21-2006 EPA Fund-Financed 10-23-2006 08-24-2007 removal Cleaned up Primary removal assessment EPA Fund-Financed 09-05-2006 09-22-2006

DESCRIPTION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 109 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1

REV: NAME: STATLER TISSUE 2/7/09 **ADDRESS:** MAPLE ST A44993 ID1:

AUGUSTA ME ID2: A-449-1993

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE: 09/14/1993 REPORT DATE: 09/14/1993 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: CORROSIVE **PRODUCT AMOUNT:** 25 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

SUBJECT/SPILLER REPORTER TYPE:

DETECTION METHOD: OTHER

LOCATION: **BUSINESS - INDUSTRIAL**

SOURCE:

SPILL CAUSE: ACCIDENT - HUMAN ERROR

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

ERNS

SEARCH ID: 10 DIST/DIR: 0.00 -- ELEVATION: MAP ID: 1

 NAME:
 STATLER TISSUE CO.
 REV:
 9/10/1991

 ADDRESS:
 ID1:
 231224

AUGUSTA ME 1D1: 231224 ID2:

KENNEBEC STATUS: FIXED FACILITY

CONTACT: PHONE:

SPILL INFORMATION

DATE OF SPILL: 9/10/1991 **TIME OF SPILL:** 1500

PRODUCT RELEASED (1): CALCIUM HYPOCHLORITE

QUANTITY (1):

 \mathbf{U}

CAUSE OF RELEASE

DUMPING:NOEQUIPMENT FAILURE:NONATURAL PHENOMENON:NOOPERATOR ERROR:NO

OTHER CAUSE: NO TRANSP

ERNS

SEARCH ID: 11 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 REV:
 12-13-93

 ADDRESS:
 54 MAPLE ST JUSTA ME 04330
 ID1:
 H30695

 ID2:
 ID2:
 ID3:
 ID3:

AUGUSTA ME 04330 ID2:

STATUS: FIX FAC

DHONE: 207, 622, 472.

CONTACT: PHONE: 207-623-4731

CERCLIS (Y/N):

MAT: SODIUM-HYPOCHLORIDE QUANT: 1.00 UNKNOWN

LOCATION: 54 MAPLE ST.

CITY: AUGUSTA ME 04332 **REPORTED:** 19930328

SOURCE: FIX FAC MEDIUM: WITHIN FACILITY

OUTLET FROM A FIXED TANK

CAUSE: EQUIP FAILURE

SNOW FALLING FROM ROOF ABOVE TANK BROKE LINE TO TANK

ACT: PUMPING UP

BY: DEP

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 215 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 AMERICAN TISSUE MILLS OF ME LL
 REV:
 12/4/08

 ADDRESS:
 54 MAPLE ST AUGUSTA ME
 ID1:
 00744

 ID2:
 744

AUGUSTA ME ID2: 744
STATUS: ACTIVE

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: AUGUSTA TISSUE LLC
OWNER ADDRESS: 5 PHEASANT RUN
GREAT NECK NY 11788

OWNER PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 8/3/1994
TANK INSTALLED DATE: 1/1/1972
PRODUCT STORED: 6 FUEL OIL

TANK CAPACITY: 50000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 2
TANK STATUS: ACTIVE
TANK STATUS DATE: 8/9/1994
TANK INSTALLED DATE: 8/9/1994
PRODUCT STORED: 6 FUEL OIL

TANK CAPACITY: 50000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

FED REGULATED: N

PIPE LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST SEARCH ID: 215 **DIST/DIR:** 0.00 --**ELEVATION:** 30 MAP ID: 1 NAME: AMERICAN TISSUE MILLS OF ME LL **REV:** 12/4/08 **ADDRESS:** 54 MAPLE ST 00744 ID1: AUGUSTA ME ID2: 744 STATUS: ACTIVE **CONTACT:** PHONE: **NEAR PUBLIC WATER:** N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 243 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 STATLER TISSUE CO
 REV:
 12/4/08

 ADDRESS:
 MAPLE ST
 ID1:
 01061

 AUGUSTA ME
 ID2:
 1061

AUGUSTA ME ID2: 1061 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: STONE and COOPER FUEL CO

OWNER ADDRESS: PO BOX 386

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 7/1/1986

 TANK INSTALLED DATE:
 10/1/1969

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED 7/1/1986
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: DIESEL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 243 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

NAME:STATLER TISSUE COREV:12/4/08ADDRESS:MAPLE STID1:01061

AUGUSTA ME ID2: 1061 STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 108 **DIST/DIR:** 0.00 -- **ELEVATION:** 30 **MAP ID:** 1

 NAME:
 STATLER TISSUE
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A61494

AUGUSTA ME ID2: A-614-1994

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 12/29/1994 **REPORT DATE:** 12/29/1994

SPILL TYPE: HAZARDOUS MATERIAL INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HAZARDOUS CHEMICAL - UNSPECIFIED

PRODUCT AMOUNT: 5 GALS. **AMOUNT QUALIFIER:** ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: WASTE TREATMENT PLANT

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: ACCIDENT - HUMAN ERROR

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 117 **DIST/DIR:** 0.06 SW **ELEVATION:** 69 MAP ID: 2

REV: NAME: TRANSCO 2/7/09 ADDRESS: 60 MAPLE ST A66898 ID1:

AUGUSTA ME ID2: A-668-1998

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE: 12/03/1998 REPORT DATE: 12/03/1998 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL **PRODUCT AMOUNT:** .5 GALS. AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: BY AFC

CONTRACTOR/CONSULTANT REPORTER TYPE:

DETECTION METHOD: VISUAL PRODUCT

LOCATION: **BUSINESS - COMMERCIAL**

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 204 **DIST/DIR:** 0.06 SE **ELEVATION:** 112 **MAP ID:** 3

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A46088

AUGUSTA ME ID1: A46088
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: SUBJECT

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED:UNSPECIFIED MOTOR FUELACTUAL PRODUCT SPILLED:UNSPECIFIED MOTOR FUEL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: NONE

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 6000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 6000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 6000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 204 **DIST/DIR:** 0.06 SE **ELEVATION:** 112 **MAP ID:** 3

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A46088

AUGUSTA ME ID1: A46088
ID2:

CONTACT: STATUS: PHONE:

PIPE MATERIAL: STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL:STEEL - BARE OR ASPHALT COATEDPIPE MATERIAL:STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 248 **DIST/DIR:** 0.07 SW **ELEVATION:** 68 MAP ID:

NAME: TRANSCO REV: 12/4/08 ADDRESS: 50 MAPLE ST 06759 ID1: AUGUSTA ME 6759 ID2:

STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: ED GALL REAL ESTATE OWNER ADDRESS: 36 ANTHONY AVE SUITE 201

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 9/1/1990 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N** NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 9/1/1990 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST SEARCH ID: 248 **DIST/DIR:** 0.07 SW **ELEVATION:** 68 MAP ID: NAME: TRANSCO **REV:** 12/4/08 **ADDRESS:** 50 MAPLE ST 06759 ID1: AUGUSTA ME ID2: 6759 STATUS: REMOVED **CONTACT:** PHONE: **NEAR PUBLIC WATER:** N **NEARBY WATER OTHER OWNER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 199 **DIST/DIR:** 0.07 NE **ELEVATION:** 108 MAP ID: 5

NAME: REV: 6/07/01 ADDRESS:

A13286 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: LATHE FUEL

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: WASTE OIL / USED MOTOR OIL **ACTUAL PRODUCT SPILLED:** WASTE OIL / USED MOTOR OIL

AMOUNT SPILLED:

UNITS: G

TERMINAL- SERVICE STATION SPILL SOURCE:

MEDIUM AFFECTED:

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS SPILL INVESTIGATED BY: GLEASON, DOUG

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

AGE OF TANK: 11-15 YEARS TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 198 **DIST/DIR:** 0.07 NE **ELEVATION:** 108 MAP ID: 5

NAME: REV: 6/07/01 ADDRESS:

A47186 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: HASKELL, TED

NOTIFIER S ADDRESS:

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: **BUSINESS- COMMERCIAL**

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED STEEL - BARE OR ASPHALT COATED PIPE MATERIAL:

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 221 **DIST/DIR:** 0.07 NE **ELEVATION:** 108 **MAP ID:** 5

 NAME:
 BANGOR STREET SUNOCO
 REV:
 12/4/08

 ADDRESS:
 102 BANGOR ST
 ID1:
 10948

 AUGUSTA ME
 10048
 ID2:
 10048

AUGUSTA ME ID2: 10948
STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: FIELD, STEPHEN N
OWNER ADDRESS: 100 BANGOR ST
AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 6

TANK ID:

TANK STATUS: REMOVED

TANK STATUS DATE:

TANK INSTALLED DATE: 7/1/1979

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 6000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED

TANK STATUS DATE:

TANK INSTALLED DATE: 7/1/1979

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 6000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 221 **DIST/DIR:** 0.07 NE **ELEVATION:** 108 **MAP ID:** 5

 NAME:
 BANGOR STREET SUNOCO
 REV:
 12/4/08

 ADDRESS:
 102 BANGOR ST
 ID1:
 10948

 AUGUSTA ME
 ID2:
 10948

AUGUSTA ME ID2: 10948 STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED

TANK STATUS DATE:

TANK INSTALLED DATE: 7/1/1979

PRODUCT STORED: PREMIUM UNLEADED

TANK CAPACITY: 6000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED

TANK STATUS DATE:

TANK INSTALLED DATE: 8/1/1975 **PRODUCT STORED:** DIESEL

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED

TANK STATUS DATE:

TANK INSTALLED DATE: 6/1/1983

PRODUCT STORED: 1 FUEL OIL - KEROSENE

- Continued on next page -

UST

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SEARCH ID: 221 **DIST/DIR:** 0.07 NE **ELEVATION:** 108 **MAP ID:** 5

 NAME:
 BANGOR STREET SUNOCO
 REV:
 12/4/08

 ADDRESS:
 102 BANGOR ST
 ID1:
 10948

 AUGUSTA ME
 ID2:
 10948

AUGUSTA ME ID2: 10948
STATUS: REMOVED

CONTACT: PHONE:

TANK CAPACITY: 500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED

TANK STATUS DATE:

TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 21 **DIST/DIR:** 0.07 SE **ELEVATION:** 105 **MAP ID:** 6

 NAME:
 ABBOTT, WALTER
 REV:
 2/7/09

 ADDRESS:
 6 BANGOR PL
 ID1:
 A17895

AUGUSTA ME ID2: A-178-1995
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 04/29/1995
REPORT DATE: 05/01/1995
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:120 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: CORROSION - PIPING

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 218 **DIST/DIR:** 0.07 SE **ELEVATION:** 111 **MAP ID:** 7

 NAME:
 BANGOR ST FIRE STATION
 REV:
 12/4/08

 ADDRESS:
 104 BANGOR ST
 ID1:
 10558

AUGUSTA ME ID2: 10558 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: AUGUSTA CITY OF **OWNER ADDRESS:** 16 CONY ST

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 5/1/1993
TANK INSTALLED DATE: 1/1/1964
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VCP

SEARCH ID: 256 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME: LIPMAN POULTRY PROCESSING REV: 1/5/04

MEVRAP-0404-17 ADDRESS: RIVERSIDE DR ID1:

AUGUSTA ME 04330 ID2: STATUS: VRAP

CONTACT: PHONE:

SITE INFORMATION

THIS SITE HAS RECEIVED FINAL VOLUNTARY RESPONSE ACTION PROGRAM CERTIFICATION:

SPILLS

SEARCH ID: DIST/DIR: 0.08 SE **ELEVATION:** 113 MAP ID: 8 147

REV: 2/7/09 NAME: ADDRESS: ID1: A38792

AUGUSTA ME A-387-1992 ID2:

STATUS: PHONE:

CONTACT:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 07/16/1992

NON-OIL, NON-HAZARDOUS INCIDENT **SPILL TYPE:**

FALSE

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: NONE

PRODUCT AMOUNT:

AMOUNT QUALIFIER: **FURTHER RESPONSE:**

NUM WELLS IMPACTED: 0 NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: PUBLIC OFFICIAL

DETECTION METHOD: OTHER

LOCATION: **BUSINESS - INDUSTRIAL**

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 178 **ELEVATION: DIST/DIR:** 0.08 SE 113 MAP ID: 8

NAME: REV: 6/07/01 ADDRESS:

A2589 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: UNKNOWN

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 12-JAN-1989

CAUSE OF SPILL: PIPING OR HOSING FAILURE METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: 6 FUEL OIL **ACTUAL PRODUCT SPILLED:** 6 FUEL OIL AMOUNT SPILLED: 2000

UNITS:

SPILL SOURCE: **BUSINESS- COMMERCIAL**

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: VACUUM TRUCKS

AMOUNT OF PRODUCT RECOVERED: 2000 G

SPILL INVESTIGATED BY: MCNEILLY, ALVIN

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 179 **ELEVATION: DIST/DIR:** 0.08 SE 113 **MAP ID:** 8

NAME: REV: 6/07/01 A14188 ADDRESS:

ID1: AUGUSTA ME ID2: KENNEBEC STATUS:

CONTACT: PHONE:

NOTIFIER: GROVE, MIKE

NOTIFIER S ADDRESS: AUG. TREATMENT PLANT

AUGUSTA ME 04333

NOTIFIER PHONE: 6234633

DATE OF RELEASE: 19-APR-1988

CAUSE OF SPILL: DELIBERATE DISCHARGE METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER PRODUCT REPORTED SPILLED: WASTE OIL / USED MOTOR OIL **ACTUAL PRODUCT SPILLED:** WASTE OIL / USED MOTOR OIL

AMOUNT SPILLED: 75

UNITS:

SPILL SOURCE: **BUSINESS- INDUSTRIAL**

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SORBENTS** METHOD OF SPILL RECOVERY: **PUMPS** AMOUNT OF PRODUCT RECOVERED: 75 G

SPILL INVESTIGATED BY: MCNEILLY, ALVIN

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

INSTCONTROL

SEARCH ID: 261 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME:LIPMAN POULTRY PROCESSINGREV:12/1/08ADDRESS:RIVERSIDE DRID1:REM00947

AUGUSTA ME

ID2: REM00947

STATUS: INST CONTROL

CONTACT: PHONE:

SITE INFORMATION

STATUS: NO FURTHER ACTION

PROGRAM: VRAP **INSTITUTIONAL CONTROLS:** TRUE

VCP

SEARCH ID: 257 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME:LIPMAN POULTRY PROCESSINGREV:12/1/08ADDRESS:RIVERSIDE DRID1:REM00947

RIVERSIDE DR ID1: REM00947
AUGUSTA ME ID2:

STATUS: VRAP

CONTACT: PHONE:

SITE INFORMATION

PROGRAM: VRAP

STATUS: NO FURTHER ACTION

INSTITUTIONAL CONTROL: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 69 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME:FORMER LIPMAN POULTRY BUILDINGREV:2/7/09ADDRESS:BANGOR STID1:A16297

AUGUSTA ME ID2: A-162-1997

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 05/15/1997 **REPORT DATE:** 05/15/1997

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:NONEPRODUCT AMOUNT:0 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: PUBLIC OFFICIAL

DETECTION METHOD: OTHER

LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 214 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME:184 RIVERSIDE INDUSTRIAL COMPLREV:12/4/08ADDRESS:184 RIVERSIDE DRID1:10959

AUGUSTA ME ID2: 10959
STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: 184 RIVERSIDE CORP OWNER ADDRESS: BOX 246 MAIN ST MONMOUTH ME 4259

OWNER PHONE:

TOTAL NUMBER OF TANKS: 3

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 8/1/1989

 TANK INSTALLED DATE:
 10/1/1969

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 11/1/1989
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 6 FUEL OIL

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 214 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME: 184 RIVERSIDE INDUSTRIAL COMPL
ADDRESS: 184 RIVERSIDE DR
ID1: 10959

AUGUSTA ME ID2: 10959
STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 11/1/1989
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 6 FUEL OIL

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 68 **DIST/DIR:** 0.08 SE **ELEVATION:** 113 **MAP ID:** 8

NAME:FORMER LIPMAN POULTRY BOILER ROOMREV:2/7/09ADDRESS:RIVERSIDE DRID1:A35796

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/06/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:6 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:DRAGON INDUSTRIESREPORTER TYPE:CONTRACTOR/CONSULTANT

DETECTION METHOD: OTHER

LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:10959

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 230 **DIST/DIR:** 0.08 SE **ELEVATION:** 100 **MAP ID:** 9

 NAME:
 FORMER STRATHAM TIRE
 REV:
 6/28/05

 ADDRESS:
 266 RIVERSIDE DR
 ID1:
 20859

AUGUSTA ME 04330 ID2: KENNEBEC STATUS:

CONTACT: MAINE DOT PHONE: 2072872841

SITE INFORMATION

SITE INFORMATION

SITE INFORMATION

SITE INFORMATION

SITE INFORMATION

SITE INFORMATION

TANK CHAMBER: 1-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 1-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 1-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 1-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 1-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SEARCH ID: 230 DIST/DIR: 0.08 SE ELEVATION: 100 MAP ID: 9

 NAME:
 FORMER STRATHAM TIRE
 REV:
 6/28/05

 ADDRESS:
 266 RIVERSIDE DR
 ID1:
 20859

AUGUSTA ME 04330 ID2: KENNEBEC STATUS:

CONTACT: MAINE DOT PHONE: 2072872841

TANK CHAMBER: 1-1

FACILITY USE: RETAIL OIL DATE INSTALLED: 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 STATUS: REMOVED

TANK CHAMBER: 2-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 2-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 2-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 2-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 2-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 2-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 230 **DIST/DIR:** 0.08 SE **ELEVATION:** 100 **MAP ID:** 9

 NAME:
 FORMER STRATHAM TIRE
 REV:
 6/28/05

 ADDRESS:
 266 RIVERSIDE DR
 ID1:
 20859

AUGUSTA ME 04330 ID2: KENNEBEC STATUS:

CONTACT: MAINE DOT PHONE: 2072872841

STATUS: REMOVED

TANK CHAMBER: 3-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 3-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 3-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 3-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 STATUS: REMOVED

TANK CHAMBER: 3-1

FACILITY USE: RETAIL OIL **DATE INSTALLED:** 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500 **STATUS:** REMOVED

TANK CHAMBER: 3-1

FACILITY USE: RETAIL OIL DATE INSTALLED: 10/01/69

PRODUCT: UNLEADED GASOLINE

VOLUME: 500

STATUS: REMOVED

TANK CHAMBER: 4-1

FACILITY USE: RETAIL OIL

- More Details Exist For This Site; Max Page Limit Reached -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 203 **DIST/DIR:** 0.09 SE **ELEVATION:** 111 **MAP ID:** 10

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A33888

AUGUSTA ME ID1: A33888
ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: BURNS, ROBERT

NOTIFIER S ADDRESS:

AUGUSTA ME

NOTIFIER PHONE: 2076239228

DATE OF RELEASE:

CAUSE OF SPILL: CORROSION (TANK)

METHOD OF SPILL DETECTION: CONTRACTOR - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: ACTUAL PRODUCT SPILLED:GASOLINE UNSPECIFIED
GASOLINE UNSPECIFIED

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

AGE OF TANK: 30+ YEARS TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

AGE OF TANK: 30+ YEARS TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 202 **DIST/DIR:** 0.09 SE **ELEVATION:** 111 **MAP ID:** 10

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A35288

AUGUSTA ME ID1: A35288

CONTACT: STATUS: PHONE:

NOTIFIER: MARKHAM, ROD NOTIFIER S ADDRESS: WADLEIGHS INC.

HALLOWELL ME 04347

NOTIFIER PHONE: 2076226301

DATE OF RELEASE: 17-AUG-1988 **CAUSE OF SPILL:** NONE -NO CAUSE

METHOD OF SPILL DETECTION: CONTRACTOR - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: WASTE OIL / USED MOTOR OIL ACTUAL PRODUCT SPILLED: WASTE OIL / USED MOTOR OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: MCNEILLY, ALVIN

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 550

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL:

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

REMOVED

UST

SEARCH ID: 233 **DIST/DIR:** 0.09 SE **ELEVATION:** 111 **MAP ID:** 10

 NAME:
 MCDONALDS CORP
 REV:
 12/4/08

 ADDRESS:
 BANGOR ST
 ID1:
 15173

 AUGUSTA ME
 ID2:
 15173

STATUS: CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: MCDONALDS CORP
OWNER ADDRESS: 600 CANTON ST
WESTWOOD MA 2090

OWNER PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 8/1/1988 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 2

TANK STATUS: REMOVED TANK STATUS DATE: 8/1/1988 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST SEARCH ID: 233 **DIST/DIR:** 0.09 SE **ELEVATION:** 111 MAP ID: 10 NAME: MCDONALDS CORP **REV:** 12/4/08 ADDRESS: BANGOR ST 15173 ID1: AUGUSTA ME ID2: 15173 STATUS: REMOVED CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 46 **DIST/DIR:** 0.09 SE **ELEVATION:** 111 **MAP ID:** 10

NAME: CONTAMINATION FOUND UNDER BANGOR ST REV: 2/7/09
ADDRESS: BANGOR FRONT OF MCDONALDS ST ID1: A5329

BANGOR FRONT OF MCDONALDS ST
AUGUSTA ME

BANGOR FRONT OF MCDONALDS ST
ID1: A53298
ID2: A-532-1998

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/24/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: UNKNOWN **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE
DTREE DATE: 03/05/1998
DTREE VALUE: BASELINE ONE

DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: GOVERNMENT - STATE OF MAINE

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 115 **DIST/DIR:** 0.10 SE **ELEVATION:** 76 **MAP ID:** 11

 NAME:
 TIM RODRIGUE
 REV:
 2/7/09

 ADDRESS:
 20 MAPLE ST
 ID1:
 A-639-2003

 AUGUSTA ME
 ID2:
 A-632-2003

AUGUSTA ME ID2: A-639-2003 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 12/04/2003
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:.02 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:BY DOWNEASTREPORTER TYPE:SUBJECT/SPILLERDETECTION METHOD:ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 176 **DIST/DIR:** 0.10 SE **ELEVATION:** 107 **MAP ID:** 12

NAME: REV: 6/07/01 ADDRESS:

A31487 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: HASKELL ENERGIES CO

NOTIFIER S ADDRESS:

NOTIFIER PHONE: 6227561

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE METHOD OF SPILL DETECTION: SPILLER - OTHER

PRODUCT REPORTED SPILLED: WASTE OIL / USED MOTOR OIL **ACTUAL PRODUCT SPILLED:** WASTE OIL / USED MOTOR OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED:

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 550

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED PIPE MATERIAL: STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 226 **DIST/DIR:** 0.10 SE **ELEVATION:** 107 **MAP ID:** 12

NAME:DICKS AUTO BODY FORMERREV:12/4/08ADDRESS:BANGOR STID1:14790

AUGUSTA ME ID2: 14790 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: DOWNEAST ENERGY CORP
OWNER ADDRESS: 8 RAILROAD SQUARE
YARMOUTH ME 4096

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 8/1/1987
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 146 **DIST/DIR:** 0.10 SE **ELEVATION:** 107 **MAP ID:** 12

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A39591

AUGUSTA ME ID2: A-395-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/13/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: GALS. **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD:TANK AND/OR PIPING TESTING **LOCATION:**TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST JOB: 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 177 **ELEVATION:** 107 **DIST/DIR:** 0.10 SE **MAP ID:** 12

NAME: REV: 6/07/01 ADDRESS:

A19185 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: WARE, DONALD

NOTIFIER S ADDRESS: AUGUSTA PUBLIC WORKS

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 01-JAN-1986

CAUSE OF SPILL: CORROSION (TANK) METHOD OF SPILL DETECTION: PUBLIC OFFICIAL - OTHER

PRODUCT REPORTED SPILLED: UNSPECIFIED OIL **ACTUAL PRODUCT SPILLED:** UNSPECIFIED OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION **MEDIUM AFFECTED:** LAND AND GROUNDWATER TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 20 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS SPILL INVESTIGATED BY: GLEASON, DOUG

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 175 **DIST/DIR:** 0.10 SE **ELEVATION:** 107 **MAP ID:** 12

NAME: REV: 6/07/01 ADDRESS:

A25087 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: HASKEL, TED NOTIFIER S ADDRESS: HASKEL ENERGY

AUGUSTA ME 04330 **NOTIFIER PHONE:**

DATE OF RELEASE:

CORROSION (TANK) **CAUSE OF SPILL:**

2076227561

METHOD OF SPILL DETECTION: CONTRACTOR - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION **MEDIUM AFFECTED:** LAND AND GROUNDWATER TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 45 G

SPILL INVESTIGATED BY: BRANN, FRED

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

COPPER PIPE MATERIAL: AGE OF TANK: 16-20 YEARS TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VCP

SEARCH ID: 253 **DIST/DIR:** 0.10 SE **ELEVATION:** 102 **MAP ID:** 13

NAME:BANGOR/BELFAST PROPERTIESREV:12/1/08ADDRESS:CORNER OF BANGOR STID1:REM00943

CORNER OF BANGOR ST

AUGUSTA ME

ID1: REM00943

ID2:

CONTACT: STATUS: VRAP PHONE:

SITE INFORMATION

PROGRAM: VRAP

STATUS: NO FURTHER ACTION

INSTITUTIONAL CONTROL: UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 49 **DIST/DIR:** 0.10 SE **ELEVATION:** 91 **MAP ID:** 14

 NAME:
 COTTLE, ORAL
 REV:
 2/7/09

 ADDRESS:
 8 CLARK ST
 ID1:
 A8896

 ADDRESS:
 4 00 1000
 A 00 1000

AUGUSTA ME ID2: A-88-1996
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 02/23/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:100 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 45 **DIST/DIR:** 0.10 SE **ELEVATION:** 105 **MAP ID:** 15

NAME:CONTAMINATION FOUND IN BANGOR STREV:2/7/09ADDRESS:ACROSS FROM MOBILEID1:A48398

AUGUSTA ME ID2: A-483-1998

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/04/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNSPECIFIED MOTOR FUEL

PRODUCT AMOUNT: UNKNOWN **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE
DTREE DATE: 03/05/1998
DTREE VALUE: BASELINE ONE

DISPOSAL INFO:LANDSPREAD BELOW RESERVOIRREPORTER TYPE:CONTRACTOR/CONSULTANT

DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE
REGISTERED UST: TRUE
TANK SITE NUMBER: 10288
TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 249 **DIST/DIR:** 0.10 SE **ELEVATION:** 109 **MAP ID:** 16

 NAME:
 WEBB, EARL E
 REV:
 12/4/08

 ADDRESS:
 91 BANGOR ST
 ID1:
 15911

 AUGUSTA ME
 ID2:
 15011

AUGUSTA ME ID2: 15911 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: WEBB, EARL E
OWNER ADDRESS: 171 SPRING ST
GARDINER ME 4345

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 8/1/1989
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 98 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 17

NAME: PUFFIN STOP REV: 2/7/09
ADDRESS: BANGOR ST ID1: A31799

AUGUSTA ME ID2: A-317-1999

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 06/07/1999
REPORT DATE: 06/07/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: 7 GALS.
AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:PADS TO DEP WAREHOUSEREPORTER TYPE:CITIZEN COMPLAINTDETECTION METHOD:VISUAL PRODUCT

LOCATION: TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: ACCIDENT - HUMAN ERROR

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 59 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 17

 NAME:
 DOWNEAST ENERGY PUFFIN STOP
 REV:
 2/7/09

 ADDRESS:
 101 BANGOR ST
 ID1:
 A2198

AUGUSTA ME

ID2: A-21-1998
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 01/15/1998
REPORT DATE: 01/16/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: 11 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: ACCIDENT - HUMAN ERROR

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VCP

SEARCH ID: 252 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 MAP ID: 18

NAME: AUGUSTA PUFFIN STOP

REV: 12/1/08 ADDRESS: 105 BANGOR ST REM01544 ID1: AUGUSTA ME ID2:

STATUS: VRAP

CONTACT: PHONE:

SITE INFORMATION

PROGRAM: VRAP

STATUS: NO FURTHER ACTION

INSTITUTIONAL CONTROL: UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 216 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 18

 NAME:
 AUGUSTA PUFFIN
 REV:
 12/4/08

 ADDRESS:
 105 BANGOR ST
 ID1:
 10288

 AUGUSTA ME
 ID2:
 10288

AUGUSTA ME ID2: 10288
STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: ALLIANCE ENERGY CORP OWNER ADDRESS: 36 EAST INDUSTRIAL RD BRANFORD CT 6405

OWNER PHONE:

TOTAL NUMBER OF TANKS: 5

TANK ID:

TANK STATUS:REMOVEDTANK STATUS DATE:10/30/2003TANK INSTALLED DATE:8/1/1987

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 12000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

PIPE LEAK DETECTION: SIA_INVENTORY_ANALYSIS

PIPE ABOVE/BELOW:

OVERFILL PROTECTION: DROP_TUBE

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 10/30/2003
TANK INSTALLED DATE: 8/1/1987
PRODUCT STORED: UNLEADED PLUS

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

PIPE LEAK DETECTION: SIA_INVENTORY_ANALYSIS

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: DROP_TUBE

ON AQUIFER: N NEAR PRIVATE WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 216 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 18

 NAME:
 AUGUSTA PUFFIN
 REV:
 12/4/08

 ADDRESS:
 105 BANGOR ST
 ID1:
 10288

 AUGUSTA ME
 ID2:
 10288

STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS:REMOVEDTANK STATUS DATE:10/30/2003TANK INSTALLED DATE:8/1/1987

PRODUCT STORED: PREMIUM UNLEADED

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

PIPE LEAK DETECTION: SIA_INVENTORY_ANALYSIS

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: DROP_TUBE

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 10/30/2003
TANK INSTALLED DATE: 8/1/1987
PRODUCT STORED: DIESEL

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

PIPE LEAK DETECTION: SIA_INVENTORY_ANALYSIS

PIPE ABOVE/BELOW: E

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 11/26/2001
TANK INSTALLED DATE: 8/1/1987
PRODUCT STORED: 2 FUEL OIL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 216 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 18

 NAME:
 AUGUSTA PUFFIN
 REV:
 12/4/08

 ADDRESS:
 105 BANGOR ST
 ID1:
 10288

 AUGUSTA ME
 ID2:
 10288

CONTACT: STATUS: REMOVED PHONE:

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 138 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 19

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A62792

AUGUSTA ME ID2: A-627-1992 KENNEBEC STATUS:

KENNEBEC STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 12/15/1992
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: GALS. **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: LANDSPREAD

REPORTER TYPE: CONTRACTOR/CONSULTANT
DETECTION METHOD: TANK AND/OR PIPING REMOVAL
LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: CORROSION - OTHER

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 247 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 19

 NAME:
 TIRE SERVICE
 REV:
 12/4/08

 ADDRESS:
 RIVERSIDE DR
 ID1:
 13635

 AUGUSTA ME
 ID2:
 13635

AUGUSTA ME ID2: 13635 KENNEBEC STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: OCONNOR REALTY CO

OWNER ADDRESS: PO BOX 40

WAYNE ME 4284

OWNER PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 12/1/1992

 TANK INSTALLED DATE:
 10/1/1969

PRODUCT STORED: WASTE OIL/USED MOTOR OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 12/1/1992 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST SEARCH ID: 247 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 MAP ID: 19 **REV:** NAME: TIRE SERVICE 12/4/08 ADDRESS: RIVERSIDE DR 13635 ID1: AUGUSTA ME ID2: 13635 STATUS: KENNEBEC REMOVED CONTACT: PHONE:

NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 225 **DIST/DIR:** 0.11 SE **ELEVATION:** 102 **MAP ID:** 19

 NAME:
 C E NOYES CO
 REV:
 12/4/08

 ADDRESS:
 RIVERSIDE DR
 ID1:
 15385

 AUGUSTA ME
 ID2:
 15385

KENNEBEC STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: REILLY, RAYMOND
OWNER ADDRESS: 221 WOODSTOCK AVE
RUTLAND VT 5700

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 11/1/1988

 TANK INSTALLED DATE:
 10/1/1969

PRODUCT STORED: WASTE OIL/USED MOTOR OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 244 **DIST/DIR:** 0.11 SE **ELEVATION:** 113 **MAP ID:** 20

NAME:STATLER TISSUE WAREHOUSEREV:12/4/08ADDRESS:BANGOR STID1:08469ALCUSTA ME9460

AUGUSTA ME ID2: 8469
STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: STATLER TISSUE CO
OWNER ADDRESS: PO BOX 5870

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 8/1/1989 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 8/1/1989 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 8500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 244 **DIST/DIR:** 0.11 SE **ELEVATION:** 113 **MAP ID:** 20

NAME:STATLER TISSUE WAREHOUSEREV:12/4/08ADDRESS:BANGOR STID1:08469

AUGUSTA ME ID2: 8469 STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 124 **DIST/DIR:** 0.11 SE **ELEVATION:** 79 **MAP ID:** 21

 NAME:
 WILSON, CAROL / SMITH, LINDA
 REV:
 2/7/09

 ADDRESS:
 10 MAPLE ST
 ID1:
 A12598

AUGUSTA ME

D2: A-125-1998

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 03/26/1998
REPORT DATE: 03/27/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED:FALSEDTREE DATE:03/27/1998DTREE VALUE:BASELINE TWO

DISPOSAL INFO:

REPORTER TYPE:CITIZEN COMPLAINT **DETECTION METHOD:**ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 145 **DIST/DIR:** 0.12 NE **ELEVATION:** 102 MAP ID: 22

REV: NAME: 2/7/09 ADDRESS: A37791 ID1:

AUGUSTA ME ID2: A-377-1991 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 07/31/1991 REPORT DATE: 07/31/1991 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL **PRODUCT AMOUNT:** 5 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

LAND-SPREAD SUBJECT/SPILLER REPORTER TYPE:

DETECTION METHOD: OTHER

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 174 **DIST/DIR:** 0.12 NE **ELEVATION:** 102 **MAP ID:** 22

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A24488

AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: MARKHAM, R.

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL:

METHOD OF SPILL DETECTION:

PRODUCT REPORTED SPILLED:

ACTUAL PRODUCT SPILLED:

UNKNOWN

SPILLER - OTHER

UNSPECIFIED OIL

UNSPECIFIED OIL

AMOUNT SPILLED: 50.99 **UNITS:** G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS
METHOD OF SPILL RECOVERY: EXCAVATION
AMOUNT OF PRODUCT RECOVERED: 50.99 G

SPILL INVESTIGATED BY: BRANN, FRED **SPILL INVESTIGATED BY:** PHILLIPS, DENNIS

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 239 **DIST/DIR:** 0.12 SE **ELEVATION:** 108 **MAP ID:** 23

 NAME:
 RIVERSIDE EXPRESS INC
 REV:
 12/4/08

 ADDRESS:
 240 RIVERSIDE DR
 ID1:
 20892

 AUGUSTA ME
 ID2:
 20892

KENNEBEC STATUS: ACTIVE

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: ALKURABI, FERAS M OWNER ADDRESS: 60 ALFALFA RD SIDNEY ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 3

TANK ID:

TANK STATUS: ACTIVE TANK STATUS DATE: 8/1/2007 TANK INSTALLED DATE: 7/22/2004

PRODUCT STORED: UNLEADED GASOLINE

TANK ID:

TANK STATUS: ACTIVE TANK STATUS DATE: 8/1/2007 TANK INSTALLED DATE: 7/22/2004

PRODUCT STORED: PREMIUM UNLEADED

TANK CAPACITY: 11000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

FED REGULATED: Y

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

FED REGULATED: Y

PIPE LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: DROP_TUBE

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

PIPE LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: DROP_TUBE

ON AQUIFER: N NEAR PRIVATE WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 239 **DIST/DIR:** 0.12 SE **ELEVATION:** 108 **MAP ID:** 23

 NAME:
 RIVERSIDE EXPRESS INC
 REV:
 12/4/08

 ADDRESS:
 240 RIVERSIDE DR
 ID1:
 20892

 AUGUSTA ME
 ID2:
 20892

AUGUSTA ME ID2: 20892 KENNEBEC STATUS: ACTIVE

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 2

TANK STATUS:ACTIVETANK STATUS DATE:8/1/2007TANK INSTALLED DATE:7/22/2004PRODUCT STORED:DIESEL

TANK CAPACITY: 12000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

FED REGULATED: Y

PIPE LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: DROP_TUBE

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VRAP

VCP

SEARCH ID: 254 **DIST/DIR:** 0.12 SE **ELEVATION:** 108 **MAP ID:** 23

NAME:CAPITOL CITY TIRE and SERVICEREV:12/1/08ADDRESS:238 RIVERSIDE DRID1:REM01712

238 RIVERSIDE DR ID1: REMOTATE AUGUSTA ME ID2:

KENNEBEC STATUS: CONTACT: PHONE:

SITE INFORMATION

PROGRAM: VRAP

STATUS: NO FURTHER ACTION

INSTITUTIONAL CONTROL: TRUE

INSTCONTROL

SEARCH ID: 260 **DIST/DIR:** 0.12 SE **ELEVATION:** 108 **MAP ID:** 23

NAME:CAPITOL CITY TIRE and SERVICEREV:12/1/08ADDRESS:238 RIVERSIDE DRID1:REM01712

AUGUSTA ME ID2: REM01712
KENNEBEC STATUS: INST CONTROL

CONTACT: PHONE:

SITE INFORMATION

STATUS: NO FURTHER ACTION

PROGRAM: VRAP **INSTITUTIONAL CONTROLS:** TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 245 **DIST/DIR:** 0.12 SE **ELEVATION:** 129 **MAP ID:** 24

 NAME:
 THE BOTTLE PLACE
 REV:
 12/4/08

 ADDRESS:
 213 RIVERSIDE DR
 ID1:
 15170

 AUGUSTA ME
 ID2:
 15170

AUGUSTA ME ID2: 15170 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: DOSTIE, PAUL

OWNER ADDRESS: DURHAM 2 CENTRAL PLAZA

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 4

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 10/1/1988

 TANK INSTALLED DATE:
 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 3000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 10/1/1988 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 3000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

REMOVED

UST

SEARCH ID: 245 **DIST/DIR:** 0.12 SE **ELEVATION:** 129 **MAP ID:** 24

 NAME:
 THE BOTTLE PLACE
 REV:
 12/4/08

 ADDRESS:
 213 RIVERSIDE DR
 ID1:
 15170

 AUGUSTA ME
 ID2:
 15170

STATUS:

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 10/1/1988 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 3000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 4

TANK STATUS: REMOVED
TANK STATUS DATE: 10/1/1988
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 205 **DIST/DIR:** 0.13 SE **ELEVATION:** 116 **MAP ID:** 25

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A2486

AUGUSTA ME ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: REYNOLDS, PETE DOWNEAST ENERGY

SOUTH PORTLAND ME

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: CORROSION (TANK)

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED:

ACTUAL PRODUCT SPILLED:

LEADED GASOLINE

LEADED GASOLINE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: EXCAVATION

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 3000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 16-20 YEARS TANK STATUS: 16-20 YEARS

TANK NUMBER:

SIZE OF TANK IN GALLONS: 5000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 16-20 YEARS TANK STATUS: 16-20 YEARS

TANK NUMBER:

SIZE OF TANK IN GALLONS: 2000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 16-20 YEARS TANK STATUS: ACTIVE

TANK NUMBER:

54 MAPLE ST **Target Property: JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 205 **DIST/DIR:** 0.13 SE **ELEVATION:** 25 116 MAP ID:

REV: NAME: 6/07/01 ADDRESS:

A2486 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

SIZE OF TANK IN GALLONS: 1000

STEEL - BARE OR ASPHALT COATED TANK MATERIAL: PIPE MATERIAL: BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 16-20 YEARS ACTIVE TANK STATUS:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

STEEL - BARE OR ASPHALT COATED TANK MATERIAL: PIPE MATERIAL: BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 16-20 YEARS TANK STATUS: ACTIVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 220 **DIST/DIR:** 0.13 SE **ELEVATION:** 116 **MAP ID:** 25

 NAME:
 BANGOR ST TEXACO
 REV:
 12/4/08

 ADDRESS:
 80 BANGOR ST
 ID1:
 10191

 AUGUSTA ME
 ID2:
 10191

AUGUSTA ME ID2: 10191
STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: DOWNEAST ENERGY CORP
OWNER ADDRESS: 8 RAILROAD SQUARE
YARMOUTH ME 4096

OWNER PHONE:

TOTAL NUMBER OF TANKS: 8

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 9/1/1988 **TANK INSTALLED DATE:** 10/1/1986

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 6000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: MANUAL_GROUNDWATER_SAMPLE

FED REGULATED: Y

PIPE LEAK DETECTION: MANUAL_GROUNDWATER_SAMPLE

PIPE ABOVE/BELOW:

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 9/1/1988

 TANK INSTALLED DATE:
 10/1/1986

PRODUCT STORED: LEADED GASOLINE

TANK CAPACITY: 6000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: MANUAL_GROUNDWATER_SAMPLE

FED REGULATED: Y

PIPE LEAK DETECTION: MANUAL_GROUNDWATER_SAMPLE

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 220 **DIST/DIR:** 0.13 SE **ELEVATION:** 116 **MAP ID:** 25

 NAME:
 BANGOR ST TEXACO
 REV:
 12/4/08

 ADDRESS:
 80 BANGOR ST
 ID1:
 10191

 AUGUSTA ME
 ID2:
 10191

CONTACT: STATUS: REMOVED PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 9/1/1988 TANK INSTALLED DATE: 10/1/1986

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 6000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: MANUAL_GROUNDWATER_SAMPLE

FED REGULATED: Y

PIPE LEAK DETECTION: MANUAL_GROUNDWATER_SAMPLE

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 10/1/1986 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 8460 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 10/1/1986 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 220 **DIST/DIR:** 0.13 SE **ELEVATION:** 116 **MAP ID:** 25

 NAME:
 BANGOR ST TEXACO
 REV:
 12/4/08

 ADDRESS:
 80 BANGOR ST
 ID1:
 10191

 AUGUSTA ME
 ID2:
 10191

STATUS: REMOVED

CONTACT: PHONE:

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 10/1/1986 **TANK INSTALLED DATE:** 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 10/1/1986 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: UNKNOWN SUBSTANCE

TANK CAPACITY: 3000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

- More Details Exist For This Site; Max Page Limit Reached -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 100 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

 NAME:
 QUIGGS GARAGE
 REV:
 2/7/09

 ADDRESS:
 79 BANGOR ST
 ID1:
 A-530-2001

AUGUSTA ME ID2: A-530-2001 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/01/2001
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: WASTE OIL/USED MOTOR OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: CRS

REPORTER TYPE: CITIZEN COMPLAINT
DETECTION METHOD: VISUAL PRODUCT
LOCATION: BUSINESS - COMMERCIAL

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:TRUEREGISTERED UST:TRUETANK SITE NUMBER:20495

TANK NUMBER:

JOB: 16799 **Target Property:** 54 MAPLE ST

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 200 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

NAME: REV: 6/07/01 ADDRESS:

ID1: A50088 AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: WEBBER OIL COMP NOTIFIER S ADDRESS: 700 MAIN ST

BANGOR ME 04401

NOTIFIER PHONE: 9425501

DATE OF RELEASE:

CAUSE OF SPILL: CORROSION (TANK)

SPILLER - TANK AND/OR PIPING REMOVAL METHOD OF SPILL DETECTION:

PRODUCT REPORTED SPILLED: GASOLINE UNSPECIFIED **ACTUAL PRODUCT SPILLED:** GASOLINE UNSPECIFIED

AMOUNT SPILLED: 40.99

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION **MEDIUM AFFECTED:** LAND AND GROUNDWATER UNDERGROUND STORAGE TANKS TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION** AMOUNT OF PRODUCT RECOVERED: 30.99 G

SPILL INVESTIGATED BY: WALL, GLEN

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 550

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: **COPPER** AGE OF TANK: UNKNOWN TANK STATUS: ACTIVE

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

UNKNOWN AGE OF TANK: TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

UNKNOWN AGE OF TANK: TANK STATUS: ACTIVE

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 200 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A50088

AUGUSTA ME ID1: A50088 ID2:

CONTACT: STATUS: PHONE:

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

AGE OF TANK: UNKNOWN TANK STATUS: ACTIVE

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

AGE OF TANK: UNKNOWN TANK STATUS: ACTIVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 99 **ELEVATION: DIST/DIR:** 0.13 SE 117 **MAP ID:** 26

NAME: **OUIGGS GARAGE** REV: 12/7/01 **ADDRESS:** 79 BANGOR ST

A5301 ID1: AUGUSTA ME 04330 ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: SMITH, RANDY NOTIFIER S ADDRESS: 79 BANGOR ST

AUGUSTA ME 04330 **NOTIFIER PHONE:** 2076233308

DATE OF RELEASE:

CAUSE OF SPILL: UNKNOWN

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - VISUAL PRODUCT

PRODUCT REPORTED SPILLED: WASTE OIL / USED MOTOR OIL

ACTUAL PRODUCT SPILLED: UNSPECIFIED OIL

AMOUNT SPILLED: .99

UNITS: G

SPILL SOURCE: **BUSINESS- COMMERCIAL**

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: DAVIS, DANIEL

TANK INFORMATION:

Target Property: 54 MAPLE ST JOB: 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 201 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

NAME: REV: 6/07/01 ADDRESS:

A60189 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: HYNSON,JIM /D.E.P. NOTIFIER S ADDRESS:

STSTION 17 AUGUSTA ME

2072892651 **NOTIFIER PHONE:**

DATE OF RELEASE:

CAUSE OF SPILL: UNKNOWN

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL AMOUNT SPILLED: 20.99

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **EXCAVATION** AMOUNT OF PRODUCT RECOVERED: 20.99 G

SPILL INVESTIGATED BY: WALL, GLEN

TANK INFORMATION:

TANK NUMBER: 1 SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

COPPER PIPE MATERIAL: AGE OF TANK: UNKNOWN TANK STATUS: ACTIVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 238 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

 NAME:
 QUIGGS GARAGE
 REV:
 12/4/08

 ADDRESS:
 R 79 BANGOR ST
 ID1:
 20495

 AUGUSTA ME
 ID2:
 20495

UGUSTA ME ID2: 20495 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: QUIGGS, RICHARD A
OWNER ADDRESS: RR 1 BOX 1032
AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

 TANK STATUS:
 REMOVED

 TANK STATUS DATE:
 10/26/2001

 TANK INSTALLED DATE:
 10/1/1969

PRODUCT STORED: WASTE OIL/USED MOTOR OIL

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: NONE **FED REGULATED:** N

PIPE LEAK DETECTION: NONE **PIPE ABOVE/BELOW:** B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N

NEAR PUBLIC WATER: N **NEARBY WATER OTHER OWNER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 217 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

 NAME:
 BANGOR ST EXXON
 REV:
 12/4/08

 ADDRESS:
 79 BANGOR ST
 ID1:
 15196

 AUGUSTA ME
 ID2:
 15196

AUGUSTA ME ID2: 15196 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: SMITH, MARK
OWNER ADDRESS: 79 BANGOR ST
AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 9

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 6/1/1989 **TANK INSTALLED DATE:** 1/1/1972

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 6/1/1989 TANK INSTALLED DATE: 1/1/1972

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 217 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

 NAME:
 BANGOR ST EXXON
 REV:
 12/4/08

 ADDRESS:
 79 BANGOR ST
 ID1:
 15196

 AUGUSTA ME
 ID2:
 15196

CONTACT: STATUS: REMOVED PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 6/1/1989 TANK INSTALLED DATE: 1/1/1972

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 6/1/1989 **TANK INSTALLED DATE:** 1/1/1972

PRODUCT STORED: PREMIUM UNLEADED

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 5

TANK STATUS: REMOVED
TANK STATUS DATE: 6/1/1989
TANK INSTALLED DATE: 1/1/1982
PRODUCT STORED: 2 FUEL OIL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 217 **DIST/DIR:** 0.13 SE **ELEVATION:** 117 **MAP ID:** 26

 NAME:
 BANGOR ST EXXON
 REV:
 12/4/08

 ADDRESS:
 79 BANGOR ST
 ID1:
 15196

 AUGUSTA ME
 ID2:
 15196

STATUS: REMOVED

CONTACT: PHONE:

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 3/30/2006
TANK INSTALLED DATE: 11/1/1988
PRODUCT STORED: UNLEADED PLUS

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 3/30/2006 TANK INSTALLED DATE: 11/1/1988

PRODUCT STORED: UNLEADED GASOLINE

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 3/30/2006 TANK INSTALLED DATE: 11/1/1988

PRODUCT STORED: PREMIUM UNLEADED

TANK CAPACITY: 7000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

TANK CAPACITY: 3000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

TANK CAPACITY: 5000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED: Y

PIPE LEAK DETECTION: SIA_INVENTORY_ANALYSIS

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

- More Details Exist For This Site; Max Page Limit Reached -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 237 **DIST/DIR:** 0.13 SE **ELEVATION:** 110 **MAP ID:** 27

 NAME:
 PULLEN BROS INC
 REV:
 12/4/08

 ADDRESS:
 10 HOWE ST
 ID1:
 18140

 AUGUSTA ME
 ID2:
 18140

AUGUSTA ME ID2: 18140
STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: PULLEN, WAYNE M
OWNER ADDRESS: PO BOX 388

AUGUSTA ME 4332

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 9/1/1997
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 91 **DIST/DIR:** 0.14 SE **ELEVATION:** 92 **MAP ID:** 28

 NAME:
 MOBILE HOME PARK
 REV:
 2/7/09

 ADDRESS:
 142 BANGOR 1 ST
 ID1:
 A19696

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 05/07/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:30 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SOIL TO HATCH HILL

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 80 **DIST/DIR:** 0.14 NE **ELEVATION:** 91 **MAP ID:** 29

 NAME:
 KENNEBEC SAVINGS BANK
 REV:
 2/7/09

 ADDRESS:
 117 BANGOR ST
 ID1:
 A21697

AUGUSTA ME ID2: A-216-1997

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/20/1997
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:UNKNOWNAMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE: FALSE

 ${\bf NUM\ WELLS\ IMPACTED:}$

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:BASELINE TWO

DISPOSAL INFO:DRUMED POTENTIALY CONTAMINATED WATER TAKEN TO HASKELL ENERGY FOR

STORAGE PRIOR TO DISPOSAL.

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: OTHER

LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - KNOWN CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:10643

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 89 **DIST/DIR:** 0.14 SE **ELEVATION:** 105 **MAP ID:** 30

 NAME:
 MDOT CONST PROJ
 REV:
 2/7/09

 ADDRESS:
 RTE 201
 ID1:
 A-135-2004

 AUGUSTA ME
 ID2:
 A-125-2004

AUGUSTA ME

RENNEBEC

ID1: A 135 2004

KENNEBEC

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 03/10/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: WASTE OIL/USED MOTOR OIL

PRODUCT AMOUNT: 10 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: TRUE
DTREE DATE: 03/12/2004
DTREE VALUE: BASELINE ONE

DISPOSAL INFO:ME DOT DISPOSED OF THE CONTAMINATED SORBENT MATERIALS. ENPRO

MANAGED THE RESIDUAL LIQUIDS AND SLUDGE.

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD:TANK AND/OR PIPING REMOVAL**LOCATION:**OTHER - SPECIFIED IN REPORT

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:TRUEREGISTERED UST:TRUETANK SITE NUMBER:20859

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 250 **DIST/DIR:** 0.14 SE **ELEVATION:** 110 MAP ID: 31

NAME: WFAU

REV: 12/4/08 ADDRESS: 160 BANGOR ST 14726 ID1:

AUGUSTA ME 14726 ID2: STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: FEDERAL EMERGENCY MGMT AGENCY

OWNER ADDRESS: 500 C ST SW RM 614 WASHINGTON DC 20472

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 10/16/2008 TANK INSTALLED DATE: 6/1/1983 PRODUCT STORED: DIESEL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SIA_INVENTORY_ANALYSIS

FED REGULATED:

PIPE LEAK DETECTION: SIA_INVENTORY_ANALYSIS

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N NEAR PUBLIC WATER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 219 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR ST MINI MART
 REV:
 12/4/08

 ADDRESS:
 127 BANGOR ST
 ID1:
 02035

AUGUSTA ME ID2: 2035
STATUS: ACTIVE

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: KENOCO INC OWNER ADDRESS: PO BOX 30

HALLOWELL ME 4347

OWNER PHONE:

TOTAL NUMBER OF TANKS: 11

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 5/1/1994 **TANK INSTALLED DATE:** 6/1/1978

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N

NEAR PRIVATE WATER: N **NEAR PUBLIC WATER:** N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED 5/1/1994
TANK INSTALLED DATE: 6/1/1978
PRODUCT STORED: DIESEL

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 219 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR ST MINI MART
 REV:
 12/4/08

 ADDRESS:
 127 BANGOR ST
 ID1:
 02035

 AUGUSTA ME
 ID2:
 2035

STATUS: ACTIVE

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 4/1/1987 TANK INSTALLED DATE: 6/1/1978

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 4/1/1987 **TANK INSTALLED DATE:** 10/1/1969

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 5/1/1994
TANK INSTALLED DATE: 4/1/1987
PRODUCT STORED: UNLEADED PLUS

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

PHONE:

UST

SEARCH ID: 219 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR ST MINI MART
 REV:
 12/4/08

 ADDRESS:
 127 BANGOR ST
 ID1:
 02035

 AUGUSTA ME
 ID2:
 2035

AUGUSTA ME ID2: 2035
STATUS: ACTIVE

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

CONTACT:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 5/1/1994 **TANK INSTALLED DATE:** 4/1/1987

PRODUCT STORED: PREMIUM UNLEADED

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 7

TANK STATUS: ACTIVE TANK STATUS DATE: 6/1/1994 TANK INSTALLED DATE: 6/1/1994

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 12000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

FED REGULATED: Y

PIPE LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: MECHANICAL

- More Details Exist For This Site; Max Page Limit Reached -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 173 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A13187

AUGUSTA ME ID1: A13187

CONTACT: STATUS: PHONE:

NOTIFIER: MARKHAM, RODNEY

NOTIFIER S ADDRESS:

AUGUSTA ME 04330

NOTIFIER PHONE: 6226301

DATE OF RELEASE:

CAUSE OF SPILL: CORROSION (TANK)

METHOD OF SPILL DETECTION:SPILLER - SURFACE BREAKOUTPRODUCT REPORTED SPILLED:GASOLINE UNSPECIFIEDACTUAL PRODUCT SPILLED:GASOLINE UNSPECIFIED

SPILL SOURCE: TERMINAL- SERVICE STATION
MEDIUM AFFECTED: LAND AND INLAND SURFACE WATER
TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS
METHOD OF SPILL RECOVERY: EXCAVATION

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: BRANN, FRED SPILL INVESTIGATED BY: PHILLIPS, DENNIS

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL

AGE OF TANK: 21-25 YEARS TANK STATUS: ACTIVE

TANK NUMBER:

SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL
AGE OF TANK: 21-25 YEARS
TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: GALVANIZED STEEL AGE OF TANK: 21-25 YEARS TANK STATUS: ABANDONED

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 173 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A13187

AUGUSTA ME ID1: A1318/

CONTACT: STATUS: PHONE:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 4000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL:GALVANIZED STEELAGE OF TANK:21-25 YEARS

TANK STATUS: 21-25 YEAR ACTIVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 172 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A32387

AUGUSTA ME ID1: A32387

CONTACT: STATUS: PHONE:

NOTIFIER: GIFFORD, TODD NOTIFIER S ADDRESS: 127 BANGOR ST

AUGUSTA ME 04330

NOTIFIER PHONE: 2076220591

DATE OF RELEASE: 02-SEP-1987

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL)

METHOD OF SPILL DETECTION: SPILLER - OTHER

PRODUCT REPORTED SPILLED:

ACTUAL PRODUCT SPILLED:

AMOUNT SPILLED:

30

UNITS:

G

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS **AMOUNT OF PRODUCT RECOVERED:** 30 G

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 171 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A15189

AUGUSTA ME ID1: A15189
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: MARKUM, RODNEY/WADLEIGHS FUEL

NOTIFIER S ADDRESS: BOX 69

AAUGUSTA ME 04330

NOTIFIER PHONE: 2076226301

DATE OF RELEASE: 14-APR-1989 **CAUSE OF SPILL:** UNKNOWN

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED:2 FUEL OILACTUAL PRODUCT SPILLED:2 FUEL OILAMOUNT SPILLED:5.99

UNITS: G

SPILL SOURCE: TERMINAL- SERVICE STATION **MEDIUM AFFECTED:** INLAND SURFACE WATER

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS **AMOUNT OF PRODUCT RECOVERED:** 2.99 G

SPILL INVESTIGATED BY: WALL, GLEN

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 121 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 WADLEIGH S/BANGOR ST MINI MART
 REV:
 2/7/09

 ADDRESS:
 RT 201
 ID1:
 A16395

AUGUSTA ME ID2: A-163-1995

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 04/21/1995
REPORT DATE: 04/21/1995
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:5 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 197 **ELEVATION:** 90 **DIST/DIR:** 0.15 NE MAP ID: 32

NAME: REV: 6/07/01 ADDRESS:

A45989 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: POLICE DEPT.

NOTIFIER S ADDRESS:

AUGUSTA ME 04330

NOTIFIER PHONE:

DATE OF RELEASE: 30-SEP-1989

OVERFILL (TANK OR VESSEL) **CAUSE OF SPILL:**

METHOD OF SPILL DETECTION: SPILLER - OTHER

PRODUCT REPORTED SPILLED: DIESEL **ACTUAL PRODUCT SPILLED:** DIESEL AMOUNT SPILLED: 25.99 **UNITS:**

SPILL SOURCE: TRANSPORTATION- PRIVATE VEHICLE

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

0 NUMBER OF WELLS AT RISK: NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **SORBENTS** METHOD OF SPILL RECOVERY: EXCAVATION AMOUNT OF PRODUCT RECOVERED: 25.99 G

COGBURN, PERRY SPILL INVESTIGATED BY: SPILL INVESTIGATED BY: SAIT, DAVID

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 27 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR ST MINI MART
 REV:
 2/7/09

 ADDRESS:
 127 BANGOR ST
 ID1:
 A-533-2002

AUGUSTA ME ID2: A-533-2002
STATUS:

CONTACT: PHONE:

SITE INFORMATION

 SPILL DATE:
 09/02/2002

 REPORT DATE:
 09/02/2002

 SPILL TYPE:
 OIL INCIDENT

 SPILL OFFICE:
 AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:5 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: WADLEIGH S DISPOSED OF SORBENT MATERIAL

REPORTER TYPE: PUBLIC OFFICIAL **DETECTION METHOD:** VISUAL PRODUCT

LOCATION: TERMINAL - SERVICE STATION

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2035

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 28 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR ST MINI MART
 REV:
 2/7/09

 ADDRESS:
 127 BANGOR ST
 ID1:
 A-419-2002

AUGUSTA ME ID2: A-419-2002

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/28/2002 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: DEP PERSONNEL DETECTION METHOD:ODOR/VAPOR/MIST

LOCATION: TERMINAL - SERVICE STATION

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: MECHANICAL FAILURE - LOOSE FITTING

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2035

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 29 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR STREET MINI MART
 REV:
 2/7/09

 ADDRESS:
 127 BANGOR ST
 ID1:
 A20694

AUGUSTA ME ID2: A-206-1994

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 05/09/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNLEADED GASOLINE

PRODUCT AMOUNT: 100 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE

 ${\bf NUM\ WELLS\ IMPACTED:}$

NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: REPORTER TYPE:TILCON FAIRFIELD
SUBJECT/SPILLER

DETECTION METHOD:TANK AND/OR PIPING REMOVAL **LOCATION:**TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE
REGISTERED UST: TRUE
TANK SITE NUMBER: 2035
TANK NUMBER: 1
AST INSIDE: FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2035TANK NUMBER:2AST INSIDE:FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2035TANK NUMBER:3AST INSIDE:FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 29 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR STREET MINI MART
 REV:
 2/7/09

 ADDRESS:
 127 BANGOR ST
 ID1:
 A20694

AUGUSTA ME ID1: A20694

AUGUSTA ME ID2: A-206-1994

CONTACT: STATUS: PHONE:

REGISTERED UST: TRUE
TANK SITE NUMBER: 2035
TANK NUMBER: 4
AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 143 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A10191

AUGUSTA ME ID2: A-101-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 03/08/1991
REPORT DATE: 03/08/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:4 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 144 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A12891

AUGUSTA ME ID2: A-128-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 03/28/1991
REPORT DATE: 03/28/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: 2 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: OTHER

LOCATION: TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 26 **DIST/DIR:** 0.15 NE **ELEVATION:** 90 **MAP ID:** 32

 NAME:
 BANGOR ST MINI MART
 REV:
 2/7/09

 ADDRESS:
 127 BANGOR ST
 ID1:
 A-418-2002

AUGUSTA ME ID2: A-418-2002 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/28/2002
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: DEP PERSONNEL DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: TERMINAL - SERVICE STATION

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: MECHANICAL FAILURE - LOOSE FITTING

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2035

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 229 **DIST/DIR:** 0.15 SE **ELEVATION:** 105 **MAP ID:** 33

 NAME:
 FORMER CORUM/MDOT
 REV:
 12/4/08

 ADDRESS:
 259 RIVERSIDE DR
 ID1:
 08269

 AUGUSTA ME
 ID2:
 8269

AUGUSTA ME ID2: 8269
KENNEBEC STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: MDOT

OWNER ADDRESS: 16 STATE HOUSE STATION

AUGUSTA ME 4333

OWNER PHONE:

TOTAL NUMBER OF TANKS: 4

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 1/24/2003
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: LUBE OIL

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: NONE FED REGULATED: N

PIPE LEAK DETECTION: NONE **PIPE ABOVE/BELOW:** B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED 1/24/2003 1/24/2003 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: LUBE OIL

TANK CAPACITY: 550 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: NONE

FED REGULATED: N

PIPE LEAK DETECTION: NONE PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 229 **DIST/DIR:** 0.15 SE **ELEVATION:** 105 **MAP ID:** 33

 NAME:
 FORMER CORUM/MDOT
 REV:
 12/4/08

 ADDRESS:
 259 RIVERSIDE DR
 ID1:
 08269

 AUGUSTA ME
 ID2:
 8269

AUGUSTA ME ID2: 8269
KENNEBEC STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 1/24/2003 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: LUBE OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 1/24/2003 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: LUBE OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: NONE

FED REGULATED: N

PIPE LEAK DETECTION: NONE **PIPE ABOVE/BELOW:** B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 90 **DIST/DIR:** 0.15 SE **ELEVATION:** 105 **MAP ID:** 33

NAME: ME DOT

REV: 2/7/09 ADDRESS: 259 RIVERSIDE DR A-45-2003 ID1:

AUGUSTA ME A-45-2003 ID2: STATUS:

KENNEBEC **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE: 01/24/2003 REPORT DATE: 01/24/2003 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: WASTE OIL/USED MOTOR OIL

PRODUCT AMOUNT: 30 GALS AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: CONTAMINATED SOIL WAS TRANSPORTED TO A HAZARDOUS WASTE PROCESSING

FACILITY. RECOVERED LIQUID WAS PROCESSED BY ENPRO. REPORTER TYPE: PUBLIC OFFICIAL **DETECTION METHOD:** SITE ASSESSMENT

OTHER - SPECIFIED IN REPORT LOCATION:

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: TRUE REGISTERED UST: TRUE TANK SITE NUMBER: 8269

TANK NUMBER:

AST INSIDE: **FALSE**

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

FIXED FACILITY

ERNS

SEARCH ID: 7 **DIST/DIR:** 0.16 SE **ELEVATION:** 110 **MAP ID:** 34

 NAME:
 GENERAL MOTORS CORP
 REV:
 1/6/98

 ADDRESS:
 165 BANGOR ST
 ID1:
 565998

165 BANGOR ST ID1: 565998 AUGUSTA ME 04330 ID2:

CONTACT: STATUS: PHONE:

SPILL INFORMATION

DATE OF SPILL: 1/6/98 TIME OF SPILL: 0000

PRODUCT RELEASED (1): WASTE OIL

QUANTITY (1): 1

UNITS (1): UNK

PRODUCT RELEASED (2):

QUANTITY (2): UNITS (2):

PRODUCT RELEASED (3):

QUANTITY (3): UNITS (3):

MEDIUM/MEDIA AFFECTED

AIR: NO GROUNDWATER: NO LAND: YES FIXED FACILITY: NO WATER: YES OTHER: NO

WATERBODY AFFECTED BY RELEASE: STREET INTO A STORM DRAIN

CAUSE OF RELEASE

DUMPING:NOEQUIPMENT FAILURE:NONATURAL PHENOMENON:NOOPERATOR ERROR:NOOTHER CAUSE:YESTRANSP. ACCIDENT:NOUNKNOWN:NO

ACTIONS TAKEN:

RELEASE DETECTION: GMC DEALERSHIP A THICK STREAM OF WASTE OIL WAS MIXED WITH WATER,IT WAS RAINING,AND IT

RAN DOWN THE STREET INTO A STORM DRAIN.

MISC. NOTES: 15:19 VERDONE CALLED MEDEP 207-287-7800 NO ANSWER. VERDONE CALLED ME S/P 207-657-3030 STATE

POLICE WILL HAVE DEP CALL EPA.

DISCHARGER INFORMATION

DISCHARGER ID: 565998 DUN and BRADSTREET:

TYPE OF DISCHARGER: PRIVATE ENTERPRISE **NAME OF DISCHARGER:** GENERAL MOTORS CORP **ADDRESS:** 165 BANGOR STREET

AUGUSTA ME

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 196 **DIST/DIR:** 0.16 SE **ELEVATION:** 98 **MAP ID:** 35

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A13386

AUGUSTA ME ID1: A13386
ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: DISPATCHER

NOTIFIER S ADDRESS: BANGOR STREET FIRE

AUGUSTA ME

NOTIFIER PHONE: 6262370

DATE OF RELEASE: 26-APR-1986

CAUSE OF SPILL: PHYSICAL BREAKAGE
METHOD OF SPILL DETECTION: PUBLIC OFFICIAL - OTHER

PRODUCT REPORTED SPILLED: 2 FUEL OIL ACTUAL PRODUCT SPILLED: 2 FUEL OIL AMOUNT SPILLED: 200

AMOUNT SPILLED: 200

UNITS: G

SPILL SOURCE:BUSINESS- INDUSTRIALMEDIUM AFFECTED:LAND AND GROUNDWATERTANKS INVOLVED:UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS **AMOUNT OF PRODUCT RECOVERED:** 100 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS **SPILL INVESTIGATED BY:** BRANN, FRED

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL:COPPERAGE OF TANK:21-25 YEARSTANK STATUS:ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 227 **DIST/DIR:** 0.16 SE **ELEVATION:** 114 **MAP ID:** 36

NAME:DURAND APARTMENTSREV:12/4/08ADDRESS:5 STANLEY STID1:19057

AUGUSTA ME ID2: 19057 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: DURAND, NELSON
OWNER ADDRESS: 11 EASY ST

GARDINER ME 4345

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 5/5/1995
TANK INSTALLED DATE: 1/1/1960
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 116 **DIST/DIR:** 0.16 SE **ELEVATION:** 94 **MAP ID:** 37

 NAME:
 TRAILER PARK
 REV:
 2/7/09

 ADDRESS:
 140 BANGOR ST
 ID1:
 A-331-2004

 AUGUSTA ME
 A 231-2004
 ID2:
 A-231-2004

AUGUSTA ME ID2: A-331-2004
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/08/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNSPECIFIED OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: CLEAN HARBORS DISPOSED OF THE CONTAMINATED OIL/WATER MIXTURE.

REPORTER TYPE: OTHER INVOLVED PARTY

DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY SOURCE: NO SOURCE FOUND BY RESPONDER

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNKNOWN/UNSPECIFIED

TANK REMOVED: FALSE

REGISTERED UST: TANK SITE NUMBER: TANK NUMBER: AST INSIDE:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 194 **ELEVATION:** 103 **DIST/DIR:** 0.17 SE **MAP ID:** 38

NAME: REV: 6/07/01 ADDRESS:

A11786 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: GREENIER, FOREST NOTIFIER S ADDRESS: DEAD RIVER CO

AUGUSTA ME 04330

NOTIFIER PHONE:

DATE OF RELEASE: 07-MAY-1986

POOR WORKMANSHIP **CAUSE OF SPILL:** METHOD OF SPILL DETECTION: SPILLER - OTHER PRODUCT REPORTED SPILLED: 2 FUEL OIL ACTUAL PRODUCT SPILLED: 2 FUEL OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- SINGLE FAMILY

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SORBENTS** AMOUNT OF PRODUCT RECOVERED: 40 G

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 242 **DIST/DIR:** 0.17 SE **ELEVATION:** 130 **MAP ID:** 39

NAME: ST BARNABAS CHURCH REV: 12/4/08 ADDRESS: 60 BANGOR ST 17856 ID1:

AUGUSTA ME 17856 ID2: STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: ST BARNABAS CHURCH

OWNER ADDRESS: 60 BANGOR ST AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 11/5/1991 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 275 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N** NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 11/5/1991 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: 1 FUEL OIL - KEROSENE

TANK CAPACITY: 275 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 242 **DIST/DIR:** 0.17 SE **ELEVATION:** 130 **MAP ID:** 39

 NAME:
 ST BARNABAS CHURCH
 REV:
 12/4/08

 ADDRESS:
 60 BANGOR ST
 ID1:
 17856

AUGUSTA ME ID2: 17856 STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 123 **DIST/DIR:** 0.18 SE **ELEVATION:** 128 **MAP ID:** 40

NAME:WILLIAMS SCHOOL PLAYGROUNDREV:2/7/09ADDRESS:BANGOR STID1:A5610

AUGUSTA ME ID2: A-561-2000

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 10/11/2000
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:0 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: OTHER

LOCATION: GOVERNMENT - LOCAL

SOURCE: NO SOURCE

SPILL CAUSE: OTHER - NO CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: TRUE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 223 **DIST/DIR:** 0.18 SE **ELEVATION:** 94 **MAP ID:** 41

 NAME:
 BARDENS SHOPRITE
 REV:
 12/4/08

 ADDRESS:
 145 BANGOR ST
 ID1:
 04135

 AUGUSTA ME
 ID2:
 4135

AUGUSTA ME ID2: 4135 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: BARDENS SHOPRITE
OWNER ADDRESS: 145 BANGOR ST
AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 9/1/1990 **TANK INSTALLED DATE:** 5/1/1983

PRODUCT STORED: 1 FUEL OIL - KEROSENE

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 142 **DIST/DIR:** 0.18 SE **ELEVATION:** 94 **MAP ID:** 41

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A47290

AUGUSTA ME ID2: A-472-1990

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/19/1990
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:GALS.AMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT
DETECTION METHOD: TANK AND/OR PIPING REMOVAL
LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 222 **DIST/DIR:** 0.18 SE **ELEVATION:** 94 **MAP ID:** 41

 NAME:
 BARDENS LAUNDRY MAT
 REV:
 12/4/08

 ADDRESS:
 145 BANGOR ST
 ID1:
 04081

AUGUSTA ME ID2: 4081 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: BARDENS SHOPRITE
OWNER ADDRESS: 145 BANGOR ST
AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS:REMOVEDTANK STATUS DATE:9/1/1990TANK INSTALLED DATE:1/1/1971

PRODUCT STORED: 1 FUEL OIL - KEROSENE

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 118 **DIST/DIR:** 0.18 SE **ELEVATION:** 125 **MAP ID:** 42

 NAME:
 TRI-STATE STAFFING INC
 REV:
 2/7/09

 ADDRESS:
 56 BANGOR ST
 ID1:
 A-57-2004

AUGUSTA ME ID2: A-57-2004

AUGUSTA ME

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 01/22/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:.25 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:BY DOWNEAST ENERGYREPORTER TYPE:CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT

LOCATION: BUSINESS - COMMERCIAL

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 246 **ELEVATION: DIST/DIR:** 0.19 SE 119 MAP ID: 43

REV: NAME: THE SALVATION ARMY 12/4/08 ADDRESS: 11 NORTH PEARL ST 06504 ID1: AUGUSTA ME ID2: 6504

STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: SALVATION ARMY THE

OWNER ADDRESS: PO BOX 107

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 6/1/1988 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N NEAR PUBLIC WATER:** N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 195 **DIST/DIR:** 0.19 SE **ELEVATION:** 119 **MAP ID:** 43

NAME: REV: 6/07/01 ADDRESS:

A24588 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: WADLEIGHS NOTIFIER S ADDRESS: **BOX 69**

AUGUSTA ME 04330

NOTIFIER PHONE: 2076226301

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: CONTRACTOR - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: **ACTUAL PRODUCT SPILLED:** NONE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- OTHER

MEDIUM AFFECTED:

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

TANK INFORMATION:

TANK NUMBER:

1000 SIZE OF TANK IN GALLONS:

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED PIPE MATERIAL: STEEL - BARE OR ASPHALT COATED

AGE OF TANK: UNKNOWN

TANK STATUS:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 232 **DIST/DIR:** 0.19 SW **ELEVATION:** 94 **MAP ID:** 44

 NAME:
 LORD, ROGER and JANET
 REV:
 12/4/08

 ADDRESS:
 6 MAPLE ST
 ID1:
 05780

AUGUSTA ME ID2: 5780 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: LORD, ROGER and JANET OWNER ADDRESS: BOX 1194 SHADY LANE HALLOWELL ME 4347

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 9/1/1991
TANK INSTALLED DATE: 1/1/1974
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 139 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A17492

AUGUSTA ME ID2: A-174-1992

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 04/10/1992

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:0 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT
DETECTION METHOD: TANK AND/OR PIPING REMOVAL
LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2307

TANK NUMBER:

AST INSIDE: FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2037TANK NUMBER:3AST INSIDE:FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 77 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

NAME:JOSEPH KIRSCHNER COREV:2/7/09ADDRESS:193 RIVERSIDE DRID1:A11397

AUGUSTA ME ID2: A-113-1997

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 04/14/1997
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:6 FUEL OILPRODUCT AMOUNT:GALS.AMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

 DISPOSAL INFO:
 D-TREE=I; PIKE INDUSTRIES

 REPORTER TYPE:
 CONTRACTOR/CONSULTANT

 DETECTION METHOD:
 TANK AND/OR PIPING REMOVAL

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:2037

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 78 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

NAME:JOSEPH KIRSCHNER COMPANYREV:2/7/09ADDRESS:193 RIVERSIDEID1:A45197

AUGUSTA ME ID2: A-451-1997

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 11/03/1997
REPORT DATE: 11/03/1997
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:15 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE:

DETECTION METHOD:

D-TREE=BL1

SUBJECT/SPILLER

VISUAL PRODUCT

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VRAP

VCP

SEARCH ID: 255 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

NAME:KIRSCHNER PLANTREV:12/1/08ADDRESS:193 RIVERSIDE DRID1:REM01810

AUGUSTA ME ID1: REMOTRIC AUGUSTA ME

KENNEBEC STATUS: CONTACT: PHONE:

SITE INFORMATION

PROGRAM:VRAPSTATUS:IN REVIEWINSTITUTIONAL CONTROL:UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 231 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

 NAME:
 GLH REALTY
 REV:
 12/4/08

 ADDRESS:
 193 RIVERSIDE DR
 ID1:
 02037

 AUGUSTA ME
 ID2:
 2037

CONTACT: STATUS: ACTIVE PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: GLH REALTY
OWNER ADDRESS: 187 RIVERSIDE DR
AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 6

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 4/14/1997
TANK INSTALLED DATE: 2/1/1979
PRODUCT STORED: 6 FUEL OIL

TANK CAPACITY: 16000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED 5/1/1990
TANK INSTALLED DATE: 8/1/1959
PRODUCT STORED: 5 FUEL OIL

TANK CAPACITY: 6670 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 231 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

 NAME:
 GLH REALTY
 REV:
 12/4/08

 ADDRESS:
 193 RIVERSIDE DR
 ID1:
 02037

 AUGUSTA ME
 ID2:
 2037

 STATUS:
 ACTIVE

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS:REMOVEDTANK STATUS DATE:4/1/1992TANK INSTALLED DATE:4/1/1974PRODUCT STORED:DIESEL

TANK CAPACITY: 7100 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 4/1/1992
TANK INSTALLED DATE: 9/1/1979
PRODUCT STORED: DIESEL

TANK CAPACITY: 10100 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 5

TANK STATUS:REMOVEDTANK STATUS DATE:1/1/1985TANK INSTALLED DATE:8/1/1959PRODUCT STORED:2 FUEL OIL

- Continued on next page -

UST

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SEARCH ID: 231 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

 NAME:
 GLH REALTY
 REV:
 12/4/08

 ADDRESS:
 193 RIVERSIDE DR
 ID1:
 02037

 AUGUSTA ME
 ID2:
 2037

 STATUS:
 ACTIVE

CONTACT: PHONE:

TANK CAPACITY: 500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID: 6
TANK STATUS: ACTIVE
TANK STATUS DATE: 4/18/1997
TANK INSTALLED DATE: 4/18/1997
PRODUCT STORED: 6 FUEL OIL

TANK CAPACITY: 15000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

FED REGULATED: N

PIPE LEAK DETECTION: SEC_CONT_CONTIN_ELEC_MON

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: VENT_BALL

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 193 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 **MAP ID:** 45

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A22185

AUGUSTA ME ID1: A22183

CONTACT: STATUS: PHONE:

NOTIFIER: MALBON, GARY **NOTIFIER S ADDRESS:** c/o KIRSHNERS

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 16-DEC-1985 **CAUSE OF SPILL:** PIPING CORROSION

METHOD OF SPILL DETECTION: SPILLER - SURFACE BREAKOUT

PRODUCT REPORTED SPILLED: 5 FUEL OIL
ACTUAL PRODUCT SPILLED: 5 FUEL OIL

AMOUNT SPILLED: 300

UNITS: G

SPILL SOURCE:BUSINESS- COMMERCIALMEDIUM AFFECTED:LAND AND GROUNDWATERTANKS INVOLVED:UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: PUMPS
METHOD OF SPILL RECOVERY: EXCAVATION

AMOUNT OF PRODUCT RECOVERED: 250 G

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS:

TANK MATERIAL:OTHERPIPE MATERIAL:OTHERAGE OF TANK:UNKNOWNTANK STATUS:ACTIVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 192 **DIST/DIR:** 0.20 SE **ELEVATION:** 146 MAP ID: 45

NAME: REV: 6/07/01 ADDRESS:

P583 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: ROY ROBICHAUD

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL)

METHOD OF SPILL DETECTION: SPILLER - OTHER

PRODUCT REPORTED SPILLED: DIESEL **ACTUAL PRODUCT SPILLED:** DIESEL AMOUNT SPILLED: 28 **UNITS:**

SPILL SOURCE: **BUSINESS- COMMERCIAL**

MEDIUM AFFECTED: LAND AND INLAND SURFACE WATER

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 235 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 O CONNOR GMC INC
 REV:
 12/4/08

 ADDRESS:
 187 RIVERSIDE DR
 ID1:
 14262

 AUGUSTA ME
 ID2:
 14262

AUGUSTA ME ID2: 14262 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: OCONNOR GMC INC OWNER ADDRESS: 187 RIVERSIDE DR AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 7/26/1996
TANK INSTALLED DATE: 1/1/1976
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS:REMOVEDTANK STATUS DATE:7/26/1996TANK INSTALLED DATE:12/1/1985PRODUCT STORED:2 FUEL OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST SEARCH ID: 235 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 MAP ID: 46 NAME: O CONNOR GMC INC **REV:** 12/4/08 **ADDRESS:** 187 RIVERSIDE DR 14262 ID1: AUGUSTA ME ID2: 14262 STATUS: REMOVED CONTACT: PHONE: **NEAR PUBLIC WATER:** N **NEARBY WATER OTHER OWNER:** N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 141 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A11291

AUGUSTA ME ID2: A-112-1991
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 03/18/1991

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNLEADED GASOLINE

PRODUCT AMOUNT: 0 GALS.
AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT DETECTION METHOD: UST TANK ANOMALY LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 95 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 O CONNOR MOTOR CO., INC.
 REV:
 2/7/09

 ADDRESS:
 ROUTE 201
 ID1:
 A63094

AUGUSTA ME ID2: A-630-1994

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/20/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: 10 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: 14 YDS LANDSPREAD ON O CONNOR MOTOR S PROPERTY

REPORTER TYPE: CONTRACTOR/CONSULTANT
DETECTION METHOD: TANK AND/OR PIPING REMOVAL
LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE
REGISTERED UST: TRUE
TANK SITE NUMBER: 641
TANK NUMBER: 3
AST INSIDE: FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:641TANK NUMBER:2AST INSIDE:FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:641TANK NUMBER:1AST INSIDE:FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 236 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 OCONNOR MOTOR CO
 REV:
 12/4/08

 ADDRESS:
 RIVERSIDE DR
 ID1:
 00641

 AUGUSTA ME
 ID2:
 641

STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: WADLEIGHS INC

OWNER ADDRESS: PO BOX 7

HALLOWELL ME 4347

OWNER PHONE:

TOTAL NUMBER OF TANKS: 5

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 9/1/1994 TANK INSTALLED DATE: 11/1/1977

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 9/1/1994 TANK INSTALLED DATE: 11/1/1977

PRODUCT STORED: UNLEADED GASOLINE

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 236 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 OCONNOR MOTOR CO
 REV:
 12/4/08

 ADDRESS:
 RIVERSIDE DR
 ID1:
 00641

 AUGUSTA ME
 ID2:
 641

STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS:REMOVEDTANK STATUS DATE:9/1/1994TANK INSTALLED DATE:11/1/1977PRODUCT STORED:DIESEL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW:

OVERFILL PROTECTION: UNKNOWN

В

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 8/1/1990 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: REGULAR GASOLINE

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: Y

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 8/1/1990 TANK INSTALLED DATE: 10/1/1969

PRODUCT STORED: REGULAR GASOLINE

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 236 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 OCONNOR MOTOR CO
 REV:
 12/4/08

 ADDRESS:
 RIVERSIDE DR
 ID1:
 00641

AUGUSTA ME ID2: 641 STATUS: REMOVED

CONTACT: PHONE:

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

RCRAGN

SEARCH ID: 6 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 MAP ID: 46

NAME: OCONNOR G M C **REV:** 11/13/08 MED018980235 ADDRESS: RIVERSIDE DR ID1:

AUGUSTA ME 04330

ID2: STATUS: HANCOCK SGN

CONTACT: TROY A KNOWLES PHONE: 2076223191

CT MANIFEST INFORMATION

MANIFEST ID	SHIPPED	TSD ID	TRANS ID	QTY	<u>MATERIAL</u>
CTF1069253	04/16/2004	CTD021816889	CTD021816889	0115 G	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.
CTF1056816	05/20/2004	CTD021816889	CTD021816889	0055 G	HAZARDOUS WASTE, LIQUID, N.O.S.
CTF1056816	05/20/2004	CTD021816889	CTD021816889	0071 G	FLAMMABLE LIQUIDS, N.O.S.
CTF1056982	06/02/2004	CTD021816889	CTD021816889	0076 G	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.
CTF1065272	07/06/2004	CTD021816889	CTD021816889	0065 G	FLAMMABLE LIQUIDS, N.O.S.
CTF1065272	07/06/2004	CTD021816889	CTD021816889	0110 G	GASOLINE (INCLUDING GASOHOL)
CTF1065269 PRODUCTS, N.O	07/06/2004 O.S.	CTD021816889	CTD021816889	0015 G	PETROLEUM DISTILLATES, N.O.S. OR PETROLEUM
CTF1167411	10/01/2004	CTD021816889	CTD021816889	0005 G	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.
CTF1164234	12/06/2004	CTD021816889	CTD021816889	0180 G	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.
CTF1164243	01/03/2005	CTD021816889	CTD021816889	0005 G	FLAMMABLE LIQUIDS, N.O.S.
CTF1226030	04/05/2005	CTD021816889	CTD021816889	0090 G	FLAMMABLE LIQUIDS, N.O.S.

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 94 **DIST/DIR:** 0.20 SE **ELEVATION:** 120 **MAP ID:** 46

 NAME:
 O CONNOR GMC
 REV:
 2/7/09

 ADDRESS:
 187 RIVERSIDE DR
 ID1:
 A33896

AUGUSTA ME

ID2: A-338-1996
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 07/26/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:UNKNOWNAMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:D-TREE=B2; AUGUSTA LANDFILLREPORTER TYPE:CONTRACTOR/CONSULTANTDETECTION METHOD:ODOR/VAPOR/MIST

LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:14262

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 72 **ELEVATION: DIST/DIR:** 0.20 SE 117 MAP ID: 47

NAME: HUBER, FRED REV: 2/7/09 ADDRESS: 42 HIGHLAND ST A41795 ID1:

AUGUSTA ME ID2: A-417-1995 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/07/1995 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL **PRODUCT AMOUNT:** 200 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE:

CITIZEN COMPLAINT **DETECTION METHOD:** OTHER

LOCATION: **RESIDENTIAL - SINGLE FAMILY**

SOURCE:

MECHANICAL FAILURE - PIPING/HOSE **SPILL CAUSE:**

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: **FALSE REGISTERED UST: FALSE**

TANK SITE NUMBER:

TANK NUMBER:

FALSE AST INSIDE:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 228 **ELEVATION: DIST/DIR:** 0.21 SW 94 MAP ID: 48

FOLSOM, FARNHAM **REV:** NAME: 12/4/08 **ADDRESS:** 4 MAPLE ST 03597 ID1: AUGUSTA ME ID2: 3597

STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: FOLSOM, FARNHAM OWNER ADDRESS: 4 MAPLE ST

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 6/1/1989 TANK INSTALLED DATE: 10/1/1969 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N NEAR PUBLIC WATER:** N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 82 **DIST/DIR:** 0.22 SE **ELEVATION:** 118 **MAP ID:** 49

 NAME:
 LAPOINTE RESIDENCE
 REV:
 2/7/09

 ADDRESS:
 49 BANGOR ST
 ID1:
 A37997

AUGUSTA ME ID2: A-379-1997

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 09/29/1997
REPORT DATE: 09/29/1997
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:
DTREE VALUE:

DISPOSAL INFO:
REPORTER TYPE:

REPORTER TYPE: SUBJECT/SPILLER **DETECTION METHOD:** VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 234 **ELEVATION: DIST/DIR:** 0.22 SE 113 MAP ID: 50

REV: NAME: MISTER MARKET INC 12/4/08 ADDRESS: 46 BANGOR ST 13932 ID1:

AUGUSTA ME ID2: 13932 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: MISTER MARKET INC OWNER ADDRESS: 46 BANGOR ST AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 5/1/1989 TANK INSTALLED DATE: 1/1/1966 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 2000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N NEAR PUBLIC WATER:** N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 38 **DIST/DIR:** 0.22 NW **ELEVATION:** 64 **MAP ID:** 51

 NAME:
 CMP TRANSFORMER POLE 1.1
 REV:
 2/7/09

 ADDRESS:
 WASHINGTON PL
 ID1:
 A23399

AUGUSTA ME ID2: A-233-1999

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 04/23/1999
REPORT DATE: 04/23/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: TRANSFORMER OIL

PRODUCT AMOUNT: .1 GALS.
AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: CLEAN UP DONE BY CMP CREWS

REPORTER TYPE: CITIZEN COMPLAINT DETECTION METHOD: VISUAL PRODUCT LOCATION: UTILITY - POWER

SOURCE:

SPILL CAUSE: PROCESS FAILURE - OTHER

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 241 **DIST/DIR:** 0.23 SW **ELEVATION:** 31 **MAP ID:** 52

 NAME:
 RYAN COURT FACILITY
 REV:
 12/4/08

 ADDRESS:
 2 RYAN CT
 ID1:
 15455

AUGUSTA ME ID2: 15455 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: AUGUSTA CITY OF **OWNER ADDRESS:** 16 CONY ST

AUGUSTA ME 4330

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK STATUS: REMOVED
TANK STATUS DATE: 6/1/1988
TANK INSTALLED DATE: 10/1/1969
PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 4000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B
OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 66 **DIST/DIR:** 0.24 NE **ELEVATION:** 75 MAP ID: 53

REV: NAME: ELLIS, BOYD 2/7/09 **ADDRESS:** 330 RIVERSIDE DR A28293 ID1:

AUGUSTA ME ID2: A-282-1993

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/02/1993

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: NONE **PRODUCT AMOUNT:** 0 GALS. AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

ANONYMOUS REPORTER TYPE:

DETECTION METHOD: OTHER

LOCATION: OTHER - NONE SPECIFIED

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

SEARCH ID: 240 **DIST/DIR:** 0.25 NW **ELEVATION:** 103 **MAP ID:** 54

NAME:RIVERVIEW APARTMENTSREV:12/4/08ADDRESS:16 PENOBSCOT STID1:10797

AUGUSTA ME ID2: 10797 STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: RIVERVIEW APARTMENTS

OWNER ADDRESS: RR 1 BOX 85

BELGRADE ME 4917

OWNER PHONE:

TOTAL NUMBER OF TANKS: 1

TANK ID:

TANK CAPACITY: 10000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED: N

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: N NEAR PRIVATE WATER: N NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 126 **DIST/DIR:** 0.25 SE **ELEVATION:** 99 **MAP ID:** 55

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A47390

AUGUSTA ME ID2: A-473-1990

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/19/1990

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER:

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: DEP PERSONNEL

DETECTION METHOD:TANK AND/OR PIPING REMOVAL **LOCATION:**BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:6178

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

99 **SEARCH ID:** 224 **DIST/DIR:** 0.25 SE **ELEVATION:** MAP ID: 55

NAME: BRAKE SERVICE and PARTS INC REV: 12/4/08 ADDRESS: 26 BANGOR ST 06178 ID1:

AUGUSTA ME 6178 ID2: STATUS: REMOVED

CONTACT: PHONE:

SITE INFORMATION

OWNER INFORMATION

OWNER NAME: BRAKE SERVICE and PARTS INC

OWNER ADDRESS: PO BOX 942

BANGOR ME 4401

OWNER PHONE:

TOTAL NUMBER OF TANKS:

TANK ID:

TANK STATUS: REMOVED **TANK STATUS DATE:** 9/1/1990 TANK INSTALLED DATE: 1/1/1948 PRODUCT STORED: 2 FUEL OIL

TANK CAPACITY: 1000 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER: N** NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

TANK ID:

TANK STATUS: REMOVED TANK STATUS DATE: 9/1/1990 TANK INSTALLED DATE: 1/1/1948

WASTE OIL/USED MOTOR OIL PRODUCT STORED:

TANK CAPACITY: 500 GALLONS

MATERIAL CODE:

TANK LEAK DETECTION: UNKNOWN

FED REGULATED:

PIPE LEAK DETECTION: UNKNOWN

PIPE ABOVE/BELOW: B

OVERFILL PROTECTION: UNKNOWN

ON AQUIFER: **NEAR PRIVATE WATER:** N

- Continued on next page -

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

UST

 SEARCH ID:
 224
 DIST/DIR:
 0.25 SE
 ELEVATION:
 99
 MAP ID:
 55

 NAME:
 BRAKE SERVICE and PARTS INC
 REV:
 12/4/08

 ADDRESS:
 26 BANGOR ST
 ID1:
 06178

 AUGUSTA ME
 ID2:
 6178

STATUS: REMOVED

CONTACT: PHONE:

NEAR PUBLIC WATER: N

NEARBY WATER OTHER OWNER: N

54 MAPLE ST **Target Property: JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

PHONE:

6179181436

\mathbf{C}			

SEARCH ID: 2 **DIST/DIR:** 0.25 SW **ELEVATION:** 31 MAP ID: 56

NAME: **REV:** O CONNOR COMPANY MAIN OFFICE 1/9/09

ADDRESS: WILLOW ST MED018980227 ID1:

AUGUSTA ME 04330 ID2: 0100984 STATUS: NOT PROPOSED **CONTACT: NANCY SMITH**

ACTION/QUALITY AGENCY/RPS START/RAA **END** site reassessment EPA Fund-Financed 08-02-2001 Low priority for further assessment

State, Fund Financed 04-06-1987 discovery

preliminary assessment State, Fund Financed 09-30-1989

Low priority for further assessment

site inspection State, Fund Financed 02-23-1993

Higher priority for further assessment

DESCRIPTION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

STATE

SEARCH ID: 19 **DIST/DIR:** 0.25 SW **ELEVATION:** 31 **MAP ID:** 56

NAME:WILLOW STREET JUNKYARD (AKA O CONNOR MAIN OFFICE)REV:6/1/05ADDRESS:0 WILLOW STID1:ME043

AUGUSTA ME 04330 ID2:
STATUS: ACTIVE

CONTACT: PHONE:

SITE INFORMATION

STATE STATUS: NO FURTHER ACTION; DRAFTING DECISION DOCUMENT

FEDERAL STATUS: CERCLIS

PROGRAM:

INSTITUTIONAL CONTROLS:

LISTING CHANGE:

THIS SITE HAS BEED DELETED FROM THE STATE OF MAINE S UNCONTROLLED SITES LIST

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

RCRAGN

SEARCH ID: 5 **ELEVATION: DIST/DIR:** 0.25 SW 31 MAP ID: 56

REV: NAME: OCONNOR F SUPERFUND SITE 11/13/08 ADDRESS: NORTH EASTERN RTE 17 AVE MED018980227 ID1:

AUGUSTA ME 04330

ID2: KENNEBEC STATUS: SGN

CONTACT: DARLENE M COOKSON PHONE: 2076269600

SITE INFORMATION

CONTACT INFORMATION: DARLENE M COOKSON

> ENG DEPT EDISON DR AUGUSTA ME 04336

PHONE: 2076269600

UNIVERSE INFORMATION:

NAIC INFORMATION

2211 - ELECTRIC POWER GENERATION, TRANSMISSION AND DISTRIBUTION

ENFORCEMENT INFORMATION:

VIOLATION INFORMATION:

HAZARDOUS WASTE INFORMATION:

Benzene, 1,4-dichloro- (OR) p-Dichlorobenzene

Benzene (I,T)

Lead D000

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 60 **ELEVATION:** 106 **DIST/DIR:** 0.25 NW MAP ID: 57

NAME: EATON, CHARLES REV: 2/7/09 ADDRESS: 15 WASHINGTON AVE A47599 ID1:

AUGUSTA ME ID2: A-475-1999

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/03/1999 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: TRANSMISSION OIL

PRODUCT AMOUNT: 2 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT **DETECTION METHOD:** VISUAL PRODUCT

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 120 **DIST/DIR:** 0.25 NW **ELEVATION:** 113 **MAP ID:** 58

 NAME:
 VACANT STORE
 REV:
 2/7/09

 ADDRESS:
 56 NORTHERN AVE
 ID1:
 A-125-2004

 ALICHISTA ME
 ID2:
 A-125-2004

AUGUSTA ME ID2: A-125-2004 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 03/03/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SORBENT MATERIALS DISPOSED OF BY AUGUSTA FUEL COMPANY

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT

LOCATION: BUSINESS - COMMERCIAL

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: CORROSION - OTHER

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 83 **DIST/DIR:** 0.26 NW **ELEVATION:** 74 **MAP ID:** 59

NAME:LAURENT and JEANETTE PAREREV:2/7/09ADDRESS:44 WASHINGTON STID1:A-358-2002

AUGUSTA ME ID2: A-358-2002
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/20/2002 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: LOVELL HEATING DISPOSED OF MATERIALS

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

REV:

2/7/09

SPILLS

SEARCH ID: 75 **DIST/DIR:** 0.26 SE **ELEVATION:** 95 **MAP ID:** 60

NAME: INDUSTRIAL METALS RECYCLING (FORMER O CONNOR S JUN

 ADDRESS:
 32 WILLOW ST
 ID1:
 A52199

 AUGUSTA ME
 ID2:
 A-521-1999

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/24/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: WASTE OIL/USED MOTOR OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SORBENTS ADDED TO WASTE STREAM

REPORTER TYPE: ANONYMOUS
DETECTION METHOD: VISUAL PRODUCT
LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: OTHER - KNOWN CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 73 **ELEVATION: DIST/DIR:** 0.26 SE 95 MAP ID: 60

NAME: INDUSTRIAL METAL RECYCLING REV: 2/7/09 A-278-2005 ADDRESS: 32 WILLOW ST ID1:

AUGUSTA ME ID2: A-278-2005

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/17/2005 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: LUBE OIL **PRODUCT AMOUNT:** 30 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: BY FACILITY STAFF REPORTER TYPE: ANONYMOUS **DETECTION METHOD:** VISUAL PRODUCT LOCATION: **BUSINESS - INDUSTRIAL SOURCE:** OTHER SOURCE

SPILL CAUSE: PROCESS FAILURE - OTHER

TANK INFORMATION

TYPE TANK INVOLVED: NONE TANK REMOVED: **FALSE REGISTERED UST:** TRUE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: **FALSE**

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 74 **DIST/DIR:** 0.26 SE **ELEVATION:** 95 **MAP ID:** 60

NAME:INDUSTRIAL METAL RECYCLING INCREV:2/7/09ADDRESS:32 WILLOW ST EXTID1:A-674-2002

AUGUSTA ME ID2: A-674-2002

A-674-2002

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 11/12/2002 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNSPECIFIED OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: PUBLIC OFFICIAL DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: BUSINESS - INDUSTRIAL

SOURCE: LAND TRANSPORTATION - RAILROAD

SPILL CAUSE: OTHER - KNOWN CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: NONE TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

BROWNFIELD

SEARCH ID: 251 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

 NAME:
 EDWARDS MILL
 REV:
 12/1/08

 ADDRESS:
 ID1:
 REM01681

AUGUSTA ME ID1: REM01681

KENNEBEC STATUS: BROWNFIELDS CONTACT: PHONE:

SITE INFORMATION

PROGRAM:BROWNFIELDSSTATUS:NO FURTHER ACTION

INSTITUTIONAL CONTROL: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 61 DIST/DIR: 0.27 SW ELEVATION: 1 MAP ID: 61

 NAME:
 EDWARD S MANUFACTURING
 REV:
 2/7/09

 ADDRESS:
 1 WATER ST
 ID1:
 A46094

AUGUSTA ME ID2: A-460-1994
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 09/29/1994
REPORT DATE: 09/29/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:6 FUEL OILPRODUCT AMOUNT:100 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:13809TANK NUMBER:2AST INSIDE:FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:13809TANK NUMBER:1AST INSIDE:FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 153 **ELEVATION: DIST/DIR:** 0.27 SW 1 **MAP ID:** 61

NAME: EDWARD S MANUFACTURING REV: 6/07/01 ADDRESS: CANAL ST

A10384 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: **ANONYMOUS**

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 27-JUN-1984 **CAUSE OF SPILL:** ACCIDENT OTHER METHOD OF SPILL DETECTION: ANONYMOUS - OTHER

PRODUCT REPORTED SPILLED: 6 FUEL OIL ACTUAL PRODUCT SPILLED: 6 FUEL OIL AMOUNT SPILLED: 50

UNITS:

SPILL SOURCE: **BUSINESS- INDUSTRIAL**

MEDIUM AFFECTED: LAND AND INLAND SURFACE WATER

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 50 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 20 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

NAME:ABANDONED EDWARDS MILLREV:2/7/09ADDRESS:NORTHERN AVEID1:A60193

AUGUSTA ME ID2: A-601-1993

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 12/08/1993

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:NONEPRODUCT AMOUNT:0 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: OTHER

LOCATION: OTHER - NONE SPECIFIED

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 210 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A43889

AUGUSTA ME ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: FISHERMAN

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: NONE **ACTUAL PRODUCT SPILLED:** NONE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: N NA **MEDIUM AFFECTED:** NONE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED: 0 G

SPILL INVESTIGATED BY: WALL, GLEN SPILL INVESTIGATED BY: ANDREWS, JON

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 62 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

 NAME:
 EDWARD S MANUFACTURING
 REV:
 2/7/09

 ADDRESS:
 1 WATER ST
 ID1:
 A51599

AUGUSTA ME

ID2: A-515-1999

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/20/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:HATCH HILLREPORTER TYPE:DEP PERSONNELDETECTION METHOD:SITE ASSESSMENTLOCATION:BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 133 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A42390

AUGUSTA ME ID2: A-423-1990 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 08/23/1990
REPORT DATE: 08/23/1990
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:LUBE OILPRODUCT AMOUNT:.5 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: EDWARDS HIRED CLEAN HARBORS TO CLEANUP

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 65 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

 NAME:
 EDWARDS MANUFACTURING / DAM
 REV:
 2/7/09

 ADDRESS:
 1 WATER ST
 ID1:
 A33498

AUGUSTA ME

ID2: A-334-1998
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 06/30/1998
REPORT DATE: 06/30/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HYDRAULIC OIL
PRODUCT AMOUNT: 1 GALS.
AMOUNT QUALIFIER: ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 67 **DIST/DIR:** 0.27 SW **ELEVATION:** 1 **MAP ID:** 61

NAME:FORMER EDWARDS MANUFACTURING PROPERTYREV:2/7/09ADDRESS:1 WATER STID1:A12098

AUGUSTA ME ID2: A-120-1998

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 03/23/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: UNKNOWN **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSEDTREE DATE:03/26/1998DTREE VALUE:BASELINE ONE

DISPOSAL INFO:NONE TO DATE, LOOKING AT CLEAN UP OPTIONS UNDER THE DIVISION OF

REMEDIATION.

REPORTER TYPE: DEP PERSONNEL

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 163 **ELEVATION: DIST/DIR:** 0.27 SE 123 **MAP ID:** 62

NAME: REV: 6/07/01 ADDRESS:

A26187 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: CLIFFORD, TIMOTHY

NOTIFIER S ADDRESS: 19 SCHOOL ST

AUGUSTA ME 04333 **NOTIFIER PHONE:** 2076221803

DATE OF RELEASE:

CAUSE OF SPILL: HUMAN ERROR

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER PRODUCT REPORTED SPILLED: WASTE OIL / USED MOTOR OIL ACTUAL PRODUCT SPILLED: WASTE OIL / USED MOTOR OIL AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- SINGLE FAMILY

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

0 NUMBER OF WELLS AT RISK: NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 1 G

SPILL INVESTIGATED BY: PRAY, JAMES

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 22 **DIST/DIR:** 0.27 NW **ELEVATION:** 125 **MAP ID:** 63

NAME:APARTMENT BUILDING OWNED BY FORTIN, JEANREV:2/7/09ADDRESS:23 WASHINGTON STID1:A23996

AUGUSTA ME ID2: A-239-1996

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 05/31/1996
REPORT DATE: 06/01/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:400 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SEACOAST OCEAN SERVICES DISPOSED OF PADS AND SPEEDY DRY.

REPORTER TYPE: DETECTION METHOD:SUBJECT/SPILLER
VISUAL PRODUCT

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - OTHER

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 24 **DIST/DIR:** 0.28 SW **ELEVATION:** 7 **MAP ID:** 64

NAME: AUGUSTA FUEL COMP. REV: 2/7/09
ADDRESS: 4 NORTHERN AVE ID1: A6694

AUGUSTA ME ID2: A-66-1994
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 02/17/1994
REPORT DATE: 02/17/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:50 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SNOW WAS SHOVELLED INTO DRUMS and MELT H20 WAS COLLECTED BY CLEAN

HARBORS

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

ELEVATION: 101 **SEARCH ID:** 187 **DIST/DIR:** 0.28 NE **MAP ID:** 65

NAME: REV: 6/07/01 ADDRESS:

P2883 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: GUERRETTE, NORM

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 28-FEB-1983

OVERFILL (TANK OR VESSEL) **CAUSE OF SPILL:**

METHOD OF SPILL DETECTION: SPILLER - OTHER PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL AMOUNT SPILLED: 200

UNITS:

SPILL SOURCE: TRANSPORTATION- TANK TRUCK

MEDIUM AFFECTED: LAND AND INLAND SURFACE WATER

TANKS INVOLVED: NUMBER OF WELLS AT RISK:

0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: VACUUM TRUCKS METHOD OF SPILL RECOVERY: **SORBENTS** METHOD OF SPILL RECOVERY: SKIMMERS

METHOD OF SPILL RECOVERY: **EXCAVATION** AMOUNT OF PRODUCT RECOVERED: 20 G

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 188 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A185

AUGUSTA ME ID2:
KENNEBEC STATUS:

KENNEBEC STATUS: CONTACT: PHONE:

NOTIFIER: MCKENNA,K

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 12-JAN-1985

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL)

METHOD OF SPILL DETECTION:
PRODUCT REPORTED SPILLED:
ACTUAL PRODUCT SPILLED:
2 FUEL OIL
AMOUNT SPILLED:
100

AMOUNT SPILLED: 100
UNITS: G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: EXCAVATION

METHOD OF SPILL RECOVERY: F **AMOUNT OF PRODUCT RECOVERED:** 100 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 54 **ELEVATION:** 101 **DIST/DIR:** 0.28 NE MAP ID: 65

NAME: DEAD RIVER - BULK PLANT REV: 2/7/09 ADDRESS: N BELFAST AVE A27293 ID1:

AUGUSTA ME ID2: A-272-1993 KENNEBEC STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 05/24/1993 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL **PRODUCT AMOUNT:** 20 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

ARC SUBJECT/SPILLER REPORTER TYPE:

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - LOOSE FITTING

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 136 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A6492

AUGUSTA ME ID2: A-64-1992 KENNEBEC STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 02/11/1992
REPORT DATE: 02/11/1992
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: ACCIDENT - OTHER

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 137 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A30092

AUGUSTA ME ID2: A-300-1992

STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 06/18/1992
REPORT DATE: 06/18/1992
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNSPECIFIED MOTOR FUEL

PRODUCT AMOUNT: 10 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 58 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

NAME:DEAD RIVER CO. BULK TERMINALREV:2/7/09ADDRESS:RTE 3ID1:A53893

AUGUSTA ME

KENNEBEC

ID1: A33693

KENNEBEC

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 11/06/1993
REPORT DATE: 11/08/1993
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:30 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK: 0 **DTREE COMPLETED:** FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: FURTHER REMEDIATION PENDING

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 57 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

NAME:DEAD RIVER BULK PLANTREV:2/7/09ADDRESS:N BELFAST AVEID1:A21896

AUGUSTA ME ID: A21890
A-218-1996

KENNEBEC STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 05/20/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:GALS.AMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: ALLOWED SOIL TO BE SPREAD ON BANK INSIDE DIKE

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 55 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

NAME:DEAD RIVER - BULK PLANTREV:2/7/09ADDRESS:N BELFAST AVEID1:A35095

AUGUSTA ME

KENNEBEC

IDI: A35093

A-350-1995

KENTUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 08/01/1995
REPORT DATE: 08/01/1995
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - VALVE

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 189 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A11384

AUGUSTA ME
KENNEBEC

ID1: A11384
ID2:
STATUS:

CONTACT: PHONE:

NOTIFIER: KELLY, J

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 02-AUG-1984 **CAUSE OF SPILL:** HUMAN ERROR

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: 21 ACTUAL PRODUCT SPILLED: 21

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SKIMMERS

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 53 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

 NAME:
 DEAD RIVER
 REV:
 2/7/09

 ADDRESS:
 RTE 3
 ID1:
 A13694

 ALICHISTA ME
 ID2:
 A 126 100

AUGUSTA ME

KENNEBEC

ID1: A13094

LD2: A-136-1994

KENNEBEC

STATUS:

KENNEBEC STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 04/05/1994
REPORT DATE: 04/05/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:50 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 155 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

 NAME:
 HASKELL ENERGIES CO.
 REV:
 6/07/01

 ADDRESS:
 28 N BELFAST AVE
 ID1:
 A13884

28 N BELFAST AVE ID1: A13884 AUGUSTA ME ID2:

KENNEBEC STATUS: CONTACT: PHONE:

NOTIFIER: KELLY, JAMES

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: PHYSICAL BREAKAGE
METHOD OF SPILL DETECTION: SPILLER - ODOR/VAPOR/MIST

PRODUCT REPORTED SPILLED: 21 ACTUAL PRODUCT SPILLED: 21

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAN

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: EXCAVATION

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 191 **ELEVATION:** 101 **DIST/DIR:** 0.28 NE **MAP ID:** 65

NAME: REV: 6/07/01 ADDRESS: A12987 ID1:

AUGUSTA ME ID2: KENNEBEC STATUS:

CONTACT: PHONE:

NOTIFIER: **ANONYMOUS**

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 13-APR-1987 CAUSE OF SPILL: VALVE FAILURE

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: 2 FUEL OIL ACTUAL PRODUCT SPILLED: 2 FUEL OIL

AMOUNT SPILLED: .99

UNITS: G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: OTHER

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 190 **ELEVATION:** 101 **DIST/DIR:** 0.28 NE **MAP ID:** 65

NAME: REV: 6/07/01 A43286 ADDRESS:

ID1: AUGUSTA ME ID2: KENNEBEC STATUS:

CONTACT: PHONE:

NOTIFIER: GRENIER, F.

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 28-NOV-1986 CAUSE OF SPILL: UNKNOWN

METHOD OF SPILL DETECTION: SPILLER - UST TANK ANOMALY

PRODUCT REPORTED SPILLED: 2 FUEL OIL ACTUAL PRODUCT SPILLED: 2 FUEL OIL

AMOUNT SPILLED: 60

UNITS:

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **SORBENTS** AMOUNT OF PRODUCT RECOVERED: 50 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 56 **DIST/DIR:** 0.28 NE **ELEVATION:** 101 **MAP ID:** 65

NAME:DEAD RIVER - BULK PLANTREV:2/7/09ADDRESS:N BELFAST AVEID1:A40696

AUGUSTA ME

BD1: A40090

AUGUSTA ME

ID2: A-406-1996

KENNEBEC

STATUS:

KENNEBEC STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 09/13/1996
REPORT DATE: 09/13/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:5 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: DEAD RIVER WILL DISPOSE OF SORBENTS.

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 213 DIST/DIR: 0.28 SW ELEVATION: 9 MAP ID: 66

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A8687

AUGUSTA ME ID1: A8687
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: AUGUSTA FUEL

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 02-APR-1987
CAUSE OF SPILL: STORM DAMAGE
METHOD OF SPILL DETECTION: SPILLER - OTHER
PRODUCT REPORTED SPILLED: 2 FUEL OIL
ACTUAL PRODUCT SPILLED: 299

UNITS: G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: INLAND SURFACE WATER

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 211 **DIST/DIR:** 0.28 NW **ELEVATION:** 99 **MAP ID:** 67

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A29187

AUGUSTA ME ID1: A29187
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: COUTURE, JEANETTE **NOTIFIER S ADDRESS:** 1 JEFFERSON ST

AUGUSTA ME 04333

NOTIFIER PHONE: 2076260411

DATE OF RELEASE:

CAUSE OF SPILL: UNKNOWN

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - ODOR/VAPOR/MIST

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- MULTIFAMILY

MEDIUM AFFECTED: NONE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: OTHER

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 63 DIST/DIR: 0.28 SW ELEVATION: 0 MAP ID: 68

NAME:EDWARDS DAMREV:2/7/09ADDRESS:KENNEBEC RIVERID1:A40899

AUGUSTA ME ID2: A-408-1999

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 07/08/1999
REPORT DATE: 07/08/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HYDRAULIC OIL
PRODUCT AMOUNT: .2 GALS.
AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: SOIL TO HATCH HILL

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT LOCATION:BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 64 DIST/DIR: 0.28 SW ELEVATION: 0 MAP ID: 68

NAME:EDWARDS DAMREV:2/7/09ADDRESS:KENNEBEC RIVERID1:A51899

AUGUSTA ME ID2: A-518-1999

STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 08/24/1999
REPORT DATE: 08/24/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:HYDRAULIC OILPRODUCT AMOUNT:75 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:COMMERCIAL PAVINGREPORTER TYPE:CITIZEN COMPLAINTDETECTION METHOD:VISUAL PRODUCTLOCATION:BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 157 **ELEVATION:** 103 **DIST/DIR:** 0.28 NE **MAP ID:** 69

NAME: KAREY, DAVID REV: 6/07/01 ADDRESS:

P20983 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: KAREY, DAVID

NOTIFIER S ADDRESS:

AUGUSTA ME

NOTIFIER PHONE: 2076227539

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - ODOR/VAPOR/MIST

PRODUCT REPORTED SPILLED: UNSPECIFIED MOTOR FUEL

ACTUAL PRODUCT SPILLED: NONE AMOUNT SPILLED: **UNITS:** G

SPILL SOURCE: MYSTERY- NA

MEDIUM AFFECTED: NONE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: NUMBER OF WELLS IMPACTED:

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 158 **ELEVATION:** 105 **DIST/DIR:** 0.30 NE **MAP ID:** 70

NAME: RICHARD BOUCHER S PROPERTY REV: 6/07/01 ADDRESS:

A16184 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: BOUCHER, R

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: UNKNOWN

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - WATER ANALYSIS

PRODUCT REPORTED SPILLED: UNSPECIFIED OIL

ACTUAL PRODUCT SPILLED: NONE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- SINGLE FAMILY

MEDIUM AFFECTED: GROUNDWATER

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 107 **DIST/DIR:** 0.31 SE **ELEVATION:** 144 **MAP ID:** 71

NAME: SPENCER, ROBIN REV: 2/7/09
ADDRESS: 21 SCHOOL ST ID1: A34496

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 07/25/1996
REPORT DATE: 07/31/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: D-TREE=B2; AUGUSTA LANDFILL

REPORTER TYPE:CITIZEN COMPLAINT **DETECTION METHOD:**ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 161 **DIST/DIR:** 0.31 SW **ELEVATION:** 20 **MAP ID:** 72

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A9487

AUGUSTA ME ID1: A9487
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: AUGUSTA POLICE DEPT

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: STORM DAMAGE

METHOD OF SPILL DETECTION:PUBLIC OFFICIAL - OTHERPRODUCT REPORTED SPILLED:UNKNOWN SUBSTANCEACTUAL PRODUCT SPILLED:UNKNOWN SUBSTANCE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: MYSTERY- NA

MEDIUM AFFECTED: NONE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: OTHER

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 159 **DIST/DIR:** 0.32 NW **ELEVATION:** 133 MAP ID: 73

NAME: TRASK, JOANNE REV: 6/07/01 ADDRESS: 82 NORTHERN AVE A11188

ID1: AUGUSTA ME 04330 ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: TRASK, CINDY NOTIFIER S ADDRESS: AS ABOVE

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 15-JAN-1988

OVERFILL (TANK OR VESSEL) **CAUSE OF SPILL:** METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: 2 FUEL OIL ACTUAL PRODUCT SPILLED: 2 FUEL OIL AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- SINGLE FAMILY

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PRAY, JAMES

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 135 **DIST/DIR:** 0.32 SW **ELEVATION:** 11 **MAP ID:** 74

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A56991

AUGUSTA ME ID2: A-569-1991

STATUS: CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 10/28/1991
REPORT DATE: 10/28/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:2 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - VALVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VRAP

VCP

SEARCH ID: 259 **DIST/DIR:** 0.32 SW **ELEVATION:** 18 **MAP ID:** 75

NAME:ROCKINGHAM ELECTRICREV:12/1/08ADDRESS:7 MOUNT VERNON AVEID1:REM01656

AUGUSTA ME ID2: REMUTOSC

CONTACT: STATUS: PHONE:

SITE INFORMATION

PROGRAM: VRAP

STATUS: INVESTIGATION IN PROGRESS

INSTITUTIONAL CONTROL: UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 105 **DIST/DIR:** 0.32 SW **ELEVATION:** 18 **MAP ID:** 75

NAME:ROCKINGHAM ELECTRIC - COAL GAS PLANTREV:2/7/09ADDRESS:7 MOUNT VERNON AVEID1:A31199

AUGUSTA ME ID: A-311-1999

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/07/1999

SPILL TYPE: HAZARDOUS MATERIAL INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HAZARDOUS CHEMICAL - SPECIFIED IN REPORT

PRODUCT AMOUNT: UNKNOWN **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:NONE TAKEN OFF SITE.REPORTER TYPE:CONTRACTOR/CONSULTANT

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: OTHER - KNOWN CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 50 **DIST/DIR:** 0.32 SW **ELEVATION:** 12 **MAP ID:** 76

NAME: CUMBERLAND FARMS STORE 1829 REV: 2/7/09 ADDRESS: 5 MOUNT VERNON AVE ID1: A38496

AUGUSTA ME ID2: A-384-1996

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/04/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: UNKNOWN **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: D-TREE=BL2. CONTAMINATED SOIL TAKEN TO TILCON, FAIRFIELD FOR TREATMENT.

REPORTER TYPE:CONTRACTOR/CONSULTANTDETECTION METHOD:TANK AND/OR PIPING REMOVALLOCATION:TERMINAL - SERVICE STATION

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:9078

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 152 **DIST/DIR:** 0.32 SW **ELEVATION:** 12 **MAP ID:** 76

NAME:CUMBERLAND FARMSREV:6/07/01ADDRESS:MT VERNON AVEID1:A3583

AUGUSTA ME ID1: A3383

ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: AUGUSTA FIRE DEPARTMENT

NOTIFIER S ADDRESS:

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 15-DEC-1983 **CAUSE OF SPILL:** HUMAN ERROR

METHOD OF SPILL DETECTION: PUBLIC OFFICIAL - SURFACE BREAKOUT

PRODUCT REPORTED SPILLED: ACTUAL PRODUCT SPILLED:GASOLINE UNSPECIFIED
GASOLINE UNSPECIFIED

AMOUNT SPILLED: 30.99

UNITS: G

SPILL SOURCE: BUSINESS- COMMERCIAL

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: F **AMOUNT OF PRODUCT RECOVERED:** 90.99 G

SPILL INVESTIGATED BY: KEENE, WILLIAM

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 101 **DIST/DIR:** 0.32 SE **ELEVATION:** 140 **MAP ID:** 77

 NAME:
 RALPH and TAMMY COLFER
 REV:
 2/7/09

 ADDRESS:
 18 SCHOOL ST
 ID1:
 A-498-2005

AUGUSTA ME ID2: A-498-2005 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 10/13/2005 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: HATCH HILL BY WADLEIGH S

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE: LAND TRANSPORTATION - TANK TRUCK

SPILL CAUSE: ACCIDENT - HUMAN ERROR

TANK INFORMATION

TYPE TANK INVOLVED: NONE TANK REMOVED: FALSE

REGISTERED UST: TANK SITE NUMBER: TANK NUMBER: AST INSIDE:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 86 **DIST/DIR:** 0.32 NE **ELEVATION:** 96 **MAP ID:** 78

 NAME:
 LOCSIN, SUSAN
 REV:
 2/7/09

 ADDRESS:
 342 RIVERSIDE DR
 ID1:
 A33197

AUGUSTA ME ID1: A331-1997

AUGUSTA ME ID2: A-331-1997

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/08/1997
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNSPECIFIED OIL

PRODUCT AMOUNT: GALS. **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 1
NUM WELLS AT RISK: 1
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: D-TREE CATEGORIZATION UNCLEAR

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: UNITED STATE OF THE OF

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 81 **DIST/DIR:** 0.34 SE **ELEVATION:** 129 **MAP ID:** 79

 NAME:
 KEVIN GALIARD
 REV:
 2/7/09

 ADDRESS:
 16 PATTERSON ST
 ID1:
 A-761-2002

 AUCUSTA ME
 ID2:
 A-761-2002

AUGUSTA ME ID2: A-761-2002 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 12/31/2002 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:25 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: CONTAMINATED SOILS TRANSPORTED TO COMMERICAL PAVING AND RECYCLING

AND LIQUID BY WEBBER FUEL.

REPORTER TYPE: SUBJECT/SPILLER **DETECTION METHOD:** ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: ACCIDENT - HUMAN ERROR

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 103 **DIST/DIR:** 0.34 SW **ELEVATION:** 83 **MAP ID:** 80

 NAME:
 REPOSSESED HOUSE
 REV:
 2/7/09

 ADDRESS:
 40 NOYES ST
 ID1:
 A9396

AUGUSTA ME ID2: A-93-1996

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 02/23/1996
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:UNKNOWNAMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - OTHER

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 140 **DIST/DIR:** 0.35 SE **ELEVATION:** 180 **MAP ID:** 81

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A8391

AUGUSTA ME ID2: A-83-1991
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 02/26/1991
REPORT DATE: 02/26/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HYDRAULIC OIL

PRODUCT AMOUNT: 2 GALS. **AMOUNT QUALIFIER:** ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: BUSINESS - INDUSTRIAL

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 96 **DIST/DIR:** 0.36 SE **ELEVATION:** 187 **MAP ID:** 82

 NAME:
 OWEN, PETER
 REV:
 2/7/09

 ADDRESS:
 29 MURRAY ST
 ID1:
 A2681

AUGUSTA ME ID2: A-268-2001

CONTACT: STATUS: PHONE:

SITE INFORMATION

 SPILL DATE:
 04/12/2001

 REPORT DATE:
 04/13/2001

 SPILL TYPE:
 OIL INCIDENT

 SPILL OFFICE:
 AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:60 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 113 **ELEVATION: DIST/DIR:** 0.36 SE 134 MAP ID: 83

NAME: STREET

REV: 2/7/09 ADDRESS: 24 PATTERSON ST A5097 ID1:

AUGUSTA ME ID2: A-50-1997

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE: 02/18/1997 REPORT DATE: 02/18/1997 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

ANONYMOUS REPORTER TYPE: **DETECTION METHOD:** VISUAL PRODUCT

LOCATION: TRANSPORTATION - ROAD

LAND TRANSPORTATION - PASSENGER VEHICLE **SOURCE:**

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 97 **ELEVATION: DIST/DIR:** 0.36 SW 38 MAP ID: 84

NAME: PJS

REV: 2/7/09 ADDRESS: 80 WATER ST A-56-2004 ID1:

AUGUSTA ME ID2: A-56-2004

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 01/22/2004 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL **PRODUCT AMOUNT:** .25 GALS. AMOUNT QUALIFIER: **ESTIMATE**

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: BY DOWNEAST ENERGY REPORTER TYPE: SUBJECT/SPILLER **DETECTION METHOD:** VISUAL PRODUCT **BUSINESS - COMMERCIAL**

LOCATION:

STORAGE UNIT - ABOVEGROUND STORAGE TANK **SOURCE:**

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: **FALSE** REGISTERED UST: **FALSE**

TANK SITE NUMBER:

TANK NUMBER:

TRUE AST INSIDE:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 125 **DIST/DIR:** 0.37 SW **ELEVATION:** 62 **MAP ID:** 85

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A34192

AUGUSTA ME ID2: A-341-1992

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 07/20/1992
REPORT DATE: 07/20/1992
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:100 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: PADS TO DEP WAREHOUSE

REPORTER TYPE: PUBLIC OFFICIAL

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - POOR WORKMANSHIP

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

REV:

2/7/09

SPILLS

SEARCH ID: 23 DIST/DIR: 0.37 SW ELEVATION: 95 MAP ID: 86

NAME: AUBUCHON HDW BLDG
ADDRESS: 10 BANGOR ST

 10 BANGOR ST
 ID1:
 A-218-2005

 AUGUSTA ME
 ID2:
 A-218-2005

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 05/18/2005
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:3 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: DOWNEAST ENERGY DISPOSED OF THE CONTAMINATED MATERIALS.

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: BUSINESS - COMMERCIAL

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 70 **DIST/DIR:** 0.38 SE **ELEVATION:** 134 **MAP ID:** 87

NAME:GUZMAN RESIDENCEREV:2/7/09ADDRESS:23 GREENLEAF STID1:A10797

AUGUSTA ME

1D2: A-107-1997

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 04/08/1997
REPORT DATE: 04/08/1997
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: EXCAVATION/DISPOSAL BY SPILLER

REPORTER TYPE: SUBJECT/SPILLER **DETECTION METHOD:** VISUAL PRODUCT

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 79 **DIST/DIR:** 0.38 SE **ELEVATION:** 134 **MAP ID:** 87

 NAME:
 JUAN GUZMAN
 REV:
 2/7/09

 ADDRESS:
 23 GREENLEAF ST
 ID1:
 A-693-2002

 ALGUSTA ME
 4 602 2002

AUGUSTA ME ID2: A-693-2002
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 11/25/2002
REPORT DATE: 11/26/2002
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:.5 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: OTHER INVOLVED PARTY

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: ACCIDENT - HUMAN ERROR

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE **REGISTERED UST:** FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 52 **DIST/DIR:** 0.38 SE **ELEVATION:** 137 **MAP ID:** 88

 NAME:
 DAVID SOUTHMAYD
 REV:
 2/7/09

 ADDRESS:
 33 GREENLEAF ST
 ID1:
 A-86-2004

AUGUSTA ME ID2: A-86-2004
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 02/05/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:BY AUGUSTA FUEL CO.REPORTER TYPE:CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 119 **DIST/DIR:** 0.38 SW **ELEVATION:** 31 **MAP ID:** 89

NAME:TRUCK ACCIDENTREV:2/7/09ADDRESS:WATER NEAR RR TRESTLE STID1:A5349

WATER NEAR RR TRESTLE ST
AUGUSTA ME
BD1: A53499
ID2: A-534-1999
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 08/30/1999
REPORT DATE: 08/30/1999
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: TRANSMISSION OIL

PRODUCT AMOUNT: 3 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE:

DETECTION METHOD:

PUBLIC OFFICIAL

VISUAL PRODUCT

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: ACCIDENT - TRANSPORTATION

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 160 **DIST/DIR:** 0.39 SW **ELEVATION:** 46 **MAP ID:** 90

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A33387

AUGUSTA ME ID1: A33387

CONTACT: STATUS: PHONE:

NOTIFIER: ANONYMOUS

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION:CITIZEN COMPLAINT - OTHERPRODUCT REPORTED SPILLED:UNKNOWN SUBSTANCEACTUAL PRODUCT SPILLED:UNKNOWN SUBSTANCE

AMOUNT SPILLED: 0

UNITS: G

SPILL SOURCE: MYSTERY- NA

MEDIUM AFFECTED: NONE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 148 **DIST/DIR:** 0.40 SE **ELEVATION:** 157 **MAP ID:** 91

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A45191

AUGUSTA ME ID2: A-451-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 09/10/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:GALS.AMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:TO AUGUSTA LANDFILLREPORTER TYPE:CONTRACTOR/CONSULTANTDETECTION METHOD:TANK AND/OR PIPING REMOVALLOCATION:RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 34 **DIST/DIR:** 0.40 NE **ELEVATION:** 104 **MAP ID:** 92

 NAME:
 C N BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 360 RIVERSIDE DR
 ID1:
 A-275-2004

AUGUSTA ME ID2: A-275-2004

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 05/13/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: 40 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: 29 TONS EXCAVATED AND TRANSPORTED TO CP/CRS

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: TERMINAL - BULK PLANT

SOURCE: LAND TRANSPORTATION - TANK TRUCK SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: TRUE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 208 **DIST/DIR:** 0.40 SW **ELEVATION:** 94 **MAP ID:** 93

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A35786

AUGUSTA ME ID1: A35786
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: BONENFANT, PAUL

NOTIFIER S ADDRESS:

AUGUSTA ME 04330

NOTIFIER PHONE:

DATE OF RELEASE: 08-OCT-1986 **CAUSE OF SPILL:** NONE -NO CAUSE

METHOD OF SPILL DETECTION: CONTRACTOR - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: BUSINESS- COMMERCIAL

MEDIUM AFFECTED: NONE

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 5000

TANK MATERIAL: GALVANIZED STEEL

PIPE MATERIAL:COPPERAGE OF TANK:UNKNOWNTANK STATUS:ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 5000

TANK MATERIAL: GALVANIZED STEEL

PIPE MATERIAL: COPPER
AGE OF TANK: UNKNOWN
TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 30 **DIST/DIR:** 0.40 NW **ELEVATION:** 167 **MAP ID:** 94

NAME:BEAULIEU, CECILEREV:2/7/09ADDRESS:116 NORTHERN AVEID1:A38995

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/22/1995
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:150 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SOIL REMOVED AND STORED AT STONE AND COOPER

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 212 **DIST/DIR:** 0.40 SW **ELEVATION:** 43 **MAP ID:** 95

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A21885

AUGUSTA ME ID1: A21885

CONTACT: STATUS: PHONE:

NOTIFIER: POLLINS, KEVIN **NOTIFIER S ADDRESS:** POWHATAN ST.

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 10-DEC-1985 **CAUSE OF SPILL:** ACCIDENT OTHER

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: ACTUAL PRODUCT SPILLED:LEADED GASOLINE
LEADED GASOLINE

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 92 **DIST/DIR:** 0.40 SW **ELEVATION:** 99 **MAP ID:** 96

NAME: MYSTERY CONTAMINATION UNDER BANGOR STREET REV: 2/7/09 ADDRESS: BANGOR AT CONY CIR ID1: A2939

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/12/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: UNKNOWN **AMOUNT QUALIFIER:** UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:BASELINE ONE

DISPOSAL INFO: 10 TONS LANDSPREAD AT AUGUSTA PUBLIC WORKS RESERVOIR RIGHT OF WAY.

55.45 TONS TO HATCH HILL LANDFILL.

REPORTER TYPE:
DETECTION METHOD:
DODOR/VAPOR/MIST
LOCATION:
OTHER - MYSTERY
SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED: FALSE
REGISTERED UST: TRUE
TANK SITE NUMBER: 19989
TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

INACTIVE

STATE

SEARCH ID: 15 **DIST/DIR:** 0.41 SW **ELEVATION:** 91 **MAP ID:** 97

NAME:INTERSTATE FIRE PROTECTION BLDGREV:6/1/05ADDRESS:53 CONY STID1:ME123

AUGUSTA ME 04330 ID2:

STATUS: CONTACT: PHONE:

SITE INFORMATION

STATE STATUS: NO FURTHER ACTION

FEDERAL STATUS: NOT APPLICABLE FOR FEDERAL REVIEW. NOT CONSIDERED FOR LISTING ON CERCLIS

PROGRAM:

INSTITUTIONAL CONTROLS:

LISTING CHANGE:

THIS SITE HAS BEED DELETED FROM THE STATE OF MAINE S UNCONTROLLED SITES LIST

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 182 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 98 MAP ID:

NAME: REV: 6/07/01 ADDRESS:

P8283 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: WALDRON, GARY

NOTIFIER S ADDRESS:

NOTIFIER PHONE: 2076220420

DATE OF RELEASE: 25-APR-1983 CAUSE OF SPILL: VALVE FAILURE

METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: 2 FUEL OIL ACTUAL PRODUCT SPILLED: 2 FUEL OIL

AMOUNT SPILLED: 5

G**UNITS:**

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 185 **ELEVATION:** 104 98 **DIST/DIR:** 0.41 NE MAP ID:

NAME: REV: 6/07/01 ADDRESS:

A28988 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: BOUCHARD, SUE NOTIFIER S ADDRESS: C.N. BROWN

SOUTH PARIS ME 04281

NOTIFIER PHONE: 2077439212

DATE OF RELEASE: 12-JUL-1988

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL)

METHOD OF SPILL DETECTION: SPILLER - OTHER PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL AMOUNT SPILLED: 2.99

UNITS:

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 2.99 G

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: ELEVATION: 104 98 186 **DIST/DIR:** 0.41 NE MAP ID:

NAME: REV: 6/07/01 ADDRESS:

A36986 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: ALLEN, JOHN NOTIFIER S ADDRESS: CN BROWN

SO PARIS ME

NOTIFIER PHONE:

DATE OF RELEASE: 17-OCT-1986

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL)

METHOD OF SPILL DETECTION: SPILLER - OTHER

PRODUCT REPORTED SPILLED: **ACTUAL PRODUCT SPILLED:** 21 AMOUNT SPILLED: 300 **UNITS:** G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: **EXCAVATION**

AMOUNT OF PRODUCT RECOVERED: 300 G

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 43 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 CN BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A1700

AUGUSTA ME

ID2: A-170-2000
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 03/24/2000
REPORT DATE: 03/24/2000
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:2 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: SORBENTS ADDED TO CN BROWN WASTE STREAM

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: VISUAL PRODUCT

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: OTHER - KNOWN CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 42 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 CN BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A34596

CONTACT: PHONE:

SITE INFORMATION

 SPILL DATE:
 07/31/1996

 REPORT DATE:
 07/31/1996

 SPILL TYPE:
 OIL INCIDENT

 SPILL OFFICE:
 AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:8 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: REMEDIATION CONDUCTED BY C N BROWN STAFF

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 181 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A16286

AUGUSTA ME ID1: A16286
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: LEAVITT PARKER NOTIFIER S ADDRESS: RIVERSIDE DRIVE

AUGUSTA ME 04330

NOTIFIER PHONE:

DATE OF RELEASE:

CAUSE OF SPILL: NONE -NO CAUSE

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: ACTUAL PRODUCT SPILLED:GASOLINE UNSPECIFIED
GASOLINE UNSPECIFIED

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: TERMINAL- SERVICE STATION

MEDIUM AFFECTED: LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 1
NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: NONE

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 500

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: OTHER
AGE OF TANK: 30+ YEARS
TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 30+ YEARS
TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 1000

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED **PIPE MATERIAL:** BLACK IRON- CAST IRON- IRON CONDUIT

AGE OF TANK: 30+ YEARS
TANK STATUS: ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 44 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 CN BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A1950

AUGUSTA ME ID2: A-195-2000

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 04/04/2000
REPORT DATE: 04/04/2000
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: GASOLINE UNSPECIFIED

PRODUCT AMOUNT: 15 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SOIL DISPOSAL AT COMMERCIAL PAVING/COMMERICAL RECYCLING SYSTEMS

REPORTER TYPE:SUBJECT/SPILLERDETECTION METHOD:VISUAL PRODUCT

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - VALVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 41 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 CN BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A191

AUGUSTA ME ID2: A-19-2001 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 01/10/2001
REPORT DATE: 01/11/2001
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: DISPOSAL OF SORBENTS BY C.N. BROWN

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: VISUAL PRODUCT

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 180 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 98 MAP ID:

NAME: REV: 6/07/01 A23289 ADDRESS: ID1:

AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: SUE

NOTIFIER S ADDRESS: C/O CN BROWN

SO. PARIS ME

NOTIFIER PHONE:

DATE OF RELEASE: 01-JUN-1989

CAUSE OF SPILL: OVERFILL (TANK OR VESSEL)

METHOD OF SPILL DETECTION: SPILLER - OTHER PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL AMOUNT SPILLED: 2.99

UNITS:

SPILL SOURCE:

TRANSPORTATION- TANK TRUCK **MEDIUM AFFECTED:** LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: COGBURN, PERRY

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 36 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

NAME:C N BROWN BULK PLANTREV:2/7/09ADDRESS:RIVERSIDE DRID1:A-33-2005

AUGUSTA ME ID2: A-33-2005 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 01/18/2005
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT: .5 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: SOIL AND PADS DISPOSED OF BY C N BROWN

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: TERMINAL - BULK PLANT

SOURCE: LAND TRANSPORTATION - TANK TRUCK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: TRUE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 40 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 CN BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A4670

AUGUSTA ME ID2: A-467-2000
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 08/23/2000
REPORT DATE: 08/23/2000
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNLEADED GASOLINE

PRODUCT AMOUNT: 75 GALS. **AMOUNT QUALIFIER:** ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: COMMERCIAL RECYCLING

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

STATE

SEARCH ID: 13 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 C N BROWN
 REV:
 07/28/00

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 ME120

AUGUSTA ME 04330 ID2: STATUS: RESOLVED

CONTACT: PHONE:

SITE INFORMATION

STATE STATUS: NO FURTHER ACTION

FEDERAL STATUS: NOT APPLICABLE FOR FEDERAL REVIEW. NOT CONSIDERED FOR LISTING ON CERCLIS

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 184 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A47188

AUGUSTA ME ID1: A47188
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: BERNIER, W.

NOTIFIER S ADDRESS:

NOTIFIER PHONE:

DATE OF RELEASE: 08-NOV-1988

CAUSE OF SPILL: PIPING OR HOSING FAILURE

METHOD OF SPILL DETECTION:SPILLER - OTHERPRODUCT REPORTED SPILLED:2 FUEL OILACTUAL PRODUCT SPILLED:2 FUEL OILAMOUNT SPILLED:5.99

UNITS: G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS **AMOUNT OF PRODUCT RECOVERED:** 5.99 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 33 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 C N BROWN
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A-162-2003

AUGUSTA ME ID2: A-162-2003

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 04/07/2003
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: CRS

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: ODOR/VAPOR/MIST
LOCATION: TERMINAL - BULK PLANT

SOURCE: STORAGE UNIT - UNDERGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:8941

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 183 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A28088

AUGUSTA ME ID1: A28088
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: AUGUSTA FIRE DEPT.

NOTIFIER S ADDRESS:

AUGUSTA ME 04330

NOTIFIER PHONE:

DATE OF RELEASE: 01-JUL-1988 **CAUSE OF SPILL:** VALVE FAILURE

METHOD OF SPILL DETECTION:CITIZEN COMPLAINT - OTHERPRODUCT REPORTED SPILLED:GASOLINE UNSPECIFIEDACTUAL PRODUCT SPILLED:GASOLINE UNSPECIFIED

AMOUNT SPILLED: 30.99 **UNITS:** G

SPILL SOURCE: TERMINAL- BP

MEDIUM AFFECTED: LAND

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: OTHER **AMOUNT OF PRODUCT RECOVERED:** 30.99 G

SPILL INVESTIGATED BY: PHILLIPS, DENNIS **SPILL INVESTIGATED BY:** WALL, GLEN

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 35 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 C N BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A-318-2004

AUGUSTA ME

102: A-318-2004

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/04/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:5 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:BY SPILLERREPORTER TYPE:SUBJECT/SPILLERDETECTION METHOD:VISUAL PRODUCTLOCATION:TERMINAL - BULK PLANT

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: TRUE

TANK SITE NUMBER: TANK NUMBER: AST INSIDE:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 39 **ELEVATION: DIST/DIR:** 0.41 NE 104 **MAP ID:** 98

NAME: CN BROWN BULK PLANT REV: 2/7/09 ADDRESS: 362 RIVERSIDE DR A50496 ID1:

AUGUSTA ME ID2: A-504-1996 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 11/14/1996 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL UNKNOWN **PRODUCT AMOUNT:** AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: D-TREE=BL1. SOIL FROM UNDER AST S WAS TAKEN TO DRAGON CEMENT IN

THOMASTON FOR DISPOSAL.

REPORTER TYPE: CONTRACTOR/CONSULTANT **DETECTION METHOD:** TANK AND/OR PIPING REMOVAL LOCATION: TERMINAL - BULK PLANT **SOURCE:**

OTHER - UNKNOWN SPILL CAUSE:

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: **FALSE** REGISTERED UST: **FALSE**

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 150 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A50191

AUGUSTA ME ID2: A-501-1991
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 09/23/1991
REPORT DATE: 09/23/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: UNLEADED GASOLINE

PRODUCT AMOUNT:20 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:LANDSPREAD ON SITEREPORTER TYPE:SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 37 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 C N BROWN BULK PLANT
 REV:
 2/7/09

 ADDRESS:
 362 RIVERSIDE DR
 ID1:
 A-319-2004

AUGUSTA ME ID2: A-319-2004

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/04/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:.1 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:BY SPILLERREPORTER TYPE:SUBJECT/SPILLERDETECTION METHOD:VISUAL PRODUCT

LOCATION: TERMINAL - BULK PLANT

SOURCE: LAND TRANSPORTATION - TANK TRUCK

SPILL CAUSE: ACCIDENT - HUMAN ERROR

TANK INFORMATION

TYPE TANK INVOLVED: NONE TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 149 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A38890

AUGUSTA ME ID2: A-388-1990

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/03/1990
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:DIESELPRODUCT AMOUNT:GALS.AMOUNT QUALIFIER:UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:HATCH HILL LANDFILLREPORTER TYPE:SUBJECT/SPILLER

DETECTION METHOD:TANK AND/OR PIPING REMOVAL
LOCATION:
TERMINAL - BULK PLANT

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:8941

TANK NUMBER:

AST INSIDE: FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:8941

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 151 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A64791

AUGUSTA ME ID2: A-647-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 12/16/1991
REPORT DATE: 12/16/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT: 4 GALS. **AMOUNT QUALIFIER:** ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: TRANSPORTATION - ROAD

SOURCE:

SPILL CAUSE: OTHER - UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 102 **DIST/DIR:** 0.41 NE **ELEVATION:** 104 **MAP ID:** 98

NAME:RED SHIELD BULK PLANTREV:2/7/09ADDRESS:362 RIVERSIDE DRID1:A-609-2005

AUGUSTA ME ID2: A-609-2005

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 12/12/2005
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: DISPOSAL BY C.N. BROWN

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: VISUAL PRODUCT

LOCATION: TERMINAL - BULK PLANT

SOURCE: LAND TRANSPORTATION - TANK TRUCK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

STATE

SEARCH ID: 18 **DIST/DIR:** 0.41 SW **ELEVATION:** 16 **MAP ID:** 99

 NAME:
 WATER STREET
 REV:
 05-31-95

 ADDRESS:
 0 WATER ST
 ID1:
 ME127

AUGUSTA ME 04330 ID2:
STATUS: LBL

CONTACT: PHONE:

CONTENTS: WHITE POWDER DUMPED (DIS 226)

SPILLS

SEARCH ID: 25 **DIST/DIR:** 0.42 SW **ELEVATION:** 96 **MAP ID:** 100

NAME:AUGUSTA PUBLIC LANDINGREV:2/7/09ADDRESS:BOWMAN STID1:A40398

AUGUSTA ME ID2: A-403-1998

CONTACT: STATUS: PHONE:

SITE INFORMATION

 SPILL DATE:
 07/27/1998

 REPORT DATE:
 07/27/1998

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:
PRODUCT AMOUNT:
O GALS.
AMOUNT QUALIFIER:
ACTUAL

FURTHER RESPONSE:
NUM WELLS IMPACTED:
NUM WELLS AT RISK:
O

DTREE DATE:

DTREE COMPLETED:

DTREE VALUE:

DISPOSAL INFO:NO REMEDIATION NECESSARY

FALSE

REPORTER TYPE: PUBLIC OFFICIAL

DETECTION METHOD: OTHER

LOCATION: TRANSPORTATION - ROAD SOURCE:

SPILL CAUSE: ACCIDENT - HUMAN ERROR

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 154 **ELEVATION:** 95 101 **DIST/DIR:** 0.42 SW **MAP ID:**

NAME: FORT WESTERN REV: 6/07/01 ADDRESS:

P26983 ID1: AUGUSTA ME ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: FIRE CHIEF COOPER

NOTIFIER S ADDRESS:

AUGUSTA ME

NOTIFIER PHONE: 2076233537

DATE OF RELEASE:

NONE -NO CAUSE **CAUSE OF SPILL:**

METHOD OF SPILL DETECTION: PUBLIC OFFICIAL - OTHER

PRODUCT REPORTED SPILLED: TRANSFORMER OIL NON PCB (UNDER 50 PPM) ACTUAL PRODUCT SPILLED: NON-HAZARDOUS CHEMICAL UNSPECIFIED

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: OTHER KNOWN SOURCE- NA

MEDIUM AFFECTED: NONE

TANKS INVOLVED:

NUMBER OF WELLS AT RISK: NUMBER OF WELLS IMPACTED:

METHOD OF SPILL RECOVERY: NONE AMOUNT OF PRODUCT RECOVERED: 0 G

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

CERCLIS

SEARCH ID: 3 **DIST/DIR:** 0.43 SW **ELEVATION:** 44 **MAP ID:** 102

NAME: OLD FORT WESTERN REV: 1/9/09

CONY ST ID1: MEN000103360 AUGUSTA ME 04333 ID2: 0103360

 KENNEBEC
 STATUS:
 NOT PROPOSED

 CONTACT:
 NANCY SMITH
 PHONE:
 6179181436

ACTION/QUALITY AGENCY/RPS START/RAA END

pre-cerclis screening State, Fund Financed 02-04-2004

combined preliminary assessment/site inspection State, Fund Financed 02-01-2008

Low priority for further assessment

discovery State, Fund Financed 02-05-2004

DESCRIPTION:

ADDRESS:

The site area surrounds the historic Fort Western and it is currently owned by the City of Augusta. The area of concern surrounds the Fort directly to the east, west, and north of the Fort, where a gas/service station, machine shop, shoe, and papertube manufacturer where located. The area of concern is currently a lawn and a parking lot for Augusta's City Hall.

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

STATE

SEARCH ID: 16 **DIST/DIR:** 0.43 SW **ELEVATION:** 44 **MAP ID:** 102

 NAME:
 OLD FORT WESTERN
 REV:
 12/1/08

 ADDRESS:
 CONY ST
 ID1:
 REM01680

AUGUSTA ME ID2: REM01680

KENNEBEC STATUS: INVESTIGATION IN PROGRESS

CONTACT: PHONE:

SITE INFORMATION

STATUS: INVESTIGATION IN PROGRESS PROGRAM: UNCONTROLLED SITES

INSTITUTIONAL CONTROLS: UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 209 **DIST/DIR:** 0.43 SW **ELEVATION:** 92 **MAP ID:** 103

 NAME:
 REV:
 6/07/01

 ADDRESS:
 ID1:
 A27688

AUGUSTA ME ID1: A27688
ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: DAVID HUNTER **NOTIFIER S ADDRESS:** 25TH AVENUE

AUGUSTA ME 04330

NOTIFIER PHONE: 2076260475

DATE OF RELEASE: 30-JUN-1988

CAUSE OF SPILL: CORROSION (TANK)

METHOD OF SPILL DETECTION: SPILLER - TANK AND/OR PIPING REMOVAL

PRODUCT REPORTED SPILLED: ACTUAL PRODUCT SPILLED:GASOLINE UNSPECIFIED
GASOLINE UNSPECIFIED

AMOUNT SPILLED:

UNITS:

SPILL SOURCE: RESIDENTIAL- SINGLE FAMILY

MEDIUM AFFECTED: NONE

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

AMOUNT OF PRODUCT RECOVERED:

SPILL INVESTIGATED BY: WALL, GLEN

TANK INFORMATION:

TANK NUMBER:

SIZE OF TANK IN GALLONS: 550

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: COPPER
AGE OF TANK: 30+ YEARS
TANK STATUS: ABANDONED

TANK NUMBER:

SIZE OF TANK IN GALLONS: 550

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL:COPPERAGE OF TANK:30+ YEARSTANK STATUS:ABANDONED

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 88 **ELEVATION:** 104 **DIST/DIR:** 0.43 SW 61 **MAP ID:**

NAME: MARY MCCARTHY REV: 2/7/09 ADDRESS: 5 BOOTHBAY ST A-617-2002 ID1:

AUGUSTA ME ID2: A-617-2002 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 10/14/2002 OIL INCIDENT SPILL TYPE: SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: NONE

PRODUCT AMOUNT:

AMOUNT QUALIFIER:

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE**

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT **DETECTION METHOD:** ODOR/VAPOR/MIST

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE: NO SOURCE

SPILL CAUSE: OTHER - NO CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: NONE TANK REMOVED: **FALSE REGISTERED UST:** TRUE

TANK SITE NUMBER:

TANK NUMBER:

FALSE AST INSIDE:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 31 **DIST/DIR:** 0.45 NE **ELEVATION:** 133 **MAP ID:** 105

 NAME:
 BRIAN SNOW
 REV:
 2/7/09

 ADDRESS:
 64 NEWLAND AVE
 ID1:
 A-345-2002

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 06/11/2002
REPORT DATE: 06/11/2002
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 134 **DIST/DIR:** 0.45 SW **ELEVATION:** 45 **MAP ID:** 106

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A58091

AUGUSTA ME ID2: A-580-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 10/29/1991
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:100 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: ODOR/VAPOR/MIST
LOCATION: BUSINESS - COMMERCIAL

SOURCE:

SPILL CAUSE: CORROSION - PIPING

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 47 **DIST/DIR:** 0.45 SE **ELEVATION:** 110 **MAP ID:** 107

 NAME:
 CONY HIGH SCHOOL
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A54696

AUGUSTA ME ID2: A-546-1996

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 12/05/1996 **REPORT DATE:** 12/05/1996

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:NONEPRODUCT AMOUNT:0 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: MONITORING WELL **LOCATION:** GOVERNMENT - LOCAL

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:8709

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 127 **DIST/DIR:** 0.45 SE **ELEVATION:** 110 **MAP ID:** 107

 NAME:
 REV:
 2/7/09

 ADDRESS:
 ID1:
 A37491

AUGUSTA ME ID2: A-374-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 08/07/1991

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: WASTE OIL/USED MOTOR OIL

PRODUCT AMOUNT:

AMOUNT QUALIFIER:

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE:CONTRACTOR/CONSULTANT **DETECTION METHOD:**TANK AND/OR PIPING REMOVAL

LOCATION: GOVERNMENT, MUNICIPAL OR RELIGIOUS FACILITY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:8709TANK NUMBER:1AST INSIDE:FALSE

TYPE TANK INVOLVED: UNDERGROUND TANK(S) INVOLVED

TANK REMOVED:FALSEREGISTERED UST:TRUETANK SITE NUMBER:8709TANK NUMBER:2AST INSIDE:FALSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 48 **DIST/DIR:** 0.45 SE **ELEVATION:** 110 **MAP ID:** 107

 NAME:
 CONY HIGH SCHOOL
 REV:
 2/7/09

 ADDRESS:
 CONY ST
 ID1:
 A-90-2004

AUGUSTA ME ID2: A-90-2004

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 02/12/2004

SPILL TYPE: HAZARDOUS MATERIAL INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: MERCURY

PRODUCT AMOUNT:

AMOUNT QUALIFIER: UNKNOWN

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO:

REPORTER TYPE:
DET PERSONNEL
DETECTION METHOD:
SITE ASSESSMENT
LOCATION:
SCHOOL - PUBLIC
OTHER SOURCE

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

TANK INFORMATION

TYPE TANK INVOLVED: NONE
TANK REMOVED: FALSE
REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 71 **DIST/DIR:** 0.46 NE **ELEVATION:** 82 **MAP ID:** 108

 NAME:
 HALPERIN, BARBARA
 REV:
 2/7/09

 ADDRESS:
 LOT 83, RIVERSIDE MHP
 ID1:
 A14694

AUGUSTA ME ID2: A-146-1994

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 04/07/1994
REPORT DATE: 04/07/1994
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT: 1 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CONTRACTOR/CONSULTANT

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - OTHER

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 51 **DIST/DIR:** 0.46 NE **ELEVATION:** 82 **MAP ID:** 108

 NAME:
 CURTIS, SANDRA
 REV:
 2/7/09

 ADDRESS:
 LOT 89 RIVERSIDE MHP
 ID1:
 A6295

AUGUSTA ME ID2: A-62-1995
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 02/21/1995
REPORT DATE: 02/22/1995
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT: 50 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:COMMERCIAL PAVINGREPORTER TYPE:SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 104 **DIST/DIR:** 0.46 NE **ELEVATION:** 82 **MAP ID:** 108

NAME:RIVERSIDE TRAILER PARK UNIT 201REV:2/7/09ADDRESS:RIVERSIDE DRID1:A36393

AUGUSTA ME ID2: A-363-1993

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 07/21/1993
REPORT DATE: 07/21/1993
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT: 100 GALS.
AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:HATCH HILLREPORTER TYPE:SUBJECT/SPILLER

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 106 **DIST/DIR:** 0.46 NE **ELEVATION:** 82 **MAP ID:** 108

 NAME:
 SHERYL SWIFT
 REV:
 2/7/09

 ADDRESS:
 8 RAVEN RD
 ID1:
 A-638-2004

AUGUSTA ME ID2: A-638-2004
STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 11/10/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 1 FUEL OIL - KEROSENE

PRODUCT AMOUNT: 3 GALS. **AMOUNT QUALIFIER:** ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: NONE REQUIRED.

REPORTER TYPE: CONTRACTOR/CONSULTANT
DETECTION METHOD: TANK AND/OR PIPING REMOVAL
LOCATION: RESIDENTIAL - SINGLE FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: CORROSION - TANK

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 156 **DIST/DIR:** 0.46 NE **ELEVATION:** 82 **MAP ID:** 108

NAME: HOLLY MAFFEI RESIDENCE REV: 6/07/01 ADDRESS: ID1: A6084

S: ID1: A6084 AUGUSTA ME ID2:

CONTACT: STATUS: PHONE:

NOTIFIER: CHAMPAGNE, L

NOTIFIER S ADDRESS: RVRSIDE MOBILE HOMES

AUGUSTA ME

NOTIFIER PHONE:

DATE OF RELEASE: 25-APR-1984

CAUSE OF SPILL: POOR WORKMANSHIP
METHOD OF SPILL DETECTION: CITIZEN COMPLAINT - OTHER

PRODUCT REPORTED SPILLED: 2 FUEL OIL
ACTUAL PRODUCT SPILLED: 2 FUEL OIL
AMOUNT SPILLED: 200

AMOUNT SPILLED: 200

UNITS: G
SPILL SOURCE: RESIDEN

SPILL SOURCE: RESIDENTIAL- SINGLE FAMILY **MEDIUM AFFECTED:** LAND AND INLAND SURFACE WATER

TANKS INVOLVED: NUMBER OF WELLS AT RISK:

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: SORBENTS **AMOUNT OF PRODUCT RECOVERED:** 20 G

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 84 **DIST/DIR:** 0.46 SW **ELEVATION:** 100 **MAP ID:** 109

 NAME:
 LEW MANTER
 REV:
 2/7/09

 ADDRESS:
 2 STONE ST
 ID1:
 A-9-2006

 AUGUSTA ME
 ID2:
 A-9-2006

AUGUSTA ME ID2: A-9-2 KENNEBEC STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 01/08/2006
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:10 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO: DOWNEAST ENERGY DISPOSED OF THE CONTAMINATED MATERIALS.

REPORTER TYPE: PUBLIC OFFICIAL **DETECTION METHOD:** VISUAL PRODUCT

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: TRUE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 87 **DIST/DIR:** 0.46 SW **ELEVATION:** 100 **MAP ID:** 109

 NAME:
 MANTER REALTY
 REV:
 2/7/09

 ADDRESS:
 2 STONE ST
 ID1:
 A-53-2004

AUGUSTA ME

KENNEBEC

ID1: A-53-2004

KENNEBEC

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 01/23/2004
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:2 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE: FALSE
NUM WELLS IMPACTED: 0
NUM WELLS AT RISK: 0
DTREE COMPLETED: FALSE

DTREE DATE:

DTREE VALUE:

DISPOSAL INFO:DOWNEAST ENERGY DISPOSED OF THE CONTAMINATED SORBENT MATERIALS.

REPORTER TYPE: SUBJECT/SPILLER
DETECTION METHOD: VISUAL PRODUCT
LOCATION: BUSINESS - COMMERCIAL

SOURCE: STORAGE UNIT - ABOVEGROUND STORAGE TANK

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

AST INSIDE: TRUE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

VCP

SEARCH ID: 258 **DIST/DIR:** 0.46 SW **ELEVATION:** 100 MAP ID: 109

NAME: MANTER PROPERTIES **REV:** 12/1/08 ADDRESS: 2 STONE ST

REM01805 ID1: AUGUSTA ME ID2:

KENNEBEC STATUS: VRAP CONTACT: PHONE:

SITE INFORMATION

PROGRAM: VRAP STATUS: IN REVIEW INSTITUTIONAL CONTROL: UNKNOWN

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 32 **DIST/DIR:** 0.46 SW **ELEVATION:** 76 **MAP ID:** 110

 NAME:
 BROWN, CATHRYN
 REV:
 2/7/09

 ADDRESS:
 65 BOOTHBAY ST
 ID1:
 A73198

AUGUSTA ME

ID2: A-731-1998

STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 10/15/1998
REPORT DATE: 10/15/1998
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:50 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: OTHER

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: ACCIDENT - PHYSICAL BREAKAGE

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS80

SEARCH ID: 162 **DIST/DIR:** 0.46 NW **ELEVATION:** 225 **MAP ID:** 111

NAME: REV: 6/07/01 ADDRESS:

A37389 ID1: AUGUSTA ME ID2:

STATUS: CONTACT: PHONE:

NOTIFIER: BEALIEU, MARK NOTIFIER S ADDRESS: 64 RIVER STREET

AUGUSTA ME 04330

NOTIFIER PHONE: 2076225237

DATE OF RELEASE: 08-AUG-1989 **CAUSE OF SPILL:** CORROSION (TANK)

METHOD OF SPILL DETECTION: SPILLER - SURFACE BREAKOUT

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL AMOUNT SPILLED: 5.99

UNITS:

SPILL SOURCE:

RESIDENTIAL- SINGLE FAMILY **MEDIUM AFFECTED:** LAND

TANKS INVOLVED: UNDERGROUND STORAGE TANKS

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **EXCAVATION** METHOD OF SPILL RECOVERY: **SORBENTS** AMOUNT OF PRODUCT RECOVERED: 5.99 G

SPILL INVESTIGATED BY: COGBURN, PERRY

TANK INFORMATION:

TANK NUMBER: 9999 SIZE OF TANK IN GALLONS: 550

TANK MATERIAL: STEEL - BARE OR ASPHALT COATED

PIPE MATERIAL: **COPPER** UNKNOWN AGE OF TANK: TANK STATUS: ACTIVE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 93 **DIST/DIR:** 0.47 SW **ELEVATION:** 77 **MAP ID:** 112

 NAME:
 MYSTERY SHEEN
 REV:
 2/7/09

 ADDRESS:
 BOOTHBY ST
 ID1:
 A27391

AUGUSTA ME ID2: A-273-1991

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE:

REPORT DATE: 06/13/1991

SPILL TYPE: NON-OIL, NON-HAZARDOUS INCIDENT

SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:MARSH SHEENPRODUCT AMOUNT:0 GALS.AMOUNT QUALIFIER:ACTUAL

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: CITIZEN COMPLAINT DETECTION METHOD: VISUAL PRODUCT LOCATION: OTHER - MYSTERY

SOURCE:

SPILL CAUSE: OTHER - NO CAUSE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 122 **DIST/DIR:** 0.47 SW **ELEVATION:** 8 **MAP ID:** 113

 NAME:
 WILLIAM SKIDGELL
 REV:
 2/7/09

 ADDRESS:
 182 WATER ST
 ID1:
 A91

AUGUSTA ME ID2: A-9-2001 STATUS:

CONTACT: PHONE:

SITE INFORMATION

SPILL DATE: 01/08/2001
REPORT DATE: 01/08/2001
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED:2 FUEL OILPRODUCT AMOUNT:1 GALS.AMOUNT QUALIFIER:ESTIMATE

FURTHER RESPONSE:FALSENUM WELLS IMPACTED:0NUM WELLS AT RISK:0DTREE COMPLETED:FALSE

DTREE DATE: DTREE VALUE: DISPOSAL INFO:

REPORTER TYPE: SUBJECT/SPILLER DETECTION METHOD: VISUAL PRODUCT

LOCATION: RESIDENTIAL - MULTI FAMILY

SOURCE:

SPILL CAUSE: OVERFILL

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: FALSE REGISTERED UST: FALSE

TANK SITE NUMBER:

TANK NUMBER:

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 114 **DIST/DIR:** 0.49 SE **ELEVATION:** 223 **MAP ID:** 114

 NAME:
 SYLVIA RAGON
 REV:
 2/7/09

 ADDRESS:
 60 PATTERSON ST
 ID1:
 A16393

AUGUSTA ME ID2: A-163-1993

CONTACT: STATUS: PHONE:

SITE INFORMATION

SPILL DATE: 04/02/1993
REPORT DATE: 04/02/1993
SPILL TYPE: OIL INCIDENT
SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: HYDRAULIC OIL

PRODUCT AMOUNT: 5 GALS. **AMOUNT QUALIFIER:** ACTUAL

FURTHER RESPONSE: FALSE

NUM WELLS IMPACTED:

NUM WELLS AT RISK:

DTREE COMPLETED: FALSE

DTREE DATE: DTREE VALUE:

DISPOSAL INFO: CONTAMINATED SNOW EXCAVATED FROM SITE.

REPORTER TYPE: CITIZEN COMPLAINT

DETECTION METHOD: OTHER

LOCATION: GOVERNMENT, MUNICIPAL OR RELIGIOUS FACILITY

SOURCE:

SPILL CAUSE: MECHANICAL FAILURE - PIPING/HOSE

Environmental FirstSearch Site Detail Report

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 85 **ELEVATION: DIST/DIR:** 0.50 SW 3 MAP ID: 115

NAME: LILLIMAN, INGE REV: 12/7/01 **ADDRESS:** 217 WATER ST

A4821 ID1: AUGUSTA ME 04330 ID2:

STATUS: **CONTACT:** PHONE:

NOTIFIER: AUGUSTA P.D.

NOTIFIER S ADDRESS:

AUGUSTA ME 04330 **NOTIFIER PHONE:** 2076232511

DATE OF RELEASE: 12-JUL-2001

CAUSE OF SPILL: CORROSION (TANK)

METHOD OF SPILL DETECTION: PUBLIC OFFICIAL - ODOR/VAPOR/MIST

PRODUCT REPORTED SPILLED: 2 FUEL OIL **ACTUAL PRODUCT SPILLED:** 2 FUEL OIL

AMOUNT SPILLED: 5

G**UNITS:**

SPILL SOURCE: **BUSINESS- COMMERCIAL**

MEDIUM AFFECTED: LAND

TANKS INVOLVED: ABOVE GROUND TANKS INVOLVED

NUMBER OF WELLS AT RISK: 0 NUMBER OF WELLS IMPACTED: 0

METHOD OF SPILL RECOVERY: **SORBENTS**

AMOUNT OF PRODUCT RECOVERED: 5 G

SPILL INVESTIGATED BY: DAVIS, DANIEL

TANK INFORMATION:

Environmental FirstSearch Site Detail Report

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

SPILLS

SEARCH ID: 76 **ELEVATION: DIST/DIR:** 0.50 SW 3 MAP ID: 115

NAME: INGE LILLIMAN REV: 2/7/09 A-482-2001 ADDRESS: 217 WATER ST ID1:

AUGUSTA ME A-482-2001 ID2:

STATUS: **CONTACT:** PHONE:

SITE INFORMATION

SPILL DATE: 07/12/2001 REPORT DATE: 07/12/2001 SPILL TYPE: OIL INCIDENT SPILL OFFICE: AUGUSTA

DESCRIPTION

PRODUCT SPILLED: 2 FUEL OIL **PRODUCT AMOUNT:** 5 GALS. AMOUNT QUALIFIER: ACTUAL

FURTHER RESPONSE: FALSE NUM WELLS IMPACTED: NUM WELLS AT RISK: 0 DTREE COMPLETED: **FALSE DTREE DATE:**

DTREE VALUE:

DISPOSAL INFO: DISPOSAL OF SORBENTS BY DEP

PUBLIC OFFICIAL REPORTER TYPE: **DETECTION METHOD:** ODOR/VAPOR/MIST LOCATION: **BUSINESS - COMMERCIAL**

STORAGE UNIT - ABOVEGROUND STORAGE TANK **SOURCE:**

CORROSION - TANK **SPILL CAUSE:**

TANK INFORMATION

TYPE TANK INVOLVED: ABOVE GROUND TANK(S) INVOLVED

TANK REMOVED: **FALSE REGISTERED UST: FALSE**

TANK SITE NUMBER:

TANK NUMBER:

TRUE AST INSIDE:

Environmental FirstSearch Site Detail Report

STATE

Target Property: 54 MAPLE ST **JOB:** 16799

AUGUSTA ME 04330 PHASE I UPDATE AM. TISSUE AUGUSTA

 SEARCH ID:
 17
 DIST/DIR:
 0.61 NW
 ELEVATION:
 249
 MAP ID:
 116

 NAME:
 RYAN COURT LOT
 REV:
 05-31-95

 ADDRESS:
 230 NORTHERN AVE
 ID1:
 ME125

 AUGUSTA ME 04330
 ID2:

STATUS: LBL

CONTACT: PHONE:

CONTENTS:

STATE

SEARCH ID: 14 **DIST/DIR:** 0.83 SW **ELEVATION:** 94 **MAP ID:** 117

NAME:HARTFORD STATIONREV:12/1/08ADDRESS:0 WATER STID1:ME042

AUGUSTA ME ID2: REM00424
STATUS: IN REVIEW

CONTACT: PHONE:

SITE INFORMATION

STATUS: IN REVIEW

PROGRAM: UNCONTROLLED SITES

INSTITUTIONAL CONTROLS: UNKNOWN

Environmental FirstSearch Street Name Report for Streets within .25 Mile(s) of Target Property

Target Property: 54 MAPLE ST AUGUSTA ME 04330

JOB: 16799 PHASE I UPDATE AM. TISSUE AUGUSTA


Street Name	Dist/Dir	Street Name	Dist/Dir
Albee St	0.24 SE	N Belfast Ave	0.13 SE
Allen St	0.09 NE	N Pearl St	0.23 SE
Bangor St	0.12 SE	Newland Ave	0.19 SE
Bangor Street Pl	0.10 SE	Northern Ave	0.20 NW
Bowdoin St	0.13 SE	Park St	0.04 SE
Brookside Ave	0.25 NE	Pearl St	0.22 SE
Canal St	0.15 NW	Penobscot St	0.18 NW
Clark St	0.12 SE	Prince St	0.14 NE
Cumberland St	0.19 NW	Purinton Ave	0.15 SE
Drum Barker Rd	0.03 SE	Quimby St	0.20 SE
Elm Ave	0.19 SE	River St	0.25 NW
Fairfield St	0.23 SE	Riverside Dr	0.15 SE
Fletcher St	0.23 NE	Route 100	0.15 SE
Fowler St	0.12 SE	Stanley St	0.18 SE
Franklin St	0.24 NW	State Route 100	0.12 SE
Highland Ave	0.18 SE	State Route 104	0.20 NW
Howe St	0.18 SE	State Route 3	0.13 SE
Hudson St	0.20 NW	State Route 9	0.12 SE
Jefferson St	0.23 NW	United States Highwa	0.12 SE
Lilac Ln	0.12 SE	United States Highwa	0.12 SE
Linden St	0.13 SE	Waldo St	0.19 NW
Linwood Ave	0.22 NE	Washington St	0.22 NW
Locke St	0.02 NE	Washington Street Pl	0.18 NW
Longwood Ave	0.19 SE	Water St	0.24 SW
Maple St	0.00	Willow St	0.24 SE
Mill St	0.21 NW	York St	0.19 NW
Monroe St	0.25 NW		
Murray St	0.22 SE		



1 Mile Radius from Area ASTM Map: NPL, RCRACOR, STATE Sites



54 MAPLE ST, AUGUSTA ME 04330



Source: 2005 U.S. Census TIGER Files

Identified Site, Multiple Sites, Receptor NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste








.5 Mile Radius from Area ASTM Map: CERCLIS, RCRATSD, SPILLS90, SWL



54 MAPLE ST, AUGUSTA ME 04330



NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste Triballand.....

Railroads






.25 Mile Radius from Area ASTM Map: RCRAGEN, ERNS, UST



54 MAPLE ST, AUGUSTA ME 04330




	Source: 2005 U.S. Census TIGER Files			
	Area Polygon			-
	Identified Site, Multiple Sites, Receptor	\times	\times	
	NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste	\boxtimes		
	Triballand	\otimes		
ı	Dellar de			



.5 Mile Radius from Area Non-ASTM Map: Spills 80, Brownfield



54 MAPLE ST, AUGUSTA ME 04330



Source: 2005 U.S. Census TIGER Files

Area Polygon			-
Identified Site, Multiple Sites, Receptor	\times	×.	
NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste	\bowtie		
Triballand	\otimes		
National Historic Sites and Landmark Sites	Н		
Railroads			

APPENDIX B WASTEWATER MEMORANDUM

434 Cony Road Augusta, Maine 04240 Voice: 207/621-8334

Fax: 207/626-9094

Email: jcressey@summitenv.com



Memo

To: Jane Carroll, Greater Augusta Sanitary District From: John Cressey

CC: James Crowley, MEDEP Date: 12/1/08

Mike Duguay, City of Augusta

Jean Firth, MEDEP

RE: Wastewater – Former American Tissue Mill

Jane,

On October 31, 2008 you and I had a conversation regarding the sampling parameters needed by the Greater Augusta Sanitary District for acceptance of the wastewater currently on-site within the Former American Tissue Mill's clarifiers. Samples were collected by Summit on November 5, 2008. The parameters analyzed, at your request were, the thirteen priority pollutant metals (with mercury by Method 1631) and cyanide. The mercury sample was collected following "clean room mercury" protocols and all samples submitted to Maine Environmental Laboratory (MEL) on November 5, 2008.

In addition, Summit contacted Mr. James Crowley of the Maine Department of Environmental Protection (MEDEP) to inquire into the possibility of discharging directly to the Kennebec River. Mr. Crowley asked that in addition to the samples Ms. Carroll had requested, that additional samples for alkalinity, biological oxygen demand (BOD), and total suspended solids (TSS) be analyzed. A field pH was also performed and the result was 6.8 standard units (su).

Please feel free to contact me with any questions regarding the attached analytical results.

John K. Cressey Project Manager

attachments

Maine Environmental Laboratory

Report of Analyses

One Main Street Yarmouth, Maine 04096-1107

Tel (207) 846-6569 Fax (207) 846-9066 e-mail: melab@maine.rr.com

John Cressey

Summit Environmental Consultants, Inc.

434 Cony Road

Augusta, ME 04330

Report Date: November 26, 2008

Report No.: SME739-08

Enclosed are the results of the analyses requested on your samples as received by the laboratory. Samples were received in acceptable condition and analyzed within method holding times with all quality control data within laboratory acceptance limits unless noted. Reporting detection limits are the minimum levels for reporting quantitative data. These limits are 3.18 times the method detection limit as defined in CFR 40 Part 136. Appendix B. Data reported between the reporting and method detection limits are J flagged as estimated. Maine Environmental Laboratory is certified by Maine, Massachusetts, New Hampshire and NELAP (cert,#2031). A list of certified parameters is available on request. The results reported herein conform to the most current NELAP standards, where applicable, unless otherwise narrated in the body of the report. This report shall not be reproduced, except in full, without the written consent of the laboratory.

The complete report consists of the following sections:

Maine Environmental Laboratory report

Chain of custody form

Brooks Rand Laboratory report

Project Name/ID:

American Tissue

Date Received:

11/05/08

Sampler Name:

J. Cressey

References

EPA - EPA600/4-79-020, Methods for Chemical Analysis of Water and Wastes, USEPA, Cincinnati, Ohio, March 1983.

EPA2 - EPA600/R-94/111 Methods for the Determination of Metals in Environmental Samples, Supplement 1, May 1994

EPA1 - EPA/600/R-93/100 Methods for the Determination of Inorganic Substances in Environmental Samples, Aug. 1993.

CLP - USEPA CLP Statement of Work for Inorganics, ILMO3.0.

HEX - EPA-821-R-98-002, Method 1664, Rev. A: N-Hexane Extractable Material by Extraction and Gravimetry, Feb. 1999.

HACH - Chemical Oxygen Demand, Method 8000, Hach Handbook of Water Analysis, Hach Chemical Company, 1979.

STM - Standard Methods for the Examination of Water and Wastewater, 18th edition, APHA, AWWA, WPCF, 1992.

SW8 - SW846, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, USEPA, third edition, 1986.

Authorized signature

Herbert S. Kodis, laboratory director

	E	X	>	×	>	>	>	>	>	7	>	>	>	7	>	>	5
SAMPLED BY	CRESSEY	CRESSEY	CRESSEY	CRESSE	CRESSEY	CRESSE	CRESSE	CRESSEY	CRESSE	CRESSEY	CRESSEY	CRESSE	CRESSEY	CRESSEY	CRESSEY	CRESSEY	CRESSEV
GVZ NO L	7440360	7440382	7440417	7440439	7440473	7440508	7439921	7440020	7782492	7440224	7440280	7440666	DEP1025	DEP1000	57125	DEP1006	7439976
AMIT SISYJANA														930			
HTAU SISYIAPA	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/19/08	11/17/08		11/13/08	11/12/08	11/17/08
ькеь метнор =	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2	E200.2			SM4500CNBC		
- ASHI	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	E200.7	SM2320B	SM5210B	SM4500CNE	SM2540D	E1631
REPORTING LIMIT	0.005	0.005	0.0006	0.0006	0.005	0.003	0.003	0.005	0.005	0.0010	0.004	0.005	1.5		0.005		8.42
igav	0.002	0.002	0.0002	0.0002	0.002	0.001	0.001	0.002	0.002	0.0003	0.001	0.002	0.5		0.002	4	3.16
EVKAMETER DATE	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	MG/L	CACO3/L	MG/L	MG/L	MG/L	VG/L
LAB QUALIFIERS	_	_	ם	J.	ח	<u>ب</u>	_	n	_	ח	J	_	MG	_	ח		
CONCENTRATION	0.002	0.004		0.0002		0.002	0.005		0.003		0.002	0.052	185	89		182	3.74
AVWELLE NAM	WW ANTIMONY	WW ARSENIC	WW BERYLLIUM	WW CADMIUM	WW CHROMIUM	WW COPPER	WW LEAD	WW NICKEL	WW SELENIUM	WW SILVER	-	WW ZINC	WW ALKALINITY	10 WW BODS, SEEDED	WW CYANIDE	WW TSS	WW MERCURY
arvo andres	80/50	05/08	80/50	05/08	05/08	05/08	80/50	80/50	05/08	80/50	05/08	80/50			80/50	80/50	11/05/08
			-	~		-	-	-	_	н	-	Н	-	-	-		BR 11
H D MAYS DV I	4E73908-01 N																SME73908-01 B
I JNO HAVS						70000							0.007			in the Co	TANK-01 SIN
HIIN/J ZHIONA	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE	AMERICAN TISSUE
	WANTEST THE PARTEST DATE PARTESTS THE PARTESTS AND THE TABLE AND THE TAB	TANK-01 SME73908-01 ME 11/05/08 WW ANTIMONY 0.002 J. MG/L 0.002 11/19/08 7440360	TANK-01 SME73908-01 ME 11/05/08 WW ANTIMONY 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440360 7440382	TANK-01 SME73908-01 ME 11/05/08 WW ARSENIC 0.004 J MG/L 0.0002 0.006 E200.7 E200.2 11/19/08 7440382 TANK-01 SME73908-01 ME 11/05/08 WW BERYLLIUM U MG/L 0.0002 0.0006 E200.7 E200.2 11/19/08 7440382 TANK-01 SME73908-01 ME 11/05/08 WW BERYLLIUM U MG/L 0.0002 0.0006 E200.7 E200.2 11/19/08 7440417	TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.0006 E200.7 E200.2 11/19/08 T440417 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.0006 E200.7 E200.2 11/19/08 7440417	TANK-01 SME73908-01 ME 11/05/08 WW ARTINUM U MG/L 0.0002 0.0005 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM U MG/L 0.0002 0.0005 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM U MG/L 0.0002 0.0005 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM U MG/L 0.0002 0.0005 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM U MG/L 0.0002 0.0005 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM U MG/L 0.0002 0.0005 E200.7 E200.2 11/19/08 7440439	TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0005 E200.7 E200.2 11/19/08 7440473	TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440417 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440417 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440417 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440413 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440413 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440439 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.001 0.001 E200.2 11/19/08 74404039 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.001 0.001 0.001 E200.2 11/19/08 74404039	TANK-01 SME73908-01 ME 11/05/08 WW ANTIMONY 0.002 J MG/L 0.002 0.005 E200.7 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUM 0.0002 J MG/L 0.0001 0.003 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.0001 0.003 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.0001 0.003 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.0001 0.003 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.0001 0.003 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 0.005 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW NICKEL 0.001 0.002 0.005 E200.7 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW NICKEL 0.001 0.002 0.005 E200.7 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW NICKEL 0.001 0.002 0.005 E200.7 E200.7 E200.2 11/19/08 TA40520 TANK-01 0.0001 0.	TANK-01 SME73908-01 ME 11/05/08 WW ARSENIC 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUJM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUJM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUJM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUJM 0.0002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUJM 0.0002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CADMIUJM 0.0002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.005 MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW NUCKEL 0.002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW NUCKEL 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW NUCKEL 0.003 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440520	TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.002 0.005 E200.7 E200.7 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPRIUM 0.002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.003 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.003 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 74404073 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.003 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440524 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.003 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440524	TANK-01 SME73908-01 ME 11/05/08 WW NELENUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW NELENUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW NELENUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW NELENUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440473 TANK-01 SME73908-01 ME 11/05/08 WW NELENUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.005 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.005 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.005 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.0005 E200.7 E200.2 11/19/08 7440520 TANK-01 SME73908-01 ME 11/05/08 WW THALLIUM 0.002 J MG/L 0.0001 0.004 E200.7 E200.2 11/19/08 7440520	TANK-01 SME73908-01 ME 11/05/08 WW SELENULM Cool 1 Cool 2 Cool 2 Cool 3 Cool	TANK-01 SME73908-01 ME 11/05/08 WW ANTIMONY 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440439 7440549 TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440439 7440439 7440549	TANK-01 SME73908-01 ME 11/05/08 WW ANTIMONY 0.002 J MG/L 0.0002 0.005 E200.7 E200.2 11/19/08 7440435 TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440437 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.002 J MG/L 0.001 0.003 E200.7 E200.2 11/19/08 7440430 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW LEAD 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ELENDUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW THALLIUM 0.002 J MG/L 0.003 0.001 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW THALLIUM 0.002 J MG/L 0.002 0.005 E200.7 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.2 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.7 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.7 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.7 11/19/08 7440508 TANK-01 SME73908-01 ME 11/05/08 WW ALKALINITY 185 MACASAM 0.5 15.007 E200.7 11/19/08 TANK-01 SME73908-01 ME 11/05/08 WO MC/L 0.0003 0.001 0.0003 E200.7 E200.7 11/19/08 TANK-01 SME73908-01 ME 11/05/08 WO MC/L 0.0003 0.001 0.0003 E200.7 E200.7 11/19/08 TANK-01 MC/L 0.0003 0.0005 E200.7 E200.7 11/19/08 TANK-01 MC/L	TANK-01 SME73908-01 ME 11/05/08 WW CAPPER 0.002 J MGL 0.002 0.005 E20.7 E20.2 11/19/08 7440432 TANK-01 SME73908-01 ME 11/05/08 WW CAPMUUM 0.0002 J MGL 0.002 0.005 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW CAPMUUM 0.0002 J MGL 0.002 0.005 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW CAPMUUM 0.0002 J MGL 0.002 0.005 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW CAPMUUM 0.0002 J MGL 0.001 0.003 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW CAPMUUM 0.0002 J MGL 0.001 0.003 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.0002 J MGL 0.001 0.003 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.0002 J MGL 0.001 0.003 E20.0 11/19/08 74404332 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.0002 J MGL 0.001 0.003 E20.0 11/19/08 74404030 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.002 J MGL 0.001 0.003 E20.0 11/19/08 74404030 TANK-01 SME73908-01 ME 11/05/08 WW SELENIUM 0.002 J MGL 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.002 0.003 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.003 0.001 0.004 E20.0 11/19/08 7440630 TANK-01 SME73908-01 ME 11/05/08 WW SILVER 0.003 0.001 0.002 0.003 E20.0 11/19/08 0.003 0.001 0.004 E20.0 11/19/08 0.003 0.001 0.004 E20.0 11/19/08 0.003 0.001 0.004 E20.0 11/19/08 0.003 0.001 0.003 0.003 0.001 0.004 E20.0 11/19/08 0.003 0.001 0.004 E20.0 11/19/08 0.003 0.001 0.003 0.00	TANK-0 SME73908-0 ME 11/05/08 WW ARELINUM COOK 1 MG/L COOK 2 COOK 2 COOK 2 COOK 3 CO

Report #: SME739-08 Project #: American Tissue Report Date: 11/26/08

Maine Environmental Laboratory

APPENDIX C WESTON MEMORANDUM



MEMORANDUM

TO:

American Tissue Mills of Maine Site File

cc:

Tom Condon, U.S. Environmental Protection Agency (EPA), On-Scene

Coordinator (OSC)

FROM:

John C. Burton, Weston Solutions, Inc., Superfund Technical Assessment and

Response Team III (START)

DATE:

15 December 2008

RE:

Color Coding and Location of Pipe Piles at the American Tissue Mills of Maine

Site, 54 Maple Street, Augusta, Kennebec County, Maine. TDD No. 06-10-0001;

Task No. 0248; Document Control No. R-5241.

INTRODUCTION

This Memorandum summarizes the spray paint color coding used on various chemical lines and piping, the location of pipes left in place due to unsafe access or residue coating only, and the staging areas for removed pipe.

Chemical Line	Color
Lime Slurry	Green
Alum	Pink
Wet Resin	Blue
Kymene	Purple
Sodium Hypochlorite	Orange
Bleach Liquor	Orange
Sodium Hydroxide	Red .

REMAINING CHEMICAL LINE LOCATIONS

Chemical Line	Pipe Type	In Wastewater Treatment Plant Pond closest to the Control Building.				
Ammonia Hydroxide	Steel (4 Inch)					
Lime Slurry	Steel	Building 13 and northwest wall of Building 14A.				
Wet Resin	PVC	Southeastern wall of Building 14 and Northeastern wall of Building 14A.				
ALUM	PVC (2 Inch)	Elevated height from 5,000-gallon Alum tank to Alum tank in the middle of Building 14A.				

Chemical Line	Pipe Type	Location				
ALUM	PVC	Southwest corner of Building 14A. The line				
<i>8</i> 1		is cut at ground level and plugged and				
·		appears to run underground to Building 6.				
Bleach Liquor	PVC (4 Inch)	First Floor of Building 6 eastern wall to the				
		basement of building 6 Concrete tank on the				
		southwestern side.				
Bleach Liquor/Sodium	PVC (4 Inch)	Underneath the steam pipes parallel to the				
Hypochlorite		railroad tracks outside of Building 7.				
Sodium Hypochlorite	ypochlorite PVC (2 Inch) Basement of Building 6 from the					
¥		level of Building 3. Ground level of				
		Building 3 near the stairs on the north end				
	4	of the Building.				
IGE PAL 660	Steel	Southeast corner of Building 3 near Sodium				
	m	Hydroxide Tank. The line contains				
	5 5	material.				

PVC = Polyvinyl Chloride

PIPE STAGING AREAS

Building 13: Sodium Hypochlorite PVC pipe, and Lime Slurry Steel pipe elbow. (See Photograph 1).


Building 14A: Wet Resin, Sodium Hypochlorite, and Bleach Liquor PVC pipes were staged near the Lime Slurry and Alum Tanks. (See Photograph 2).

Building 7: Wet Resin, Sodium Hypochlorite, Bleach Liquor, and Kymene Steel pipes and PVC pipes were staged in a garage door bay at ground level. (See Photograph 3).

Building 7: Kymene PVC pipe was staged near the Kymene tanks on the first floor. (See Photograph 4).

Building 3: Wet Resin PVC pipe was staged near the ramp on the first floor.

Building 3: Sodium Hypochlorite and Bleach Liquor PVC pipe and manifolds were staged on the ground floor near the storage tanks. (See Photograph 5).




SCENE: Photograph 1: Sodium Hypochlorite PVC pipe staged in Building 13.

DATE: 22 October 2008

PHOTOGRAPHER: John Burton

TIME: 1530 hours

CAMERA: Canon PowerShot A540



SCENE: Photograph 2: Sodium Hypochlorite PVC pipe staged in Building 14A.

DATE: 29 October 2008

PHOTOGRAPHER: John Burton

TIME: 1357 hours

CAMERA: Canon PowerShot A540



SCENE: Photograph 3: Wet Resin, Sodium Hypochlorite, and Bleach Liquor PVC pipe staged in Building 7.

DATE: 6 November 2008 PHOTOGRAPHER: John Burton TIME: 1511 hours

CAMERA: Canon PowerShot A540




SCENE: Photograph 4: Kymene PVC pipe staged in the first floor of Building 7.

DATE: 12 November 2008

PHOTOGRAPHER: John Burton

TIME: 1046 hours

CAMERA: Canon PowerShot A540



SCENE: Photograph 5: Sodium Hypochlorite and Bleach Liquor PVC pipe staged on the ground floor of Building

3. **DATE:** 12 November 2008

PHOTOGRAPHER: John Burton

TIME: 1025 hours

CAMERA: Canon PowerShot A540


REFERENCES


- [1] USGS (U.S. Geological Survey). 1956. Augusta, Maine (7.5-minute series topographic map).
- [2] Weston Solutions, Inc. September 2006. After Action Report for the American Tissue Mills of Maine Site August, Kennebec County, Maine 23 October 2006 through 30 August 2007. Superfund Technical Assessment and Response Team III (START), Andover, MA.
- [3] USDA NAID (United States Department of Agriculture National Agriculture Imagery Program). 2003. 1:5,000 Color Digital Orthophoto Imagery, RE: Image Number 1f43774910me19. Available from http://165.221.201.14/NAIP.html. Internet accessed 11 October 2006.
- [4] Weston Solutions, Inc. July 2005. Standard Operating Procedure for Chlor-N-Oil® 50 PCB Screening Test Kit, SOP No. WSI/S3-012, Superfund Technical Assessment and Response Team III (START), Wilmington, MA.
- [5] Haztech Systems,™ Inc. June 2002. HazCat® Chemical Identification System Manual Version 1.2.


Attachment A

Figures

Site Diagram - Northern Portion (Figure 3) Site Diagram - Central Portion (Figure 4) Site Diagram - Southern Portion (Figure 5)







APPENDIX D POLLUTION REPORT #4, USEPA

United States Environmental Protection Agency Region I POLLUTION REPORT

Date: Wednesday, February 18, 2009

From: Tom Condon, OSC

Subject: POLREP #4 and Final

American Tissue Mills of Maine 54 Maple Street, Augusta, ME

Latitude: 44.32 Longitude: -69.7683

01DM **POLREP No.:** Site #: 8/31/07 - 12/03/08 D.O. #: 0058 Reporting Period: **CERCLA** 10/23/2006 **Response Authority:** Start Date: Response Type: Time-Critical Mob Date: 10/23/2006 **NPL Status:** 12/3/2008 Non NPL **Completion Date:** MED985731272 **Incident Category: CERCLIS ID #:** Removal Action

RCRIS ID #: MeD983/312/2 Incident Category: Removal Action

Contract # 68-W-03-037

Site Description

The American Tissue Mills of Maine (ATM) Site is the former location of a tissue paper mill, which, prior to 2001 was operated by American Tissue Mills of Maine. In 2001, the company declared chapter 11 bankruptcy, and ceased operation of the mill. The mill was acquired by Augusta Tissue LLC in March 2003. Augusta Tissue LLC has not resumed operation of the mill. The facility has been unsecured and unheated since operations ceased in 2001. Most of the facility has been without electrical power since that time. Two former employees of American Tissue had been retained in a part-time capacity by Augusta Tissue. One of the responsibilities of these employees was to maintain a series of propane fueled heaters to keep the chemicals in the drums, totes, tanks and piping from freezing during winter. At one point during the winter of 2005/2006, the propane supply at the site ran out. ATM did not provide their employees with any funds to procure additional fuel, and the facility has been unheated since that time. Reportedly, the employees have not been paid for their services for several months. Electrical service was maintained in the office portion of the complex, until a fire destroyed the office on May 15, 2006.

Current Activities

Please refer to earlier POLREPS for a description of Site activities prior to October 12, 2008.

On October 12, 2008, EPA and its contractors remobilized to the site, and from that date through December 3, 2008 performed the following site activities.

- Several small capacitors containing PCB contaminated oil were packaged and shipped off site for disposal. In addition, PCB contaminated oil was drained from one large transformer and shipped off site for disposal.
- A thorough evaluation of piping, which had been used to transfer chemicals while the facility was operating, was conducted. Piping which contained hazardous chemicals, and posed a threat of release was identified. The chemicals were removed (including removal of the piping, where necessary), packaged and shipped off-site for disposal.
- During removal operations, a tank containing alum slurry, and a vault containing lime slurry were identified. The contents of these containers were removed and shipped off-site for disposal.

On December 3, 2008 the last waste streams were shipped off site for disposal, completing the removal action.

Key Issues

The removal action at this site was initially determined to be complete as of August 30, 2007 (see POLREP 3 and Final).

Subsequent actions documented in this POLREP, were conducted in accordance with the Action Memorandum authorizing an exemption from the 12 month statutory limit, approved on September 8, 2008.

Estimated Costs *

	Budgeted	Total To Date	Remaining	% Remaining
Extramural Costs				
ERRS - Cleanup Contractor	\$1,000,000.00	\$625,000.00	\$375,000.00	37.50%
RST/START	\$250,000.00	\$112,600.00	\$137,400.00	54.96%
Intramural Costs				
USEPA - Direct (Region, HQ)	\$200,000.00	\$60,000.00	\$140,000.00	70.00%
Total Site Costs	\$1,450,000.00	\$797,600.00	\$652,400.00	44.99%

* The above accounting of expenditures is an estimate based on figures known to the OSC at the time this report was written. The OSC does not necessarily receive specific figures on final payments made to any contractor(s). Other financial data which the OSC must rely upon may not be entirely up-to-date. The cost accounting provided in this report does not necessarily represent an exact monetary figure which the government may include in any claim for cost recovery.

Disposition of Wastes

Please refer to earlier POLREPS for a disposition of waste information prior to October 12, 2008.

Waste Stream	Quantity	Manifest #	Disposal Facility
Polychlorinated Biphenyls, Liquid	136 Kg.	00229818	Clean Harbors of Braintree, Inc. 1. Hill Avenue Braintree, MA 02184
Polychlorinated Biphenyls, Liquid	445 Kg.	00229819	Spring Grove Resource Recovery Inc. 4879 Spring Grove Avenue Cincinnati, OH 45232
Non-RCRA, Non-DOT Regulated Materials (alum/lime slurry/speedi dri)	12 Tons	NHZ00112491	Juniper Ridge Landfill 2828 Bennoch Road West Old Town, ME 04468
Non-RCRA, Non-DOT Regulated Materials	10 Tons	N/A	Turnkey Landfill 97 Rochester Neck Road Rochester, NH 03839

www.epaosc.org./ATM